



Salesforce

Exam Questions Identity-and-Access-Management-Designer

Salesforce Certified Identity and Access Management Designer (SP19)

NEW QUESTION 1

A farming enterprise offers smart farming technology to its farmer customers, which includes a variety of sensors for livestock tracking, pest monitoring, climate monitoring etc. They plan to store all the data in Salesforce. They would also like to ensure timely maintenance of the installed sensors. They have engaged a Salesforce Architect to propose an appropriate way to generate sensor information in Salesforce.

Which OAuth flow should the architect recommend?

- A. OAuth 2.0 Asset Token Flow
- B. OAuth 2.0 Device Authentication Flow
- C. OAuth 2.0 JWT Bearer Token Flow
- D. OAuth 2.0 SAML Bearer Assertion Flow

Answer: A

NEW QUESTION 2

Universal Containers (UC) uses Salesforce to allow customers to keep track of the order status. The customers can log in to Salesforce using external authentication providers, such as Facebook and Google. UC is also leveraging the App Launcher to let customers access an on-platform application for generating shipping labels. The label generator application uses OAuth to provide users access. What license type should an Architect recommend for the customers?

- A. Customer Community license
- B. Identity license
- C. Customer Community Plus license
- D. External Identity license

Answer: B

NEW QUESTION 3

Universal Container plans to develop a custom mobile app for the sales team that will use Salesforce for authentication and access management. The mobile app access needs to be restricted to only the sales team. What would be the recommended solution to grant mobile app access to sales users?

- A. Use a custom attribute on the user object to control access to the mobile app
- B. Use connected apps OAuth policies to restrict mobile app access to authorized users.
- C. Use the permission set license to assign the mobile app permission to sales users
- D. Add a new identity provider to authenticate and authorize mobile users.

Answer: B

NEW QUESTION 4

Universal Containers (UC) uses a home-grown employee portal for their employees to collaborate. UC decides to use Salesforce ideas to allow the employees to post ideas from the employee portal. When clicking some links in the employee portal, the users should be redirected to Salesforce, authenticated, and presented with relevant pages. What scope should be requested when using the OAuth token to meet this requirement?

- A. Web
- B. Full
- C. API
- D. Visualforce

Answer: A

NEW QUESTION 5

Northern Trail Outfitters (NTO) is planning to roll out a partner portal for its distributors using Experience Cloud. NTO would like to use an external identity provider (IdP) and for partners to register for access to the portal. Each partner should be allowed to register only once to avoid duplicate accounts with Salesforce.

What should a identity architect recommend to create partners?

- A. On successful creation of Partners using Self Registration page in Experience Cloud, create identity in Ping.
- B. Create a custom page in Experience Cloud to self register partner with Experience Cloud and Ping identity store.
- C. Create a custom web page in the Portal and create users in the IdP and Experience Cloud using published APIs.
- D. Allow partners to register through the IdP and create partner users in Salesforce through an API.

Answer: B

NEW QUESTION 6

A leading fitness tracker company is getting ready to launch a customer community. The company wants its customers to login to the community and connect their fitness device to their profile. Customers should be able to obtain exercise details and fitness recommendation in the community.

Which should be used to satisfy this requirement?

- A. Named Credentials
- B. Login Flows
- C. OAuth Device Flow
- D. Single Sign-On Settings

Answer: C

NEW QUESTION 7

Universal Containers (UC) is setting up Delegated Authentication to allow employees to log in using their corporate credentials. UC's security team is concerned about the risk of exposing the corporate login service on the Internet and has asked that a reliable trust mechanism be put in place between the login service and

salesforce. What mechanism should an architect put in place to enable a trusted connection between the login services and salesforce?

- A. Include client ID and client secret in the login header callout.
- B. Set up a proxy server for the login service in the DMZ.
- C. Require the use of Salesforce security Tokens on password.
- D. Enforce mutual Authentication between systems using SSL.

Answer: C

NEW QUESTION 8

Universal Containers (UC) wants its users to access Salesforce and other SSO-enabled applications from a custom web page that UC magnets. UC wants its users to use the same set of credentials to access each of the applications. what SAML SSO flow should an Architect recommend for UC?

- A. SP-Initiated with Deep Linking
- B. SP-Initiated
- C. IdP-Initiated
- D. User-Agent

Answer: C

NEW QUESTION 9

What information does the 'Relaystate' parameter contain in sp-Initiated Single Sign-on?

- A. Reference to a URL redirect parameter at the identity provider.
- B. Reference to a URL redirect parameter at the service provider.
- C. Reference to the login address URL of the service provider.
- D. Reference to the login address URL of the identity Provider.

Answer: B

NEW QUESTION 10

How should an Architect force users to authenticate with Two-factor Authentication (2FA) for Salesforce only when not connected to an internal company network?

- A. Use Custom Login Flows with Apex to detect the user's IP address and prompt for 2FA if needed.
- B. Add the list of company's network IP addresses to the Login Range list under 2FA Setup.
- C. Use an Apex Trigger on the UserLogin object to detect the user's IP address and prompt for 2FA if needed.
- D. Apply the "Two-factor Authentication for User Interface Logins" permission and Login IP Ranges for all Profiles.

Answer: A

NEW QUESTION 10

Universal Containers (UC) rolling out a new Customer Identity and Access Management Solution will be built on top of their existing Salesforce instance. Several service providers have been setup and integrated with Salesforce using OpenID Connect to allow for a seamless single sign-on experience. UC has a requirement to limit user access to only a subset of service providers per customer type. Which two steps should be done on the platform to satisfy the requirement? Choose 2 answers

- A. Manage which connected apps a user has access to by assigning authentication providers to the users profile.
- B. Assign the connected app to the customer community, and enable the users profile in the Community settings.
- C. Use Profiles and Permission Sets to assign user access to Admin Pre-Approved Connected Apps.
- D. Set each of the Connected App access settings to Admin Pre-Approved.

Answer: CD

NEW QUESTION 14

Northern Trail Outfitters is implementing a business-to-business (B2B) collaboration site using Salesforce Experience Cloud. The partners will authenticate with an existing identity provider and the solution will utilize Security Assertion Markup Language (SAML) to provide single sign-on to Salesforce. Delegated administration will be used in the Expenence Cloud site to allow the partners to administer their users' access.

How should a partner identity be provisioned in Salesforce for this solution?

- A. Create only a contact.
- B. Create a contactless user.
- C. Create a user and a related contact.
- D. Create a person account.

Answer: C

NEW QUESTION 15

Universal Containers (UC) is considering a Customer 360 initiative to gain a single source of the truth for its customer data across disparate systems and services. UC wants to understand the primary benefits of Customer 360 Identity and how it contributes ato successful Customer 360 Truth project.

What are two are key benefits of Customer 360 Identity as it relates to Customer 360? Choose 2 answers

- A. Customer 360 Identity automatically integrates with Customer 360 Data Manager and Customer 360 Audiences to seamlessly populate all user data.
- B. Customer 360 Identity enables an organization to build a single login for each of its customers, giving the organization anunderstanding of the user's login activity across all its digital properties and applications.
- C. Customer 360 Identity supports multiple brands so you can deliver centralized identity services and correlation of user activity,even if it spans multiple corporate brands and user experiences.
- D. Customer 360 Identity not only provides a unified sign up and sign in experience, but also tracks anonymous user activity prior to signing up so organizations

can understand user activity before and after the users identify themselves.

Answer: BC

NEW QUESTION 19

Universal Containers wants to implement SAML SSO for their internal Salesforce users using a third-party IdP. After some evaluation, UC decides not to set up My Domain for their Salesforce org. How does that decision impact their SSO implementation?

- A. SP-initiated SSO will not work.
- B. Neither SP- nor IdP-initiated SSO will work.
- C. Either SP- or IdP-initiated SSO will work.
- D. IdP-initiated SSO will not work.

Answer: B

NEW QUESTION 24

An Identity and Access Management (IAM) Architect is recommending Identity Connect to integrate Microsoft Active Directory (AD) with Salesforce for user provisioning, deprovisioning and single sign-on (SSO).

Which feature of Identity Connect is applicable for this scenario?

- A. When Identity Connect is in place, if a user is deprovisioned in an on-premise AD, the user's Salesforce session is revoked immediately.
- B. If the number of provisioned users exceeds Salesforce licence allowances, Identity Connect will start disabling the existing Salesforce users in First-in, First-out (FIFO) fashion.
- C. Identity Connect can be deployed as a managed package on Salesforce org, leveraging High Availability of Salesforce Platform out-of-the-box.
- D. When configured, Identity Connect acts as an identity provider to both Active Directory and Salesforce, thus providing SSO as a default feature.

Answer: A

NEW QUESTION 28

An architect needs to advise the team that manages the identity provider how to differentiate Salesforce from other service providers. What SAML SSO setting in Salesforce provides this capability?

- A. Entity ID
- B. Issuer
- C. Identity provider login URL
- D. SAML identity location

Answer: A

NEW QUESTION 29

A global company has built an external application that uses data from its Salesforce org via an OAuth 2.0 authorization flow. Upon logout, the existing Salesforce OAuth token must be invalidated.

Which action will accomplish this?

- A. Use a HTTP POST to request the refresh token for the current user.
- B. Use a HTTP POST to the System for Cross-domain Identity Management (SCIM) endpoint, including the current OAuth token.
- C. Use a HTTP POST to make a call to the revoke token endpoint.
- D. Enable Single Logout with a secure logout URL.

Answer: C

NEW QUESTION 30

Universal Containers (UC) wants to integrate a third-party Reward Calculation system with Salesforce to calculate Rewards. Rewards will be calculated on a schedule basis and update back into Salesforce. The integration between Salesforce and the Reward Calculation System needs to be secure. Which are two recommended practices for using OAuth flow in this scenario. Choose 2 answers

- A. OAuth Refresh Token Flow
- B. OAuth Username-Password Flow
- C. OAuth SAML Bearer Assertion Flow
- D. OAuth JWT Bearer Token Flow

Answer: CD

NEW QUESTION 34

Northern Trail Outfitters (NTO) uses Salesforce Experience Cloud sites (previously known as Customer Community) to provide a digital portal where customers can login using their Google account.

NTO would like to automatically create a case record for first-time users logging into Salesforce Experience Cloud.

What should an Identity architect do to fulfill the requirement?

- A. Configure an authentication provider for Social Login using Google and a custom registration handler.
- B. Implement a Just-in-Time handler class that has logic to create cases upon first login.
- C. Create an authentication provider for Social Login using Google and leverage standard registration handler.
- D. Implement a login flow with a record create component for Case.

Answer: D

NEW QUESTION 37

Containers (UC) has implemented SAML-based single Sign-on for their Salesforce application and is planning to provide access to Salesforce on mobile devices using the Salesforce1 mobile app. UC wants to ensure that Single Sign-on is used for accessing the Salesforce1 mobile App. Which two recommendations should the Architect make? Choose 2 Answers

- A. Configure the Embedded Web Browser to use My Domain URL.
- B. Configure the Salesforce1 App to use the MY Domain URL.
- C. Use the existing SAML-SSO flow along with User Agent Flow.
- D. Use the existing SAML SSO flow along with Web Server Flow.

Answer: BC

NEW QUESTION 38

Universal containers (UC) has decided to use identity connect as it's identity provider. UC uses active directory(AD) and has a team that is very familiar and comfortable with managing ad groups. UC would like to use AD groups to help configure salesforce users. Which three actions can AD groups control through identity connect? Choose 3 answers

- A. Public Group Assignment
- B. Granting report folder access
- C. Role Assignment
- D. Custom permission assignment
- E. Permission sets assignment

Answer: ACE

NEW QUESTION 42

Which two things should be done to ensure end users can only use single sign-on (SSO) to login in to Salesforce? Choose 2 answers

- A. Enable My Domain and select "Prevent login from <https://login.salesforce.com>".
- B. Request Salesforce Support to enable delegated authentication.
- C. Once SSO is enabled, users are only able to login using Salesforce credentials.
- D. Assign user "is Single Sign-on Enabled" permission via profile or permission set.

Answer: AD

NEW QUESTION 44

Universal containers (UC) employees have salesforce access from restricted ip ranges only, to protect against unauthorised access. UC wants to rollout the salesforce1 mobile app and make it accessible from any location. Which two options should an architect recommend? Choose 2 answers

- A. Relax the ip restriction in the connect app settings for the salesforce1 mobile app
- B. Use login flow to bypass ip range restriction for the mobile app.
- C. Relax the ip restriction with a second factor in the connect app settings for salesforce1 mobile app
- D. Remove existing restrictions on ip ranges for all types of user access.

Answer: AB

NEW QUESTION 48

Universal Containers (UC) is building a custom Innovation platform on their Salesforce instance. The Innovation platform will be written completely in Apex and Visualforce and will use custom objects to store the Data. UC would like all users to be able to access the system without having to log in with Salesforce credentials. UC will utilize a third-party idp using SAML SSO. What is the optimal Salesforce licence type for all of the UC employees?

- A. Identity Licence.
- B. Salesforce Licence.
- C. External Identity Licence.
- D. Salesforce Platform Licence.

Answer: D

NEW QUESTION 51

Universal containers wants to set up SSO for a selected group of users to access external applications from salesforce through App launcher. Which three steps must be completed in salesforce to accomplish the goal?

- A. Associate user profiles with the connected Apps.
- B. Complete my domain and Identity provider setup.
- C. Create connected apps for the external applications.
- D. Complete single Sign-on settings in security controls.
- E. Create named credentials for each external system.

Answer: ABC

NEW QUESTION 53

Universal containers wants to implement SAML SSO for their internal salesforce users using a third-party IDP. After some evaluation, UC decides not to set up my domain for their salesforce.org. How does that decision impact their SSO implementation?

- A. Neithersp - nor IDP - initiated SSO will work
- B. Either sp - or IDP - initiated SSO will work

- C. IDP - initiated SSO will not work
- D. Sp-Initiated SSO will not work

Answer: D

NEW QUESTION 54

Universal Containers is using OpenID Connect to enable a connection from their new mobile app to its production Salesforce org. What should be done to enable the retrieval of the access token status for the OpenID Connect connection?

- A. Query using OpenID Connect discovery endpoint.
- B. A Leverage OpenID Connect Token Introspection.
- C. Create a custom OAuth scope.
- D. Enable cross-origin resource sharing (CORS) for the /services/oauth2/token endpoint.

Answer: B

NEW QUESTION 57

In a typical SSL setup involving a trusted party and trusting party, what consideration should an Architect take into account when using digital certificates?

- A. Use of self-signed certificate leads to lower maintenance for trusted party because multiple self-signed certs need to be maintained.
- B. Use of self-signed certificate leads to higher maintenance for trusted party because they have to act as the trusted CA
- C. Use of self-signed certificate leads to lower maintenance for trusting party because there is no trusted CA cert to maintain.
- D. Use of self-signed certificate leads to higher maintenance for trusting party because the cert needs to be added to their truststore.

Answer: C

NEW QUESTION 58

Universal containers(UC) has a customer Community that uses Facebook for authentication. UC would like to ensure that changes in the Facebook profile are reflected on the appropriate customer Community user. How can this requirement be met?

- A. Use the updateUser() method on the registration handler class.
- B. Use SAML just-in-time provisioning between Facebook and Salesforce
- C. Use information in the signed request that is received from Facebook.
- D. Develop a schedule job that calls out to Facebook on a nightly basis.

Answer: A

NEW QUESTION 61

Which two security risks can be mitigated by enabling Two-Factor Authentication (2FA) in Salesforce? Choose 2 answers

- A. Users leaving laptops unattended and not logging out of Salesforce.
- B. Users accessing Salesforce from a public Wi-Fi access point.
- C. Users choosing passwords that are the same as their Facebook password.
- D. Users creating simple-to-guess password reset questions.

Answer: BC

NEW QUESTION 64

What item should an Architect consider when designing a Delegated Authentication implementation?

- A. The Web service should be secured with TLS using Salesforce trusted certificates.
- B. The Web service should be able to accept one to four input method parameters.
- C. The web service should use the Salesforce Federation ID to identify the user.
- D. The Web service should implement a custom password decryption method.

Answer: A

NEW QUESTION 69

Under which scenario Web Server flow will be used?

- A. Used for web applications when server-side code needs to interact with APIs.
- B. Used for server-side components when page needs to be rendered.
- C. Used for mobile applications and testing legacy Integrations.
- D. Used for verifying Access protected resources.

Answer: A

NEW QUESTION 70

Northern Trail Outfitters (NTO) has an existing custom business-to-consumer (B2C) website that does NOT support single sign-on standards, such as Security Assertion Markup Language (SAML) or OAuth. NTO wants to use Salesforce Identity to register and authenticate new customers on the website. Which two Salesforce features should an identity architect use in order to provide username/password authentication for the website? Choose 2 answers

- A. Identity Connect
- B. Delegated Authentication

- C. Connected Apps
- D. Embedded Login

Answer: BD

NEW QUESTION 75

Universal Containers (UC) is implementing Salesforce and would like to establish SAML SSO for its users to log in. UC stores its corporate user identities in a Custom Database. The UC IT Manager has heard good things about Salesforce Identity Connect as an IdP, and would like to understand what limitations they may face if they decided to use Identity Connect in their current environment. What limitation Should an Architect inform the IT Manager about?

- A. Identity Connect will not support user provisioning in UC's current environment.
- B. Identity Connect will only support IdP-initiated SAML flows in UC's current environment.
- C. Identity Connect will only support SP-initiated SAML flows in UC's current environment.
- D. Identity connect is not compatible with UC's current identity environment.

Answer: A

NEW QUESTION 80

Northern Trail Outfitters (NTO) uses a Security Assertion Markup Language (SAML)-based Identity Provider (IdP) to authenticate employees to all systems. The IdP authenticates users against a Lightweight Directory Access Protocol (LDAP) directory and has access to user information. NTO wants to minimize Salesforce license usage since only a small percentage of users need Salesforce.

What is recommended to ensure new employees have immediate access to Salesforce using their current IdP?

- A. Install Salesforce Identity Connect to automatically provision new users in Salesforce the first time they attempt to login.
- B. Build an integration that queries LDAP periodically and creates new active users in Salesforce.
- C. Configure Just-in-Time provisioning using SAML attributes to create new Salesforce users as necessary when a new user attempts to login to Salesforce.
- D. Build an integration that queries LDAP and creates new inactive users in Salesforce and use a login flow to activate the user at first login.

Answer: C

NEW QUESTION 81

Universal Containers (UC) uses Active Directory (AD) as their identity store for employees and must continue to do so for network access. UC is undergoing a major transformation program and moving all of their enterprise applications to cloud platforms including Salesforce, Workday, and SAP HANA. UC needs to implement an SSO solution for accessing all of the third-party cloud applications and the CIO is inclined to use Salesforce for all of their identity and access management needs.

Which two Salesforce license types does UC need for its employees? Choose 2 answers

- A. Company Community and Identity licenses
- B. Identity and Identity Connect licenses
- C. Chatter Only and Identity licenses
- D. Salesforce and Identity Connect licenses

Answer: BD

NEW QUESTION 83

In an SP-Initiated SAML SSO setup where the user tries to access a resource on the Service Provider, What HTTP param should be used when submitting a SAML Request to the IdP to ensure the user is returned to the intended resource after authentication?

- A. RedirectURL
- B. RelayState
- C. DisplayState
- D. StartURL

Answer: B

NEW QUESTION 86

Universal Containers (UC) has built a custom based Two-factor Authentication (2fa) system for their existing on-premise applications. They are now implementing Salesforce and would like to enable a Two-factor login process for it, as well. What is the recommended solution an architect should consider?

- A. Replace the custom 2fa system with Salesforce 2fa for on-premise application and Salesforce.
- B. Use the custom 2fa system for on-premise applications and native 2fa for Salesforce.
- C. Replace the custom 2fa system with an app exchange app that supports on-premise applications and Salesforce.
- D. Use custom login flows to connect to the existing custom 2fa system for use in Salesforce.

Answer: D

NEW QUESTION 91

Universal Containers (UC) has an existing e-commerce platform and is implementing a new customer community. They do not want to force customers to register on both applications due to concern over the customer experience. It is expected that 25% of the e-commerce customers will utilize the customer community. The e-commerce platform is capable of generating SAML responses and has an existing RESTful API capable of managing users. How should UC create the identities of its e-commerce users with the customer community?

- A. Use SAML JIT in the Customer Community to create users when a user tries to login to the community from the e-commerce site.
- B. Use the e-commerce REST API to create users when a user self-registers on the customer community and use SAML to allow SSO.
- C. Use a nightly batch ETL job to sync users between the Customer Community and the e-commerce platform and use SAML to allow SSO.
- D. Use the standard Salesforce API to create users in the Community When a User is Created in the e-Commerce platform and use SAML to allow SSO.

Answer: A

NEW QUESTION 92

An identity architect has been asked to recommend a solution that allows administrators to configure personalized alert messages to users before they land on the Experience Cloud site (formerly known as Community) homepage.

What is recommended to fulfill this requirement with the least amount of customization?

- A. Customize the registration handler Apex class to create a routing logic navigating to different home pages based on the user profile.
- B. Use Login Flows to add a screen that shows personalized alerts.
- C. Build a Lightning web Component (LWC) for a homepage that shows custom alerts.
- D. Create custom metadata that stores user alerts and use a LWC to display alerts.

Answer: B

NEW QUESTION 95

Universal Containers is considering using Delegated Authentication as the sole means of Authenticating of Salesforce users. A Salesforce Architect has been brought in to assist with the implementation. What two risks Should the Architect point out? Choose 2 answers

- A. Delegated Authentication is enabled or disabled for the entire Salesforce org.
- B. UC will be required to develop and support a custom SOAP web service.
- C. Salesforce users will be locked out of Salesforce if the web service goes down.
- D. The web service must reside on a public cloud service, such as Heroku.

Answer: BC

NEW QUESTION 99

Which two roles of the systems are involved in an environment where salesforce users are enabled to access Google Apps from within salesforce through App launcher and connected App set up? Choose 2 answers

- A. Google is the identity provider
- B. Salesforce is the identity provider
- C. Google is the service provider
- D. Salesforce is the service provider

Answer: D

NEW QUESTION 102

An identity architect is implementing a mobile-first Consumer Identity Access Management (CIAM) for external users. User authentication is the only requirement. The users email or mobile phone number should be supported as a username.

Which two licenses are needed to meet this requirement? Choose 2 answers

- A. External Identity Licenses
- B. Identity Connect Licenses
- C. Email Verification Credits
- D. SMS verification Credits

Answer: AD

NEW QUESTION 106

Universal Containers (UC) is building an integration between Salesforce and a legacy web applications using the canvas framework. The security for UC has determined that a signed request from Salesforce is not an adequate authentication solution for the Third-Party app. Which two options should the Architect consider for authenticating the third-party app using the canvas framework? Choose 2 Answers

- A. Utilize the SAML Single Sign-on flow to allow the third-party to authenticate itself against UC's IdP.
- B. Utilize Authorization Providers to allow the third-party application to authenticate itself against Salesforce as the Idp.
- C. Utilize Canvas OAuth flow to allow the third-party application to authenticate itself against Salesforce as the Idp.
- D. Create a registration handler Apex class to allow the third-party application to authenticate itself against Salesforce as the Idp.

Answer: AC

NEW QUESTION 111

Universal containers (UC) has implemented SAML SSO to enable seamless access across multiple applications. UC has regional salesforce orgs and wants it's users to be able to access them from their main Salesforce org seamless. Which action should an architect recommend?

- A. Configure the main salesforce org as an Authentication provider.
- B. Configure the main salesforce org as the Identity provider.
- C. Configure the regional salesforce orgs as Identity Providers.
- D. Configure the main Salesforce org as a service provider.

Answer: B

NEW QUESTION 113

Which two statements are capable of Identity Connect? Choose 2 answers

- A. Synchronization of Salesforce Permission Set Licence Assignments.

- B. Supports both Identity-Provider-Initiated and Service-Provider-Initiated SSO.
- C. Support multiple orgs connecting to multiple Active Directory servers.
- D. Automated user synchronization and de-activation.

Answer: BD

NEW QUESTION 117

Containers (UC) uses an internal system for recruiting and would like to have the candidates' info available in the Salesforce automatically when they are selected. UC decides to use OAuth to connect to Salesforce from the recruiting system and would like to do the authentication using digital certificates. Which two OAuth flows should be considered to meet the requirement? Choose 2 answers

- A. JWT Bearer Token flow
- B. Refresh Token flow
- C. SAML Bearer Assertion flow
- D. Web Service flow

Answer: AC

NEW QUESTION 118

The security team at Universal containers(UC) has identified exporting reports as a high-risk action and would like to require users to be logged into salesforce with their active directory (AD) credentials when doing so. For all other uses of Salesforce, Users should be allowed to use AD credentials or salesforce credentials. What solution should be recommended to prevent exporting reports except when logged in using AD credentials while maintaining the ability to view reports when logged in with salesforce credentials?

- A. Use SAML Federated Authentication and Custom SAML jit provisioning to dynamically add or remove a permission set that grants the Export Reports permission.
- B. Use SAML Federated Authentication, treat SAML sessions as high assurance, and raise the session level required for exporting reports.
- C. Use SAML Federated Authentication and block access to reports when accesses through a standard assurance session.
- D. Use SAML Federated Authentication with a login flow to dynamically add or remove a permission set that grants the export reports permission.

Answer: C

NEW QUESTION 122

Universal Containers (UC) has implemented a multi-org architecture in their company. Many users have licences across multiple orgs, and they are complaining about remembering which org and credentials are tied to which business process. Which two recommendations should the Architect make to address the Complaints? Choose 2 answers

- A. Activate My Domain to Brand each org to the specific business use case.
- B. Implement SP-Initiated Single Sign-on flows to allow deep linking.
- C. Implement IdP-Initiated Single Sign-on flows to allow deep linking.
- D. Implement Delegated Authentication from each org to the LDAP provider.

Answer: AB

NEW QUESTION 123

Universal containers (UC) has multiple salesforce orgs and would like to use a single identity provider to access all of their orgs. How should UC'S architect enable this behavior?

- A. Ensure that users have the same email value in their user records in all of UC's salesforce orgs.
- B. Ensure the same username is allowed in multiple orgs by contacting salesforce support.
- C. Ensure that users have the same Federation ID value in their user records in all of UC's salesforce orgs.
- D. Ensure that users have the same alias value in their user records in all of UC's salesforce orgs.

Answer: C

NEW QUESTION 126

Universal Containers (UC) has an e-commerce website where customers can buy products, make payments and manage their accounts. UC decides to build a Customer Community on Salesforce and wants to allow the customers to access the community from their accounts without logging in again. UC decides to implement an SP-initiated SSO using a SAML-compliant Idp. In this scenario where Salesforce is the Service Provider, which two activities must be performed in Salesforce to make SP-initiated SSO work? Choose 2 answers

- A. Configure SAML SSO settings.
- B. Create a Connected App.
- C. Configure Delegated Authentication.
- D. Set up My Domain.

Answer: AD

NEW QUESTION 131

Universal containers (UC) uses an internal company portal for their employees to collaborate. UC decides to use salesforce ideas and provide the ability for employees to post ideas from the company portal. They use SAML-BASED SSO to get into the company portal and would like to leverage it to access salesforce. Most of the users don't exist in salesforce and they would like the user records created in salesforce communities the first time they try to access salesforce. What recommendation should an architect make to meet this requirement?

- A. Use on-the-fly provisioning
- B. Use just-in-time provisioning
- C. Use salesforce APIs to create users on the fly

D. Use Identity connect to sync users

Answer: B

NEW QUESTION 134

Universal Containers is creating a mobile application that will be secured by Salesforce Identity using the OAuth 2.0 user-agent flow (this flow uses the OAuth 2.0 implicit grant type).

Which three OAuth concepts apply to this flow? Choose 3 answers

- A. Client ID
- B. Refresh Token
- C. Authorization Code
- D. Verification Code
- E. Scopes

Answer: ABE

NEW QUESTION 139

Universal containers(UC) has implemented SAML-BASED single Sign-on for their salesforce application and is planning to provide access to salesforce on mobile devices using the salesforce1 mobile app. UC wants to ensure that single Sign-on is used for accessing the salesforce1 mobile app. Which two recommendations should the architect make? Choose 2 answers

- A. Use the existing SAML SSO flow along with user agent flow.
- B. Configure the embedded Web browser to use my domain URL.
- C. Use the existing SAML SSO flow along with Web server flow
- D. Configure the salesforce1 app to use the my domain URL

Answer: AD

NEW QUESTION 142

What is one of the roles of an Identity Provider in a Single Sign-on setup using SAML?

- A. Validate token
- B. Create token
- C. Consume token
- D. Revoke token

Answer: B

NEW QUESTION 143

Universal containers(UC) wants to integrate a third-party reward calculation system with salesforce to calculate rewards. Rewards will be calculated on a schedule basis and update back into salesforce. The integration between Salesforce and the reward calculation system needs to be secure. Which are the recommended best practices for using OAuth flows in this scenario? Choose 2 answers

- A. OAuth refresh token flow
- B. OAuth SAML bearer assertion flow
- C. OAuthjwt bearer token flow
- D. OAuth Username-password flow

Answer: BC

NEW QUESTION 144

Which three different attributes can be used to identify the user in a SAML 65> assertion when Salesforce is acting as a Service Provider? Choose 3 answers

- A. Federation ID
- B. Salesforce User ID
- C. User Full Name
- D. User Email Address
- E. Salesforce Username

Answer: ACD

NEW QUESTION 147

Universal containers (UC) is concerned that having a self-registration page will provide a means for "bots" or unintended audiences to create user records, thereby consuming licences and adding dirty data. Which two actions should UC take to prevent unauthorised form submissions during the self-registration process? Choose 2 answers

- A. Use open-ended security questions and complex password requirements
- B. Primarily use lookup and picklist fields on the self registration page.
- C. Require a captcha at the end of the self-registration process.
- D. Use hidden fields populated via java script events in the self-registration page.

Answer: CD

NEW QUESTION 148


Containers (UC) uses a legacy Employee portal for their employees to collaborate. Employees access the portal from their company's internal website via SSO. It is set up to work with SiteMinder and Active Directory. The Employee portal has features to support posing ideas. UC decides to use Salesforce Ideas for voting and better tracking purposes. To avoid provisioning users on Salesforce, UC decides to integrate Employee portal ideas with Salesforce idea through the API. What is the role of Salesforce in the context of SSO, based on this scenario?

- A. Service Provider, because Salesforce is the application for managing ideas.
- B. Connected App, because Salesforce is connected with Employee portal via API.
- C. Identity Provider, because the API calls are authenticated by Salesforce.
- D. An independent system, because Salesforce is not part of the SSO setup.

Answer: D

NEW QUESTION 152

A pharmaceutical company has an on-premise application (see illustration) that it wants to integrate with Salesforce.



The IT director wants to ensure that requests must include a certificate with a trusted certificate chain to access the company's on-premise application endpoint. What should an Identity architect do to meet this requirement?

- A. Use open SSL to generate a Self-signed Certificate and upload it to the on-premise app.
- B. Configure the company firewall to allow traffic from Salesforce IP ranges.
- C. Generate a certificate authority-signed certificate in Salesforce and uploading it to the on-premise application Truststore.
- D. Upload a third-party certificate from Salesforce into the on-premise server.

Answer: B

NEW QUESTION 154

A division of a Northern Trail Outfitters (NTO) purchased Salesforce. NTO uses a third party identity provider (IdP) to validate user credentials against its corporate Lightweight Directory Access Protocol (LDAP) directory. NTO wants to help employees remember as passwords as possible. What should an identity architect recommend?

- A. Setup Salesforce as a Service Provider to the existing IdP.
- B. Setup Salesforce as an IdP to authenticate against the LDAP directory.
- C. Use Salesforce connect to synchronize LDAP passwords to Salesforce.
- D. Setup Salesforce as an Authentication Provider to the existing IdP.

Answer: A

NEW QUESTION 158

Universal Containers (UC) has a classified information system that its call center team uses only when they are working on a case with a record type "Classified". They are only allowed to access the system when they own an open "Classified" case, and their access to the system is removed at all other times. They would like to implement SAML SSO with Salesforce as the IdP, and automatically allow or deny the staff's access to the classified information system based on whether they currently own an open "Classified" case record when they try to access the system using SSO. What is the recommended solution for automatically allowing or denying the access to the classified information system based on the open "classified" case record criteria?

- A. Use Salesforce reports to identify users that currently owns open "Classified" cases and should be granted access to the Classified information system.
- B. Use Apex trigger on case to dynamically assign permission Sets that Grant access when an user is assigned with an open "Classified" case, and remove it when the case is closed.
- C. Use Custom SAML JIT Provisioning to dynamically query the user's open "Classified" cases when attempting to access the classified information system.
- D. Use a Common Connected App Handler using Apex to dynamically allow access to the system based on whether the staff owns any open "Classified" Cases.

Answer: D

NEW QUESTION 162

Universal Containers (UC) wants its closed Won opportunities to be synced to a Data Warehouse in near real time. UC has implemented Outbound Message to enable near real-time data sync. UC wants to ensure that communication between Salesforce and Target System is Secure. What Certificate is sent along with the Outbound Message?

- A. The CA-Signed Certificate from the Certificate and Key Management menu.
- B. The default Client Certificate from the Develop--> API Menu.
- C. The default Client Certificate or a Certificate from Certificate and Key Management menu.
- D. The Self-Signed Certificates from the Certificate & Key Management menu.

Answer: B

NEW QUESTION 165

Universal Containers (UC) wants to use Salesforce for sales orders and a legacy of system for order fulfillment. The legacy system must update the status of orders in 65* Salesforce in real time as they are fulfilled. UC decides to use OAuth for connecting the legacy system to Salesforce. What OAuth flow should be considered that doesn't require storing credentials, client secret or refresh tokens?

- A. Web Server flow
- B. JWT Bearer Token flow
- C. Username-Password flow
- D. User Agent flow

Answer: B

NEW QUESTION 168

Universal Containers (UC) currently uses Salesforce Sales Cloud and an external billing application. Both Salesforce and the billing application are accessed several times a day to manage customers. UC would like to configure single sign-on and leverage Salesforce as the identity provider. Additionally, UC would like the billing application to be accessible from Salesforce. A redirect is acceptable.

Which two Salesforce tools should an identity architect recommend to satisfy the requirements? Choose 2 answers

- A. salesforce Canvas
- B. Identity Connect
- C. Connected Apps
- D. App Launcher

Answer: AD

NEW QUESTION 171

Universal containers (UC) has implemented ansp-Initiated SAML flow between an external IDP and salesforce. A user at UC is attempting to login to salesforce1 for the first time and is being prompted for salesforce credentials instead of being shown the IDP login page. What is the likely cause of the issue?

- A. The "Redirect to Identity Provider" option has been selected in the my domain configuration.
- B. The user has not configured the salesforce1 mobile app to use my domain for login
- C. The "Redirect to identity provider" option has not been selected the SAML configuration.
- D. The user has not been granted the "Enable single Sign-on" permission

Answer: B

NEW QUESTION 176

The security team at Universal Containers (UC) has identified exporting reports as a high-risk action and would like to require users to be logged into Salesforce with their Active Directory (AD) credentials when doing so. For all other users of Salesforce, users should be allowed to use AD Credentials or Salesforce credentials. What solution should be recommended to prevent exporting reports except when logged in using AD credentials while maintaining the ability to view reports when logged in with Salesforce credentials?

- A. Use SAML Federated Authentication and block access to reports when accessed through a Standard Assurance session.
- B. Use SAML Federated Authentication and Custom SAML JIT Provisioning to dynamically and or remove a permission set that grants the Export Reports Permission.
- C. Use SAML federated Authentication, treat SAML Sessions as High Assurance, and raise the session level required for exporting reports.
- D. Use SAML federated Authentication with a Login Flow to dynamically add or remove a Permission Set that grants the Export Reports Permission.

Answer: C

NEW QUESTION 178

Universal containers (UC) wants users to authenticate into their salesforce org using credentials stored in a custom identity store. UC does not want to purchase or use a third-party Identity provider. Additionally, UC is extremely wary of social media and does not consider it to be trust worthy. Which two options should an architect recommend to UC? Choose 2 answers

- A. Use a professional social media such as LinkedIn as an Authentication provider
- B. Build a custom web page that uses the identity store and calls frontdoor.jsp
- C. Build a custom Web service that is supported by Delegated Authentication.
- D. Implement the Openid protocol and configure an Authentication provider

Answer: CD

NEW QUESTION 180

Universal Containers built a custom mobile app for their field reps to create orders in Salesforce. OAuth is used for authenticating mobile users. The app is built in such a way that when a user session expires after Initial login, a new access token is obtained automatically without forcing the user to log in again. While that improved the field reps' productivity, UC realized that they need a "logout" feature.

What should the logout function perform in this scenario, where user sessions are refreshed automatically?

- A. Invoke the revocation URL and pass the refresh token.
- B. Clear out the client Id to stop auto session refresh.
- C. Invoke the revocation URL and pass the access token.
- D. Clear out all the tokens to stop auto session refresh.

Answer: A

NEW QUESTION 182

An architect needs to set up a Facebook Authentication provider as login option for a salesforce customer Community. What portion of the authentication provider setup associates a Facebook user with a salesforce user?

- A. Consumer key and consumer secret
- B. Federation ID
- C. User info endpoint URL
- D. Apex registration handler

Answer: D

NEW QUESTION 183

A web service is developed that allows secure access to customer order status on the Salesforce Platform, The service connects to Salesforce through a connected app with the web server flow. The following are the required actions for the authorization flow:

- * 1. User Authenticates and Authorizes Access
- * 2. Request an Access Token
- * 3. Salesforce Grants an Access Token
- * 4. Request an Authorization Code
- * 5. Salesforce Grants Authorization Code

What is the correct sequence for the authorization flow?

- A. 1, 4, 5, 2, 3
- B. 4, 1, 5, 2, 3
- C. 2, 1, 3, 4, 5
- D. 4,5,2, 3, 1

Answer: D

NEW QUESTION 186

Which two considerations should be made when implementing Delegated Authentication? Choose 2 answers

- A. The authentication web service can include custom attributes.
- B. It can be used to authenticate API clients and mobile apps.
- C. It requires trusted IP ranges at the User Profile level.
- D. Salesforce servers receive but do not validate a user's credentials.
- E. Just-in-time Provisioning can be configured for new users.

Answer: BE

NEW QUESTION 190

Universal containers (UC) uses a legacy Employee portal for their employees to collaborate and post their ideas. UC decides to use salesforce ideas for voting and better tracking purposes. To avoid provisioning users on Salesforce, UC decides to push ideas posted on the Employee portal to salesforce through API. UC decides to use an API user using OAuth Username - password flow for the connection. How can the connection to salesforce be restricted only to the employee portal server?

- A. Add the Employee portals IP address to the Trusted IP range for the connected App
- B. Use a digital certificate signed by the employee portal Server.
- C. Add the employee portals IP address to the login IP range on the user profile.
- D. Use a dedicated profile for the user the Employee portal uses.

Answer: A

NEW QUESTION 191

A Salesforce customer is implementing Sales Cloud and a custom pricing application for its call center agents. An Enterprise single sign-on solution is used to authenticate and sign-in users to all applications. The customer has the following requirements:

- * 1. The development team has decided to use a Canvas app to expose the pricing application to agents.
- * 2. Agents should be able to access the Canvas app without needing to log in to the pricing application.

Which two options should the identity architect consider to provide support for the Canvas app to initiate login for users?

Choose 2 answers

- A. Select "Enable as a Canvas Personal App" in the connected app settings.
- B. Enable OAuth settings in the connected app with required OAuth scopes for the pricing application.
- C. Configure the Canvas app as a connected app and set Admin-approved users as pre-authorized.
- D. Enable SAML in the connected app and Security Assertion Markup Language (SAML) Initiation Method as Service Provider Initiated.

Answer: CD

NEW QUESTION 193

Universal Containers (UC) is looking to build a Canvas app and wants to use the corresponding Connected App to control where the app is visible. Which two options are correct in regards to where the app can be made visible under the Connected App setting for the Canvas app? Choose 2 answers

- A. As part of the body of a Salesforce Knowledge article.
- B. In the mobile navigation menu on Salesforce for Android.
- C. The sidebar of a Salesforce Console as a console component.
- D. Included in the Call Control Tool that's part of Open CTI.

Answer: AC

NEW QUESTION 198

architect is troubleshooting some SAML-based SSO errors during testing. The Architect confirmed that all of the Salesforce SSO settings are correct. Which two issues outside of the Salesforce SSO settings are most likely contributing to the SSO errors the Architect is encountering? Choose 2 Answers

- A. The Identity Provider is also used to SSO into five other applications.
- B. The clock on the Identity Provider server is twenty minutes behind Salesforce.
- C. The Issuer Certificate from the Identity Provider expired two weeks ago.
- D. The default language for the Identity Provider and Salesforce are Different.

Answer: BC

NEW QUESTION 200

Universal containers (UC) wants to integrate a Web application with salesforce. The UC team has implemented the Oauth web-server Authentication flow for authentication process. Which two considerations should an architect point out to UC? Choose 2 answers

- A. The web application should be hosted on a secure server.
- B. The web server must be able to protect consumer privacy
- C. The flow involves passing the user credentials back and forth.
- D. The flow will not provide an Oauth refresh token back to the server.

Answer: AB

NEW QUESTION 202

Which three are capabilities of SAML-based Federated authentication? Choose 3 answers

- A. Trust relationships between Identity Provider and Service Provider are required.
- B. SAML tokens can be in XML or JSON format and can be used interchangeably.
- C. Web applications with no passwords are more secure and stronger against attacks.
- D. Access tokens are used to access resources on the server once the user is authenticated.
- E. Centralized federation provides single point of access, control and auditing.

Answer: ADE

NEW QUESTION 207

Universal Containers (UC) has a Customer Community that uses Facebook for Authentication. UC would like to ensure that Changes in the Facebook profile are reflected on the appropriate Customer Community user: How can this requirement be met?

- A. Use the updateUser method on the registration Handler Class.
- B. Develop a scheduled job that calls out to Facebook on a nightly basis.
- C. Use information in the signed Request that is received from facebook.
- D. Use SAML Just-In-Time Provisioning between Facebook and Salesforce.

Answer: A

NEW QUESTION 209

Northern Trail Outfitters would like to automatically create new employee users in Salesforce with an appropriate profile that maps to its Active Directory Department.

How should an identity architect implement this requirement?

- A. Use the createUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- B. Use the updateUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- C. Use a login flow to collect Security Assertion Markup Language attributes and assign the appropriate profile during Just-In-Time (JIT) provisioning.
- D. Make a callout during the login flow to query department from Active Directory to assign the appropriate profile.

Answer: B

NEW QUESTION 211

Northern Trail Outfitters (NTO) wants its customers to use phone numbers to log in to their new digital portal, which was designed and built using Salesforce Experience Cloud. In order to access the portal, the user will need to do the following:

- * 1. Enter a phone number and/or email address
- * 2. Enter a verification code that is to be sent via email or text.

What is the recommended approach to fulfill this requirement?

- A. Create a Login Discovery page and provide a Login Discovery Handler Apex class.
- B. Create a custom login page with an Apex controller
- C. The controller has logic to send and verify the identity.
- D. Create an Authentication provider and implement a self-registration handler class.
- E. Create a custom login flow that uses an Apex controller to verify the phone numbers with the company's verification service.

Answer: D

NEW QUESTION 215

Universal Containers (UC) has implemented a multi-org strategy and would like to centralize the management of their Salesforce user profiles. What should the architect recommend to allow Salesforce profiles to be managed from a central system of record?

- A. Implement JIT provisioning on the SAML IDP that will pass the profile id in each assertion.
- B. Create an apex scheduled job in one org that will synchronize the other orgs profile.
- C. Implement Delegated Authentication that will update the user profiles as necessary.
- D. Implement an OAuth2 flow to pass the profile credentials between systems.

Answer: A

NEW QUESTION 217

Universal Containers (UC) has five Salesforce orgs (UC1, UC2, UC3, UC4, UC5). Every user that is in UC2, UC3, UC4, and UC5 is also in UC1, however not all users have access to every org. Universal Containers would like to simplify the authentication process such that all Salesforce users need to remember one set of credentials. UC would like to achieve this with the least impact to cost and maintenance. What approach should an Architect recommend to UC?

- A. Purchase a third-party Identity Provider for all five Salesforce orgs to use and set up JIT user provisioning on all other orgs.
- B. Purchase a third-party Identity Provider for all five Salesforce orgs to use, but don't set up JIT user provisioning for other orgs.
- C. Configure UC1 as the Identity Provider to the other four Salesforce orgs and set up JIT user provisioning on all other orgs.
- D. Configure UC1 as the Identity Provider to the other four Salesforce orgs, but don't set up JIT user provisioning for other orgs.

Answer: B

NEW QUESTION 222

Universal Containers (UC) has a custom, internal-only, mobile billing application for users who are commonly out of the office. The app is configured as a connected App in Salesforce. Due to the nature of this app, UC would like to take the appropriate measures to properly secure access to the app. Which two are recommendations to make the UC? Choose 2 answers

- A. Disallow the use of Single Sign-on for any users of the mobile app.
- B. Require High Assurance sessions in order to use the Connected App.
- C. Set Login IP Ranges to the internal network for all of the app users Profiles.
- D. Use Google Authenticator as an additional part of the login process

Answer: BD

NEW QUESTION 223

Universal Containers (UC) uses Global Shipping (GS) as one of their shipping vendors. Regional leads of GS need access to UC's Salesforce instance for reporting damage of goods using Cases. The regional leads also need access to dashboards to keep track of regional shipping KPIs. UC internally uses a third-party cloud analytics tool for capacity planning and UC decided to provide access to this tool to a subset of GS employees. In addition to regional leads, the GS capacity planning team would benefit from access to this tool. To access the analytics tool, UC IT has set up Salesforce as the Identity provider for Internal users and would like to follow the same approach for the GS users as well. What are the most appropriate license types for GS Regional Leads and the GS Capacity Planners? Choose 2 Answers

- A. Customer Community Plus license for GS Regional Leads and External Identity for GS Capacity Planners.
- B. Customer Community Plus license for GS Regional Leads and Customer Community license for GS Capacity Planners.
- C. Identity License for GS Regional Leads and External Identity license for GS capacity Planners.
- D. Customer Community license for GS Regional Leads and Identity license for GS Capacity Planners.

Answer: BD

NEW QUESTION 224

Universal Containers uses an Employee portal for their employees to collaborate. Employees access the portal from their company's internal website via SSO. It is set up to work with Active Directory. What is the role of Active Directory in this scenario?

- A. Identity store
- B. Authentication store
- C. Identity provider
- D. Service provider

Answer: C

NEW QUESTION 229

Universal Containers (UC) wants its closed Won opportunities to be synced to a Data warehouse in near real time. UC has implemented Outbound Message to enable near real-time data sync. UC wants to ensure that communication between Salesforce and Target System is secure. What certificate is sent along with the Outbound Message?

- A. The Self-signed Certificates from the Certificate & Key Management menu.
- B. The default client Certificate from the Develop--> API menu.
- C. The default client Certificate or the Certificate and Key Management menu.

D. The CA-signed Certificate from the Certificate and Key Management Menu.

Answer: B

NEW QUESTION 230

Universal Containers (UC) employees have Salesforce access from restricted IP ranges only, to protect against unauthorised access. UC wants to roll out the Salesforce1 mobile app and make it accessible from any location. Which two options should an Architect recommend? Choose 2 answers

- A. Relax the IP restriction with a second factor in the Connect App settings for Salesforce1 mobile app.
- B. Remove existing restrictions on IP ranges for all types of user access.
- C. Relax the IP restrictions in the Connect App settings for the Salesforce1 mobile app.
- D. Use Login Flow to bypass IP range restriction for the mobile app.

Answer: AC

NEW QUESTION 232

A group of users try to access one of Universal Containers' Connected Apps and receive the following error message: " Failed: Not approved for access." What is the most likely cause of this issue?

- A. The Connected App settings "All users may self-authorize" is enabled.
- B. The Salesforce Administrators have revoked the OAuth authorization.
- C. The Users do not have the correct permission set assigned to them.
- D. The User of High Assurance sessions are required for the Connected App.

Answer: C

NEW QUESTION 234

Universal containers (UC) is successfully using Delegated Authentication for their salesforce users. The service supporting Delegated Authentication is written in Java. UC has a new CIO that is requiring all company Web services be RESR-ful and written in . NET. Which two considerations should the UC Architect provide to the new CIO? Choose 2 answers

- A. Delegated Authentication will not work with a.net service.
- B. Delegated Authentication will continue to work with rest services.
- C. Delegated Authentication will continue to work with a.net service.
- D. Delegated Authentication will not work with rest services.

Answer: CD

NEW QUESTION 236

Universal Containers (UC) would like its community users to be able to register and log in with Linkedin or Facebook Credentials. UC wants users to clearly see Facebook &Linkedin Icons when they register and login. What are the two recommended actions UC can take to achieve this Functionality? Choose 2 answers

- A. Enable Facebook and Linkedin as Login options in the login section of the Community configuration.
- B. Create custom Registration Handlers to link Linkedin and facebook accounts to user records.
- C. Store the Linkedin or Facebook user IDs in the Federation ID field on the Salesforce User record.
- D. Create custom buttons for Facebook and inkedin using JAVAScript/CSS on a custom Visualforce page.

Answer: AB

NEW QUESTION 237

A company's external application is protected by Salesforce through OAuth. The identity architect for the project needs to limit the level of access to the data of the protected resource in a flexible way.

What should be done to improve security?

- A. Select "Admin approved users are pre-authorized" and assign specific profiles.
- B. Create custom scopes and assign to the connected app.
- C. Define a permission set that grants access to the app and assign to authorized users.
- D. Leverage external objects and data classification policies.

Answer: B

NEW QUESTION 240

Universal containers wants to build a custom mobile app connecting to salesforce using Oauth, and would like to restrict the types of resources mobile users can access. What Oauth feature of Salesforce should be used to achieve the goal?

- A. Access Tokens
- B. Mobile pins
- C. Refresh Tokens
- D. Scopes

Answer: D

NEW QUESTION 244

Universal containers (UC) does my domain enable in the context of a SAML SSO configuration? Choose 2 answers

- A. Resource deep linking
- B. App launcher
- C. SSO from salesforce1 mobile app.
- D. Login forensics

Answer: AC

NEW QUESTION 248

Universal Containers (UC) is planning to deploy a custom mobile app that will allow users to get e-signatures from its customers on their mobile devices. The mobile app connects to Salesforce to upload the e-signature as a file attachment and uses OAuth protocol for both authentication and authorization. What is the most recommended and secure OAuth scope setting that an Architect should recommend?

- A. Id
- B. Web
- C. Api
- D. Custom_permissions

Answer: D

NEW QUESTION 253

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Identity-and-Access-Management-Designer Practice Exam Features:

- * Identity-and-Access-Management-Designer Questions and Answers Updated Frequently
- * Identity-and-Access-Management-Designer Practice Questions Verified by Expert Senior Certified Staff
- * Identity-and-Access-Management-Designer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Identity-and-Access-Management-Designer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Identity-and-Access-Management-Designer Practice Test Here](#)