

Salesforce

Exam Questions B2C-Commerce-Developer

Salesforce Certified B2C Commerce Developer (WI20)



NEW QUESTION 1

A Digital Developer is working on a project to convert a pipeline to a JavaScript controller. UX Studio has a functioning pipeline debugger configured for the site. Assume the Developer will add a breakpoint to the controller when it is written. What must be done in order to use the debugger with the new controller when it is written?

- A. Create and use a new script debug configuration.
- B. Use the existing pipeline debugger.
- C. Modify the debugger configuration and use the existing pipeline debugger.
- D. Create and use a new controller debug configuration.

Answer: C

NEW QUESTION 2

A Digital Developer is requesting product information for an external integration. The following Open Commerce API (OCAPI) request is NOT functioning correctly:

```
POST /dw/shop/v18_3/products/(creative-zen-v,namco-we-ski-wii)?client_id=aaaa...
HTTP/1.1 Host: example.com
```

How should the Developer change the request?

- A. Change the URI to /dw/shop/v18_3/products/creative-zen-v.
- B. Change the HTTP method to PUT.
- C. Change the HTTP method to GET.
- D. Include an authentication token in the request.

Answer: C

NEW QUESTION 3

A Digital Developer has a new requirement to disable the "Discover" credit card type for all checkouts. What does the Developer need to change in Business Manager to fulfill this requirement?

- A. Checkout exclusion rules in the Merchant Tools > Site Preferences > Checkout Preferences module.
- B. Credit card exclusion rules in the Merchant Tools > Site Preferences > Payment Preferences module.
- C. Credit cards in the Merchant Tools > Ordering > Payment Methods module.
- D. Credit card exclusion rules in the CreditCardType.json configuration file.

Answer: C

NEW QUESTION 4

Which three object types can a developer import using the Merchant Tools > Content > Import & Export module in Business Manager? (Choose three.)

- A. Content slots
- B. Images and other static assets
- C. Products
- D. Folders
- E. Content assets

Answer: ACD

NEW QUESTION 5

Universal Containers recently completed updates to their storefront shopping cart page. A problem has been discovered since the update. Users are no longer able to submit coupon codes on this page. Additionally, authenticated users who try to add a coupon are logged out. The following processing code is found in the Cart.js controller file:

```
function (formgroup) {
    var CSRFProtection = require('dw/web/CSRFProtection');

    if (!CSRFProtection.validateRequest()) {
        app.getModel('Customer').logout();
        app.getView().render('csrf/csrffailed');
        return null;
    }

    var result = {cart: cart, EnableCheckout: true, dontRedirect: true};

    if (formgroup.couponCode.htmlValue) {
        var status = cart.addCoupon(formgroup.couponCode.htmlValue);
        // Update result with status of coupon
    } else {
        result.CouponError = 'COUPON_CODE_MISSING';
    }
    return result;
}
```

What should the Developer verify to identify the issue?

- A. The CSRF cartridge is included in the site's cartridge path.
- B. The form group has the secure attribute set to true.
- C. The CSRF token is present in the form and is being submitted in the request.

D. The CSRF settings in Business Manager are properly configured.

Answer: C

NEW QUESTION 6

Universal Containers calls the following combination of products “The Basics” and sells the combination as a unique product ID:

- One Model 103 container
- Five Model 611 container
- Tree Model 201 container

The Developer created these three products in the catalog.

What is the next step in Business Manager to create “The Basics” as a combination?

- A. In the Product Bundles module, create a bundle named “The Basics”.
- B. In the Products module, create a product named “The Basics” and add the products to the Product Bundles tab.
- C. In the Products module, create a product named “The Basics” and add the products to the Product Sets tab.
- D. In the Product Sets module, create a product set named “The Basics”.

Answer: B

NEW QUESTION 7

A Digital Developer suspects a logical error in a script. Which action will help locate the error?

- A. Submit a support ticket to B2C Commerce.
- B. Check request logs for evidence of the logical error.
- C. Put breakpoints in the code, debug, and examine variable values.
- D. Print all values in the script node called before the current script.

Answer: B

NEW QUESTION 8

A Digital Developer needs to add logging to the following code:

```
var Logger = require('dw/system/Logger');

var urlEmail = 'https://api.weibo.com/2/account/profile/email.json' + accessTokenSuffix;

http.open('GET', urlEmail);
http.send();

var resultEmail = http.getText();

if (200 !== http.statusCode) {
    // Log Invalid Status Code
}
```

Which statement logs the HTTP status code to a debug-level custom log file?

- A. `logger.getLogger('profile').debug("Error retrieving profile email, Status Code: ", http.statusCode);`
- B. `logger.debug("Error retrieving profile email, Status Code: {0} was returned.", http.statusCode);`
- C. `Logger.getLogger().debug("Error retrieving profile email, Status Code: {0} was returned.", http.statusCode);`
- D. `Logger.getLogger('profile').debug("Error retrieving profile email, Status Code: {0} was returned.", http.statusCode);`

Answer: B

NEW QUESTION 9

Universal Containers sells physical gift cards for the holidays.

What needs to occur to guarantee the cards will always be available?

- A. Create an inventory record with an unlimited Allocation value.
- B. Create an inventory record with an extremely high Allocation value (i.e., 1 billion certificates).
- C. Create a perpetual inventory record.
- D. Create an inventory record with Backorder Handling enabled.

Answer: D

NEW QUESTION 10

Assume the code below is executing:

```
var log = Logger.getLogger("xyz", "export");
log.info("This is important information");
```

Business Manager has the configuration:

- Active Log category is “root” with log level of “info.”

Given this information, what is the beginning of the filename in which the log will be written?

- A. xyz
- B. custominfo-blade
- C. custom-export

D. custom-xyz

Answer: D

NEW QUESTION 10

A Digital Developer has been given a requirement to add fault tolerance to an existing web service integration that uses Service Framework. Administrators at Universal Containers need to be able to configure the timeout and rate limiting. Which approach should the Developer use to implement the requirement?

- A. Implement a `ServiceUnavailableException` exception handler to execute fallback code.
- B. Implement a condition that checks to see if the response was empty and execute fallback code if true.
- C. Create a site preference to store timeout settings and implement an `IOException` handler to execute fallback code.
- D. Use the `setTimeout` method to execute fallback code if the request has NOT completed.

Answer: A

NEW QUESTION 13

A Digital Developer is implementing an Open Commerce API call to add products to a basket. Given the following resource configuration:

```
{
  "resource_id": "/baskets/**",
  "methods": ["get"],
  "read_attributes": "(**)",
  "write_attributes": "(**)"
}
```

Which modification allows the requests to successfully execute?

- A. Change the "resource_id" value to: `/baskets/*/items`.
- B. Change the "write_attributes" value to: `"(+items)"`.
- C. Change the "read_attributes" value to: `"(items)"`.
- D. Change the "methods" value to: `["get", "post"]`.

Answer: A

NEW QUESTION 16

A Digital Developer must give users the ability to choose an occasion (holiday, birthday, anniversary, etc.) for which gifts are currently being selected. The data needs to be persistent throughout the current shopping experience.

Which data store variable is appropriate, assuming there is no need to store the selection in any system or custom objects?

- A. Request scope variable
- B. Page scope variable
- C. Session scope variable
- D. Content slot variable

Answer: C

NEW QUESTION 19

Which line of code creates a content slot that can be included on `homepage.isml` to display on the home page?

- A. `<isslot id="my_banner " description="for home page" type="global" context="content" context-object="{pdict.ContentSearchResult.content}"/>`
- B. `<isslot id="my_banner " description="for home page" type="global" context="homepage"/>`
- C. `<isslot id="my_banner " description="for home page" context="global">`
- D. `<isslot id="my_banner " description="for home page" context="global" context-object="{pdict.CurrentHomePage}"/>`

Answer: C

NEW QUESTION 21

A Digital Developer wants to selectively retrieve products and process them from an iPhone. Which action should the Developer take, given that JavaScript controllers CANNOT be used?

- A. Use import/export in Business Manager.
- B. Create a webservice to retrieve products.
- C. Use OCAPI and invoke it in native language.
- D. Use WebDAV Client to retrieve products.

Answer: D

NEW QUESTION 24

A job executes a pipeline that makes calls to an external system.

Which two actions prevent performance issues in this situation? (Choose two.)

- A. Use synchronous import or export jobs
- B. Configure a timeout for the script pipelet.
- C. Disable multi-threading.
- D. Use asynchronous import or export jobs.

Answer: BC

NEW QUESTION 29

Once the Cache Information tool of the storefront toolkit is enabled, how can a Digital Developer view caching information for a particular component of the page?

- A. Hover over the caching icons now present on the storefront.
- B. Open the Request Logs to view the caching information.
- C. Start a pipeline debugging session and view the caching information provided.
- D. Right-click on the component in UX Studio and view the caching properties of the file.

Answer: B

NEW QUESTION 34

Universal Containers needs to have Apple Pay disabled for the country of Spain. Which Business Manager module should the Developer use to meet this requirement?

- A. Merchant Tools > Ordering > Payment Methods
- B. Merchant Tools > Site Preferences > Apple Pay
- C. Merchant Tools > Ordering > Payment Processors
- D. Merchant Tools > Site Preferences > Payment Types

Answer: A

NEW QUESTION 38

Universal Containers has expanded its implementation to support German with a locale code of de. The current resource bundle is checkout.properties. To which file should the developer add German string values?

- A. checkout_de.properties in resources folder
- B. checkout.properties in the de locale folder
- C. checkout.properties in the default locale folder
- D. de_checkout.properties in resources folder

Answer: D

NEW QUESTION 39

Given the file structure below, which ISML method call renders the customLandingPage template?



- A. ISML.renderTemplate('cartridge/templates/default/content/custom/customLandingPage');
- B. ISML('content/custom/customLandingPage');
- C. ISML.render('content/custom/customLandingPage');
- D. ISML.renderTemplate('content/custom/customLandingPage');

Answer: D

NEW QUESTION 40

A Digital Developer noticed that cartridges in their workspace are NOT executing. The Developer confirms that the cartridges are uploaded to the B2C Commerce server connection's target version directory. Which action potentially solves this problem?

- A. Set the active code version to use the latest compatibility mode.
- B. Remove invalid characters from the code version's name.
- C. Remove invalid characters from cartridge file and folder names.
- D. Set the server connection's target version directory to the active code version.

Answer: D

NEW QUESTION 43

A Digital Developer has identified that the code segment below is causing performance problems.


```
var productSearchHits : Iterator = pdict.SearchResult.getProducts();
var foundProduct : dw.catalog.Product;
var results = new ArrayList();

while (productSearchHits.hasNext()) {
    foundProduct = productSearchHits.next();

    if (foundProduct.custom.isOnSaleFlag == "true") {
        results.add(foundProduct);
    }
}

return results;
```

What should the Developer do to improve the code?

- A. Use a system attribute instead of the isOnSaleFlag custom attribute.
- B. Avoid post-processing and use the isOnSaleFlag attribute as a search refinement.
- C. Breaks the process into separate loops.
- D. Avoid using an Iterator and use a Collection instead.

Answer: C

NEW QUESTION 44

A Digital Developer added a file named MyBusinessController.js in the cartridge named app_project. The project design calls for this new file to override MyBusinessController.js in client_project. The client_project cartridge contains other necessary functionality. Additional functionality is also included in the storefront_core and storefront_controllers cartridges.

Which cartridge path meets the project requirements?

- A. client_project:app_project:storefront_controllers:storefront_core
- B. app_project:storefront_controllers:storefront_core
- C. app_project:client_project:storefront_controllers:storefront_core
- D. storefront_core:storefront_controllers:client_project:app_project

Answer: C

NEW QUESTION 48

A Digital Developer extends a system object, Product, and adds a Boolean attribute, "sellable," to it. Assuming "prod" is the variable name handling the product, what code can the Developer use to access it?

- A. prod.extended.sellable
- B. prod.sellable
- C. prod.persistable.sellable
- D. prod.custom.sellable

Answer: D

NEW QUESTION 50

Universal Containers specifies a new category hierarchy for navigating the digital commerce storefront. A Digital Developer uses Business Manager to manually create a catalog with the specified category hierarchy, then uses the Products & Catalogs > Import & Export module to export the catalog as a file.

How can other Developers with sandboxes on the same realm create the same catalog in their own sandboxes?

- A. Use Business Manager to upload and import a copy of the export file obtained from the original Developer.
- B. Use the remote upload capability of the Site Import & Export module of Business Manager.
- C. Use the import capability of the Site Import & Export module of Business Manager.
- D. Use the Business Manager Data Replication module to replicate the catalog from the original Developer's sandbox.

Answer: C

NEW QUESTION 53

A Digital Developer is tasked with setting up a new Digital Server Connection using UX Studio in their sandbox.

Which three items are required to accomplish this task? (Choose three.)

- A. Instance Version
- B. Instance Hostname
- C. Business Manager Username
- D. Keystore Password
- E. Business Manager Password

Answer: BDE

NEW QUESTION 57

Universal Containers wants to associate a region code value with an order to indicate the general area of its destination. This region code must be accessible whenever the order history is displayed.

What is required to accomplish this?

- A. Store the region code value in a session variable.
- B. Define a custom attribute on the Order system object type to store the region code value.
- C. Define a custom object type to store the username with the region code.

D. Store the region code value in the geolocation system attribute of the Order.

Answer: B

NEW QUESTION 62

Why should a Digital Developer use `ProductSearchModel.getProducts()` instead of `Category.getOnlineProducts()` to access products?

- A. It is more readable code.
- B. It has fewer lines of code.
- C. It uses the search index.
- D. It reduces accesses to the application server.

Answer: D

NEW QUESTION 66

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

B2C-Commerce-Developer Practice Exam Features:

- * B2C-Commerce-Developer Questions and Answers Updated Frequently
- * B2C-Commerce-Developer Practice Questions Verified by Expert Senior Certified Staff
- * B2C-Commerce-Developer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * B2C-Commerce-Developer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The B2C-Commerce-Developer Practice Test Here](#)