



Cisco

Exam Questions 300-635

Automating and Programming Cisco Data Center Solutions (DCAUTO)

NEW QUESTION 1

DRAG DROP

Drag and drop the code to complete an Ansible playbook that creates a new tenant. Not all options are used.
Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 2

Which Ansible playbook fragment returns the fewest queried ACI endpoint groups?

- A.
- ```
- name: GET EPGs
aci_epg:
 host: "{{ inventory_hostname }}"
 username: "{{ username }}"
 password: "{{ password }}"
 validate_certs: no
 state: query
```
- B.
- ```
- name: GET EPGs
aci_epg:
  host: "{{ inventory_hostname }}"
  username: "{{ username }}"
  password: "{{ password }}"
  validate_certs: no
  tenant: prod_tenant
  state: query
  ap: internet
```
- C.
- ```
- name: GET EPGs
aci_epg:
 host: "{{ inventory_hostname }}"
 username: "{{ username }}"
 password: "{{ password }}"
 validate_certs: no
 tenant: prod_tenant
 state: query
 epg: web
```
- D.
- ```
- name: GET EPGs
aci_epg:
  host: "{{ inventory_hostname }}"
  username: "{{ username }}"
  password: "{{ password }}"
  validate_certs: no
  tenant: prod_tenant
  state: query
  ap: internet
  epg: web
```

Answer: D

NEW QUESTION 3

Which two components are attributes of an ACI MIT managed object? (Choose two.)

- A. MO
- B. RN
- C. UNI
- D. DN
- E. URL

Answer: BD

NEW QUESTION 4

How should the Kubernetes manifests be modified to allow Kubernetes environment integration with Cisco ACI?

- A. The metadata section must contain the Cisco APIC management IP.
- B. The manifest does not have to be changed, but the Kubernetes object is not discovered by Cisco ACI if this is not defined in the manifest.
- C. The manifests must include ACI EPG reference.
- D. No change is needed to perform this action.

Answer: D

NEW QUESTION 5

What is the default data encoding for the response output of the ACI APIC API inspector?

- A. CSV
- B. JSON
- C. XML
- D. YAML

Answer: B

NEW QUESTION 6

Which Kubernetes container network interface provides intent-based networking from the same pane of glass that VMs and bare-metal servers are managed?

- A. ACI CNI plug-in
- B. Contiv CNI plug-in
- C. Ingress CNI plug-in
- D. Calico CNI plug-in

Answer: A

NEW QUESTION 7

What is a key characteristic of an ACI policy model?

- A. Logical and concrete domains are separated.
- B. All configuration is carried out against concrete entities.
- C. It allows communications with newly connected devices.
- D. Network administrators configure logical and physical system resources directly.

Answer: A

NEW QUESTION 8

Refer to the exhibit.

```
switch(config)# telemetry
switch(config-telemetry)# sensor-group 100
switch(config-tm-sensor)# path sys/intf/phys-[eth1/1] depth 0
switch(config-tm-sensor)# destination-group 100
switch(config-tm-dest)# ip address 1.2.3.4 port 50004
switch(config-tm-dest)# ip address 1.2.3.4 port 50005
switch(config-tm-sensor)# destination-group 200
switch(config-tm-dest)# ip address 5.6.7.8 port 50001 protocol HTTP encoding JSON
switch(config-tm-dest)# ip address 1.4.8.2 port 50003
switch(config-tm-dest)# subscription 100
switch(config-tm-sub)# snsr-grp 100 sample-interval 10000
switch(config-tm-sub)# dst-grp 100
switch(config-tm-sub)# dst-grp 200
```

Where and how often does the subscription stream data for Ethernet port 1/1?

- A. to four different destinations every 10000 microseconds
- B. to four different destinations every 100 milliseconds
- C. to four different destinations every 10 seconds
- D. to four different destinations every 10000 seconds

Answer: C

NEW QUESTION 9

What is the network bootstrap program used by Cisco NX-OS iPX?

- A. NETBOOT
- B. NX-OS iPX
- C. iPX-POAP
- D. Mini-OS

Answer: A

NEW QUESTION 10

Using the NX-API CLI JSON-RPC interface, which two Python data structure and requests call create an SVI? (Choose two.)

A.

```
requests.post(url, data=json.dumps(payload), headers={'content-type':
'application/json-rpc'},auth=(username, password))
```

```
requests.post(url, data=json.dumps(payload), headers={'content-type':
'application/json'},auth=(username, password))
```

B.

```
payload = {
    "jsonrpc": "2.0", "method": "cli_conf",
    "params": {
        "command": "conf t; interface vlan " + id,
        "version": 1},
    "id": 1
}
```

A.

```
payload = [
    {
        "jsonrpc": "2.0", "method": "cli",
        "params": {"cmd": "conf t", "version": 1},
        "id": 1
    },
    {
        "jsonrpc": "2.0", "method": "cli",
        "params": {"cmd": "interface vlan " + id, "version": 1},
        "id": 2
    }
]
```

B.

```
payload = {
    "jsonrpc": "2.0", "method": "cli_conf",
    "params": {"cmd": "interface vlan " + id, "version": 1},
    "id": 1
}
```

Answer: AD

NEW QUESTION 10

Refer to the exhibit.

Switch configuration	Ansible playbook
<pre>!Command: show running-config ! feature nxapi ! ip access-list allow_http_traffic 10 permit tcp any any eq www ! vrf context management ip route 0.0.0.0/0 192.168.151.2 ! interface mgmt0 ip address 192.168.251.129 255.255.255.0 vrf member management</pre>	<pre>--- - name: Vlan Provisioning hosts: nxos gather_facts: no vars: nxos_provider: username: "{{ un }}" password: "{{ pwd }}" transport: nxapi host: "{{ inventory_hostname }}" tasks: - name: CREATE VLANS AND ASSIGN A NAME, USING VLAN_ID nxos_vlan: vlan_id: "{{ item.vlan_id }}" name: "{{ item.name }}" provider: "{{ nxos_provider }}" with_items: - vlan_id: 2 name: Native - vlan_id: 15 name: Web - vlan_id: 20 name: App - vlan_id: 30 name: DB</pre>
<p>Playbook output</p> <pre>\$ ansible-playbook playbook.yml PLAY [Vlan Provisioning]***** ***** TASK [CREATE VLANS AND ASSIGN A NAME, USING VLAN_ID]***** ***** failed: [192.168.251.129] (item={'vlan_id': 2, 'name': 'Native'}) => {"ansible_facts": {"discovered_interpreter_python": "/usr/bin/python"}, "ansible_loop_var": "item", "changed": false, "item": "name": "Native", "vlan_id": 2}, "msg": "Request failed: <urlopen error [Errno 61] Connection refused>" "status": -1, "url": "http://192.168.251.129:80/ins")</pre>	

The exhibit shows a Cisco NX-OS switch configuration, an Ansible playbook, and the output of running this playbook. The playbook failed due to error "msg" 'Request failed <urlopen error [Errno 61] Connection refused>', 'status' -1, "url" "http://192.168.251.129:80/ins".

Which Cisco NX-OS configuration command resolves this failure?

- A. feature nxapi
- B. http-server enabled
- C. interface mgmt0; ip access-group allow_http_traffic in
- D. feature http

Answer: A

NEW QUESTION 15

Which NX-API request queries the MAC address table?

A.

```
{
  "jsonrpc": "1.0",
  "method": "cli",
  "params": {
    "cmd": "show mac address-table",
    "version": 1
  },
  "id": 1
}
```

B.

```
{
  "jsonrpc": "2.0",
  "method": "cli",
  "params": {
    "command": "show mac address-table",
    "version": 1
  },
  "id": 1
}
```

C.

```
{
  "jsonrpc": "2.0",
  "method": "cli_show",
  "params": {
    "cmd": "show mac address-table",
    "version": 1
  },
  "id": 1
}
```

D.

```
{
  "jsonrpc": "2.0",
  "method": "cli",
  "params": {
    "cmd": "show mac address-table",
    "version": 1
  },
  "id": 1
}
```

Answer: D

NEW QUESTION 19

Which two bootstrap technologies are supported by Cisco NX-OS platforms? (Choose two.)

- A. iPX
- B. PNP
- C. POAP
- D. BOOTP
- E. DHCP

Answer: AC

NEW QUESTION 22

What is a feature of model- driven telemetry?

- A. randomizes the data out of the network
- B. continuously streams data out of the network
- C. randomizes the data coming to the network
- D. continuously pulls data out of the network

Answer: B

NEW QUESTION 24

Which Ansible playbook creates a new VLAN 10 named Web?

A.

```
- name: Provision VLAN
hosts: accessswitches
gather_facts: no

vars:
  nxos_provider:
    username: "{{ un }}"
    password: "{{ pwd }}"

tasks:
  - name: Create VLAN And Assign A Name
    nxos_vlan:
      vlan_id: 10
      name: Web
      provider: "{{ nxos_provider }}"
```

B.

```
- name: Provision VLAN
hosts: accessswitches
gather_facts: no

vars:
  nxos_provider:
    username: "{{ un }}"
    password: "{{ pwd }}"
    transport: nxapi
    host: "{{ inventory_hostname }}"

tasks:
  - name: Create VLAN And Assign A Name
    vlan_id: 10
    name: Web
    provider: "{{ nxos_provider }}"
```

C.

```
- name: Provision VLAN
  hosts: accessswitches
  gather_facts: no

  vars:
    nxos_provider:
      username: "{{ un }}"
      password: "{{ pwd }}"
      transport: nxapi
      host: "{{ inventory_hostname }}"

  tasks:
    - name: Create VLAN And Assign A Name
      nxos_vlan:
        interfaces: vlan-10
        name: Web
```

D.

```
- name: Provision VLAN
  hosts: accessswitches
  gather_facts: no

  vars:
    nxos_provider:
      username: "{{ un }}"
      password: "{{ pwd }}"
      transport: nxapi
      host: "{{ inventory_hostname }}"

  tasks:
    - name: Create VLAN And Assign A Name
      nxos_vlan:
        vlan_id: 10
        name: Web
        provider: "{{ nxos_provider }}"
```

Answer: D

NEW QUESTION 26

DRAG DROP

When a switch boots it does not find its startup-config file. Drag and drop the steps that Power-On Auto Provisioning goes through to configure the switch for remote management from the left into the correct order on the right. Not all options are used.


Select and Place:

DHCP assigns the switch an IP address, default gateway, and IP address that are tracked by the Domain Name System server.	step 1
The switch searches for a Domain Host Configuration Protocol service on the network.	step 2
The switch launches a container with Contiv.	step 3
POAP gets the IP address of a script server, downloads the correct script for the switch, and runs the script on the switch.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 27

Which two capabilities apply to the DCNM API? (Choose two.)

- A. DCNM provides an XML-based SOAP API.
- B. DCNM requires a license to use the API.
- C. Some features of DCNM must be configured through the GUI.
- D. All API operations can be performed using the DCNM GUI.
- E. DCNM provides a REST-based API.

Answer: AE

NEW QUESTION 29

Which step must be taken to enable the REST API browser within Cisco UCS Director?

- A. Edit the user profile and enable developer options.
- B. Raise a case with TAC.
- C. The REST API browser is automatically enabled in Cisco UCS Director when a Power User is created.
- D. Log in as the user "REST".

Answer: A

NEW QUESTION 30

Refer to the exhibit.

```

1  from ucsm.sdk.ucshandle import UcsHandle
2  from ucsm.sdk.mometa.fabric.FabricVlan import FabricVlan
3
4  handle = UcsHandle("corpucsm.example.com", "admin", "MySecretPassword")
5  handle.login()
6
7  fabric_lan_dn = handle.query_dn("fabric/lan")
8  newvlan = FabricVlan(parent_mo_or_dn=fabric_lan_dn,
9                        name="vlan10",
10                       id="10")
11
12  handle.add_mo(newvlan)
13
14  handle.logout()

```

Which change allows the code to configure VLAN 10 in the Cisco UCS?

- A. Lines 8 and 9 should have a line continuation \ at the end.
- B. Line 13 should include "handle.commit()".
- C. Line 4 should include transport 443 option.
- D. Line 3 should add an import for query_dn.

Answer: C

NEW QUESTION 31

DRAG DROP

Drag and drop the items to complete the request to retrieve the current firmware of Cisco UCS devices from the Cisco Intersight API. Not all items are used. Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 33

Refer to the exhibit.

```
1  ---
2  # Playbook: VLAN configuration using the [ucs] hosts group
3  - hosts: ucs
4    connection: local
5    gather_facts: no
6    tasks:
7      - name: Configure VLAN
8
9        hostname: "{{ ucs_hostname }}"
10       username: "{{ ucs_username }}"
11       password: "{{ ucs_password }}"
12       state: "{{ ucs_state }}"
13       name: vlan10
14       id: '10'
15       native: 'no'
```

Which Ansible module is needed in line 8 to create a new VLAN 10 on the hosts defined in the "ucs" group?

- A. vlan
- B. ucs_vlans
- C. vlans
- D. nxos_vlans

Answer: B

NEW QUESTION 34

A server profile with the string "WEST15" in its name must have the string "WEST15" changed to "LXT14". For example, server profile "VMHOST-WEST15-01" would need to be changed to "VMHOST-LXT14-01".

Using the Cisco Intersight REST API in a Python script, which two GET API requests are used to retrieve just the server profile with the string "WEST15" in the name and the correct body for the API request to update the name? Assume the variable "sp_name" contains the name of the retrieved server profile. (Choose two.)

- A. GET [https://intersight.com/api/v1/server/Profiles?\\$select=Name&\\$filter=contains\(Name, 'WEST15'\)](https://intersight.com/api/v1/server/Profiles?$select=Name&$filter=contains(Name, 'WEST15'))
- B. GET [https://intersight.com/api/v1/server/Profiles?\\$select=Name&\\$filter=Name in\('WEST15'\)](https://intersight.com/api/v1/server/Profiles?$select=Name&$filter=Name in('WEST15'))
- C. BODY = { "Name": sp_name.format('WEST15', 'LXT14') }
- D. GET [https://intersight.com/api/v1/server/Profiles?\\$select=Name&\\$filter=startswith\(Name, 'WEST15'\)](https://intersight.com/api/v1/server/Profiles?$select=Name&$filter=startswith(Name, 'WEST15'))
- E. BODY = { "Name": sp_name.replace('WEST15', 'LXT14') }

Answer: AE

NEW QUESTION 36

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-635 Practice Exam Features:

- * 300-635 Questions and Answers Updated Frequently
- * 300-635 Practice Questions Verified by Expert Senior Certified Staff
- * 300-635 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-635 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-635 Practice Test Here](#)