

# Microsoft

## Exam Questions MS-100

Microsoft 365 Identity and Services



## NEW QUESTION 1

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You hire a new Microsoft 365 administrator named Nestor Wilke. Nestor Wilke will begin working for your organization in several days.

You need to ensure that Nestor Wilke is prevented from using his account until he begins working.

A. Mastered

B. Not Mastered

**Answer: A**

### Explanation:

You need to sign-in status for the account to 'Blocked'. Blocking doesn't stop the account from receiving email and it doesn't delete any data.

\* 1. On the home page of the Microsoft 365 admin center, type the user's name into the Search box.

\* 2. Select the Nestor Wilke account in the search results.

\* 3. In the 'Sign-in status' section of the account properties, click the Edit link.

\* 4. Select 'Block the user from signing in' and click the Save button.

## NEW QUESTION 2

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains the users shown in the following table.

| Name  | Group          |
|-------|----------------|
| User1 | Group1         |
| User2 | Group1, Group2 |

You have the named locations shown in the following table.

| Named location | IP range       |
|----------------|----------------|
| Montreal       | 133.107.0.0/16 |
| Toronto        | 193.77.10.0/24 |

You create a conditional access policy that has the following configurations:

Users and groups:

> Include: Group1

> Exclude: Group2

Cloud apps: Include all cloud apps

Conditions:

> Include: Any location

> Exclude: Montreal

Access control: Grant access, Require multi-factor authentication User1 is on the multi-factor authentication (MFA) blocked users list.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements   | Yes                   | No                    |
|--|-----------------------|-----------------------|
| User1 can access Microsoft Office 365 from a device that has an IP address of 133.107.10.20. | <input type="radio"/> | <input type="radio"/> |
| User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.  | <input type="radio"/> | <input type="radio"/> |
| User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.  | <input type="radio"/> | <input type="radio"/> |

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

The Blocked User list is used to block specific users from being able to receive Multi-Factor Authentication requests. Any authentication attempts for blocked users are automatically denied. Users remain blocked for 90 days from the time that they are blocked.

Box 1: Yes

\* 133.107.10.20 is in the Montreal named location. The conditional access policy excludes Montreal so the policy does not apply. Therefore, User1 can access Microsoft Office 365.

Box 2: No

\* 193.77.10.15 is in the Toronto named location. The conditional access policy applies to Group1 which User1 is a member of and all locations except for Montreal. Therefore, the conditional access policy applies in this case. The policy requires MFA but User1 is on the MFA blocked list so he is unable to use MFA. Therefore, User1 cannot access Microsoft 365.

Box 3: Yes

User2 is in Group1 and Group2. The conditional access policy applies to Group1 but excludes Group2.

Therefore, the conditional access policy does not apply in this case so User2 can access Microsoft Office 365. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

**NEW QUESTION 3**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.


To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe1211885.onmicrosoft.com Microsoft 365 Password: oL9z0=?Nq@ox

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11098651



You recently discovered that several users in your organization have permissions on the mailbox of another user in the organization.

You need to ensure that Lee Gu receives a notification when a user is granted permissions on another user's mailbox.

To answer the question, sign in to the Microsoft 365 portal.


- A. Mastered
- B. Not Mastered


**Answer:** A

**Explanation:**


Create an activity alert


- \* 1. Go to <https://protection.office.com/managealerts>.
- \* 2. Sign in to Office 365 using your work or school account.
- \* 3. On the Activity alerts page, click + New. The flyout page to create an activity alert is displayed.

Name \* 

Description 

Alert type

Custom 


Send this alert when... \* 

Activities \*

Choose activities for alert

Users:

Show results for all users

Send this alert to... \* 

Recipients \*

Show results for all users

\* 4. Complete the following fields to create an activity alert:

- > Name - Type a name for the alert. Alert names must be unique within your organization.
- > Description (Optional) - Describe the alert, such as the activities and users being tracked, and the users that email notifications are sent to. Descriptions provide a quick and easy way to describe the purpose of the alert to other admins.
- > Alert type - Make sure the Custom option is selected.
- > Send this alert when – Click Send this alert when and then configure these two fields:
  - Activities - Click the drop-down list to display the activities that you can create an alert for. This is the same activities list that's displayed when you search the Office 365 audit log. You can select one or more specific activities or you can click the activity group name to select all activities in the group. For a description of these activities, see the "Audited activities" section in Search the audit log. When a user performs any of the activities that you've added to the alert, an email notification is sent.
  - Users - Click this box and then select one or more users. If the users in this box perform the activities that you added to the Activities box, an alert will be sent. Leave the Users box blank to send an alert when any user in your organization performs the activities specified by the alert.
- > Send this alert to – Click Send this alert, and then click in the Recipients box and type a name to add a users who will receive an email notification when a user (specified in the Users box) performs an activity (specified in the Activities box). Note that you are added to the list of recipients by default. You can remove your name from this list.

\* 5. Click Save to create the alert. The new alert is displayed in the list on the Activity alerts page.

| Activity alerts         |                        |          |                     |
|-------------------------|------------------------|----------|---------------------|
| Name                    | Recipients             | Status ▲ | Date modified       |
| Executive mailbox alert | compliance@contoso.com | On       | 2016-06-08 14:42:02 |
| SharePoint upload alert | admin@contoso.com      | Off      | 2016-06-08 14:23:39 |
| External sharing alert  | admin@contoso.com      | Off      | 2016-06-08 14:24:08 |

The status of the alert is set to On. Note that the recipients who will received an email notification when an alert is sent are also listed.

References:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-activity-alerts?view=o365-worldwide>

**NEW QUESTION 4**

- (Exam Topic 5)

You plan to deploy two Microsoft Power Platform environments as shown in the following table.

| Name         | Requirement   |
|--------------|---|
| Environment1 | <ul style="list-style-type: none"><li>• Supports multiple makers that customize the environment</li><li>• Supports copying other environments to Environment1</li><li>• Minimizes effort to reset the environment</li></ul> |
| Environment2 | <ul style="list-style-type: none"><li>• Is a learning environment</li><li>• Supports the creation of unlimited apps</li><li>• Does not count against storage allocation for the tenant</li></ul>                            |

Which environment type should you use for each environment? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Environment1: 

Developer

Production

Sandbox

Environment2: 

Developer

Production

Sandbox

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
Graphical user interface, text, application, chat or text message Description automatically generated  
Reference:  
<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 5

- (Exam Topic 5)  
You have a Microsoft 365 subscription that has Conditional Access policy named Policy1. Policy1 is configured as shown in the following exhibit.

Policy1

Assignments

Users or workload identities

All users

Cloud apps or actions

All cloud apps

Conditions

0 conditions selected

Access controls

Grant

Report-only

On

Off

Control access enforcement to block or grant access. [Learn more](#)

☐ Block access

☒ Grant access

☒ Require multi-factor authentication

☒ Require multi-factor authentication

☒ Require device to be marked as compliant

☐ Don't lock yourself out! Make sure that your device is compliant

☐ Require Hybrid Azure AD joined

☐ Test Terms of Use

For multiple controls

☐ Require all the selected controls

☒ Require one of the selected controls

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.



If a user signs in from a compliant device, the sign in will [answer choice].

be allowed

be blocked

prompt for multi-factor authentication (MFA)

If a user signs in from an unmanaged device, the sign in will [answer choice].

be allowed

be blocked

prompt for multi-factor authentication (MFA)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
Graphical user interface, text, application Description automatically generated

NEW QUESTION 6

- (Exam Topic 5)  
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.  
Your company has a main office and three branch offices. All the branch offices connect to the main office by using a WAN link. The main office has a high-speed Internet connection. All the branch offices connect to the Internet by using the main office connection.  
Users use Microsoft Outlook 2016 to connect to 4 Microsoft Exchange Server mailbox hosted in the main office.  
The users report that when the WAN link in their office becomes unavailable, they cannot access their mailbox.  
You create a Microsoft 365 subscription, and then migrate all the user data to Microsoft 365.  
You need to ensure that all the users can continue to use Outlook to receive email messages if a WAN link fails.  
Solution: You deploy a site-to-site VPN from each branch office to Microsoft Azure. Does this meet the goal?

- A. Yes
- B. NO

Answer: B

NEW QUESTION 7

- (Exam Topic 5)  
Your network contains an Active Directory domain and a Microsoft Azure Active Directory (Azure AD) tenant.  
You implement directory synchronization for all 10,000 users in the organization. You automate the creation of 100 new user accounts.  
You need to ensure that the new user accounts synchronize to Azure AD as quickly as possible Which command should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct select ion is worth one point.

Answer Area

Start-ADSyncSyncCycle

Set-ADSyncScheduler

Invoke-ADSyncRunProfile

-PolicyType

Delta

Initial

Full

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
Azure AD Connect synchronizes Active Directory to Azure Active Directory on a schedule. The minimum time between synchronizations is 30 minutes.  
If you want to synchronize changes to Active Directory without waiting for the next sync cycle, you can initiate a sync by using the Start-AdSyncSyncCycle. The Delta option synchronizes changes to Active Directory made since the last sync. The Full option synchronizes all Active Directory objects including those that have not changed.  
Reference:  
<https://blogs.technet.microsoft.com/rmilne/2014/10/01/how-to-run-manual-dirsync-azure-active-directory-sync>

NEW QUESTION 8

- (Exam Topic 5)  
You have a DNS zone named contoso.com that contains the following records.

```
@           IN      SOA      dns1.contoso.com. hostmaster.contoso.com. (
                                539          ; serial number
                                900          ; refresh
                                600          ; retry
                                86400        ; expire
                                3600         ) ; default TTL

@           NS       dns1.contoso.com.

@           MX       10      server1.contoso.com.
@           TXT       ( "v=spf1 a include:server1.contoso.com -all" )
Server1     A         193.77.10.15
```

You purchase a Microsoft 365 subscription.  
You plan to migrate mailboxes to Microsoft Exchange Online.  
You need to configure Sender Policy Framework (SPF) to support Exchange Online. What should you do?

- A. Add an additional TXT record.
- B. Modify the TXT record.
- C. Modify the expire interval of the SOA record.
- D. Modify the default TTL of the SOA record.

Answer: B

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-spf-in-office-365-to-help-pre>

NEW QUESTION 9

- (Exam Topic 5)  
You have a Microsoft 365 E5 subscription.  
You have an Azure AD tenant named contoso.com that contains the following users:

- Admin 1
- Admin2
- User1

Contoso.com contains an administrative unit named AU1 that has no role assignments. User1 is a member of AU1.

| Answer Area  |  |                       |                       |
|--|--|-----------------------|-----------------------|
| Statements   |  | Yes                   | No                    |
| You can add Admin1 as a member of AU1.                     |  | <input type="radio"/> | <input type="radio"/> |
| You can add User1 as a member of AU2.                      |  | <input type="radio"/> | <input type="radio"/> |
| You can assign Admin2 the User administrator role for AU1. |  | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Answer Area  |  |                                  |                                  |
|--|--|----------------------------------|----------------------------------|
| Statements   |  | Yes                              | No                               |
| You can add Admin1 as a member of AU1.                     |  | <input checked="" type="radio"/> | <input type="radio"/>            |
| You can add User1 as a member of AU2.                      |  | <input checked="" type="radio"/> | <input type="radio"/>            |
| You can assign Admin2 the User administrator role for AU1. |  | <input type="radio"/>            | <input checked="" type="radio"/> |

NEW QUESTION 10

- (Exam Topic 5)  
You have a Microsoft 365 Enterprise E5 subscription.  
You need to enforce multi-factor authentication on all cloud-based applications for the users in the finance department.  
What should you do?

- A. Create an activity policy.
- B. Create a new app registration.
- C. Create a conditional access policy.
- D. Create a session policy.

**Answer: C**

**Explanation:**

You can configure a conditional access policy that applies to the Finance department users. The policy can be configured to 'Allow access' but with multi-factor authentication as a requirement.

The reference below explains how to create a conditional access policy that requires MFA for all users. To apply the policy to finance users only, you would select Users and Group in the Include section instead of All Users and then specify the finance department group.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all>

**NEW QUESTION 10**

- (Exam Topic 5)

Your network contains an Active Directory domain named adatum.com that is synced to Microsoft Azure Active Directory (Azure AD).

The domain contains 100 user accounts.

The city attribute for all the users is set to the city where the user resides.

You need to modify the value of the city attribute to the three-letter airport code of each city. What should you do?

- A. From Active Directory Administrative Center, select the Active Directory users, and then modify the Properties settings.
- B. From the Microsoft 365 admin center, select the users, and then use the Bulk actions option.
- C. From Azure Cloud Shell, run the Get-MsolUser and Set-MSOluser cmdlets.
- D. From Windows PowerShell on a domain controller, run the Get-AzureADUser and Set-AzureADUser cmdlets.

**Answer: A**

**Explanation:**

The user accounts are synced from the on-premise Active Directory to the Microsoft Azure Active Directory (Azure AD). Therefore, the city attribute must be changed in the on-premise Active Directory.

You can modify certain attributes of multiple user accounts simultaneously by selecting them in Active Directory Administrative Center or Active Directory Users and Computers, right clicking then selecting Properties.

The other three options all suggest modifying the city attribute of the users in the Azure Active Directory which is incorrect.

Reference:

<https://blogs.technet.microsoft.com/canitpro/2015/11/25/step-by-step-managing-multiple-user-accounts-via-acti>

**NEW QUESTION 12**

- (Exam Topic 5)

Your company has a Microsoft 365 subscription and a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

An external vendor has a Microsoft account that has a username of user1@outlook.com. You plan to provide user1@outlook.com with access to several resources in the subscription.

You need to add the external user account to contoso.onmicrosoft.com. The solution must ensure that the external vendor can authenticate by using user1@outlook.com.

What should you do?

- A. From Azure Cloud Shell, run the New-AzureADUser cmdlet and specify –UserPrincipalName user1@outlook.com.
- B. From the Microsoft 365 admin center, add a contact, and then specify user1@outlook.com as the email address.
- C. From the Azure portal, add a new guest user, and then specify user1@outlook.com as the email address.
- D. From the Azure portal, add a custom domain name, and then create a new Azure AD user and use user1@outlook.com as the username.

**Answer: C**

**Explanation:**

You can invite guest users to the directory, to a group, or to an application. After you invite a user through any of these methods, the invited user's account is added to Azure Active Directory (Azure AD), with a user type of Guest. The guest user must then redeem their invitation to access resources. An invitation of a user does not expire.

The invitation will include a link to create a Microsoft account. The user can then authenticate using their Microsoft account. In this question, the external vendor already has a Microsoft account (user1@outlook.com) so he can authenticate using that.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/add-users-administrator>

**NEW QUESTION 15**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a main office and three branch offices. All the branch offices connect to the main office by using a WAN link. The main office has a high-speed Internet connection. All the branch offices connect to the Internet by using the main office connections.

Users use Microsoft Outlook 2016 to connect to a Microsoft Exchange Server mailbox hosted in the main office.

The users report that when the WAN link in their office becomes unavailable, they cannot access their mailbox.

You create a Microsoft 365 subscription, and then migrate all the user data to Microsoft 365.

You need to ensure that all the users can continue to use Outlook to receive email messages if a WAN link fails.

Solution: You enable Cached Exchange Mode for all the Outlook profiles. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**



### NEW QUESTION 18

- (Exam Topic 5)

Your network contains an Active Directory forest named contoso.local. You purchase a Microsoft 365 subscription.

You plan to move to Microsoft and to implement a hybrid deployment solution for the next 12 months. You need to prepare for the planned move to Microsoft 365. What is the best action to perform before you implement directory synchronization? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Purchase a third-party X.509 certificate.
- B. Rename the Active Directory forest.
- C. Purchase a custom domain name.
- D. Create an external forest trust.

**Answer: C**

#### Explanation:

The first thing you need to do before you implement directory synchronization is to purchase a custom domain name. This could be the domain name that you use in your on-premise Active Directory if it's a routable domain name, for example, contoso.com.

If you use a non-routable domain name in your Active Directory, for example contoso.local, you'll need to add the routable domain name as a UPN suffix in Active Directory.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/set-up-directory-synchronization>

### NEW QUESTION 22

- (Exam Topic 5)

You need to meet the application requirement for the Office 365 ProPlus applications. You create a XML file that contains the following settings.

```
<Add SourcePath="\\Server1\OfficeSoftware"
  OfficeClientEdition="32"
  Channel="Targeted"
  AllowCdnFallback="True">
  <Product ID="O365ProPlusRetail">
    <Language ID="MatchOS" Fallback="en-us" />
  </Product>
</Add>
```

Use the drop-down menus to select the choice that complete each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

|  |   |
|--|---|
| Office 365 ProPlus feature updates will be installed [answer choice].      | <input type="text" value="automatically once a year"/><br><input type="text" value="automatically twice a year"/><br><input type="text" value="manually"/>  |
| To meet the technical requirement for Office 365 ProPlus, [answer choice]. | <input type="text" value="Change SourcePath to DownloadPath."/><br><input type="text" value="Set the value for AllowCdnFallback to False."/><br><input type="text" value="Add SCLCacheOverride=1 to the Product section."/> |

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Answer Area

|  |   |
|--|---|
| Office 365 ProPlus feature updates will be installed [answer choice].      | <input type="text" value="automatically once a year"/><br><input type="text" value="automatically twice a year"/><br><input type="text" value="manually"/>  |
| To meet the technical requirement for Office 365 ProPlus, [answer choice]. | <input type="text" value="Change SourcePath to DownloadPath."/><br><input type="text" value="Set the value for AllowCdnFallback to False."/><br><input type="text" value="Add SCLCacheOverride=1 to the Product section."/> |

### NEW QUESTION 26

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.


Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com

Microsoft 365 Password: m3t^We\$Z7&xy

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11440873



You need to ensure that when Lynne Robbins attempts to sign in to the Microsoft Office 365 portal, Lynne Robbins is prompted to authenticate by using multiple methods.

To answer, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

You need to enable Multi-Factor Authentication for Lynne Robbins.

- \* 1. Sign in to the Microsoft 365 Admin Center.
- \* 2. In the left navigation pane, expand the Users section and select Active Users.
- \* 3. Click the 'Multi-factor authentication' link.
- \* 4. Select Lynne Robbins.
- \* 5. In the right navigation pane, select the 'Enable' link to enable MFA for the account.
- \* 6. Confirm the setting by clicking the 'Enable multi-factor authentication' button.
- \* 7. Click the Close button to close the confirmation window.

**NEW QUESTION 27**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWYjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You need to ensure that all mobile devices that connect to Microsoft Exchange Online meet the following requirements:

- > A password must be used to access the devices.
- > Data on the devices must be encrypted.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

You need to modify the default mobile device mailbox policy.

- \* 1. Go to the Exchange Admin Center.
- \* 2. Select 'mobile' then select 'mobile device mailbox policies'.
- \* 3. Click the 'Create a policy' button.
- \* 4. Select the Default policy and click the edit icon (pencil icon).

- \* 5. Select the 'Security' link to open the security settings.
- \* 6. Tick the 'Require a password' checkbox.
- \* 7. Tick the 'Require encryption on device' checkbox.
- \* 8. Click the Save button to save the changes. References:  
<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/exchange-activesync/mobile>

#### NEW QUESTION 29

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWYjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

Your organization has an office in Seattle.

You plan to create 100 users who will work in the Seattle office. The city attribute for all the users will be Seattle.

You need to create a group named Group1 that will automatically contain all the Seattle office users.

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

You need to create a Dynamic group. User accounts with the city attribute set to 'Seattle' will automatically be added to the group.

- \* 1. Go to the Azure Active Directory admin center.
- \* 2. Select Azure Active Directory then select Groups.
- \* 3. Click on the New Group link.
- \* 4. Give the group a name such as Seattle Users.
- \* 5. Select Users as the membership type.
- \* 6. Select 'Add dynamic query'.
- \* 7. Select 'City' in the Property drop-down box.
- \* 8. Select 'Equals' in the Operator drop-down box.
- \* 9. Enter Seattle as the Value. You should see the following text in the Expression box: user.city -eq "Seattle"
- \* 10. Click Save to create the group. References:  
<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership>

#### NEW QUESTION 34

- (Exam Topic 5)

Your company has three main offices and one branch office. The branch office is used for research. The company plans to implement a Microsoft 365 tenant and to deploy multi-factor authentication.

You need to recommend a Microsoft 365 solution to ensure that multi-factor authentication is enforced only for users in the branch office

What should you include in the recommendation?

- A. Azure AD password protection
- B. a Microsoft Endpoint Manager Device compliance policy
- C. Azure AD conditional access
- D. a Microsoft Endpoint Manager Device configuration profile

**Answer: B**

#### NEW QUESTION 39

- (Exam Topic 5)

Your network contains an on premises Active Directory domain named contoso.com. The domain contains five domain controllers.

Your company purchases Microsoft 365 and creates a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

You plan to establish federation authentication between on premises Active Directory and the Azure AD tenant by using Active Directory Federation Services (AD FS).

You need to establish the federation.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Action to perform before establishing the federation:

From the Azure portal, add a custom domain name.

From the Azure portal, configure an authentication method.

From a domain controller, install a Pass-through Authentication Agent.

From a domain controller, install Windows Identity Foundation 3.5.

Tool to use to establish the federation:

Active Directory Domains and Trusts

Azure AD Connect

The AD FS console

The Azure portal

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
 The on-premises Active Directory domain is named contoso.com. Before you can configure federation authentication between on-premises Active Directory and the Azure AD tenant, you need to add the domain contoso.com to Microsoft 365. You do this by adding a custom domain name. The next step is to establish the federation. You can configure AD FS by using Azure AD Connect. Reference: <https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom#configuring-feder>

**NEW QUESTION 41**

- (Exam Topic 5)  
 You have a backend service that will access the Microsoft Graph API. The backend service is hosted on-premises. You need to configure the service to authenticate by using the most secure authentication method. What should you configure the service to use?

- A. a client secret
- B. a certificate
- C. a hash
- D. a shared key

**Answer:** B

**NEW QUESTION 43**

- (Exam Topic 5)  
 Your network contains an Active Directory domain. The domain contains a server named Server1 that runs Windows Server 2016. Server1 has a share named Share1. You have a hybrid deployment of Microsoft 365. You need to migrate the content in Share1 to Microsoft OneDrive. What should you use?

- A. Windows Server Migration Tools
- B. Microsoft SharePoint Migration Tool
- C. Storage Migration Service

**Answer:** B

**Explanation:**  
 Reference: <https://docs.microsoft.com/en-us/sharepointmigration/migrating-content-to-onedrive-for-business>

**NEW QUESTION 46**

- (Exam Topic 5)  
 You have a Microsoft Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

| Name  | Member of |
|-------|-----------|
| User1 | Group1    |
| User2 | Group2    |
| User3 | Group3    |

Your company uses Windows Defender Advanced Threat Protection (ATP). Windows Defender ATP contains the roles shown in the following table.



| Name   | Permission  | Assigner user group |
|--|---|---------------------|
| Windows Defender ATP administrator (default) | View data, Alerts investigation, Active remediation actions, Manage security settings | Group3              |
| Role1  | View data, Alerts investigation   | Group1              |
| Role2  | View data   | Group2              |

Windows Defender ATP contains the device groups shown in the following table.

| Rank | Machine group                | Machine | User access |
|------|------------------------------|---------|-------------|
| 1    | ATP1                         | Device1 | Group1      |
| Last | Ungrouped machines (default) | Device2 | Group2      |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

| Statements  | Yes                   | No                    |
|---|-----------------------|-----------------------|
| User1 can view Device1 in Windows Defender Security Center. | <input type="radio"/> | <input type="radio"/> |
| User2 can sign in to Windows Defender Security Center.      | <input type="radio"/> | <input type="radio"/> |
| User3 can view Device1 in Windows Defender Security Center. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1:  
 Yes. User1 is in Group1 which is assigned to Role1. Device1 is in the device group named ATP1 which Group1 has access to. Role1 gives Group1 (and User1) View Data Permission. This is enough to view Device1 in Windows Security Center.

Box 2:  
 Yes. User2 is in Group2 which is assigned to Role2. Role2 gives Group2 (and User2) View Data Permission. This is enough to sign in to Windows Security Center.

Box 3:  
 Yes. User3 is in Group3 which is assigned the Windows ATP Administrator role. Someone with a Microsoft Defender ATP Global administrator role has unrestricted access to all machines, regardless of their machine group association and the Azure AD user groups assignments.

Reference:  
<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/user-roles> <https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/rbac>

**NEW QUESTION 48**

- (Exam Topic 5)  
 Your network contains an on-premises Active Directory domain. The domain contains the users shown in the following table.

| Name  | Country       | Organizational unit (OU) |
|-------|---------------|--------------------------|
| User1 | United States | OU1                      |
| User2 | Canada        | OU1                      |
| User3 | United States | OU2                      |

You have a Microsoft 365 subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com. You configure Azure AD Connect to sync the on-premises domain to contoso.com as shown in the following exhibit.

**Answer Area**

| Statements               | Yes                   | No                    |
|--------------------------|-----------------------|-----------------------|
| User1 syncs to Azure AD. | <input type="radio"/> | <input type="radio"/> |
| User2 syncs to Azure AD. | <input type="radio"/> | <input type="radio"/> |
| User3 syncs to Azure AD. | <input type="radio"/> | <input type="radio"/> |



- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area

| Statements               | Yes                              | No                    |
|--------------------------|----------------------------------|-----------------------|
| User1 syncs to Azure AD. | <input checked="" type="radio"/> | <input type="radio"/> |
| User2 syncs to Azure AD. | <input checked="" type="radio"/> | <input type="radio"/> |
| User3 syncs to Azure AD. | <input checked="" type="radio"/> | <input type="radio"/> |

#### NEW QUESTION 49

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy several Microsoft Office 365 services.

You need to design an authentication strategy for the planned deployment. The solution must meet the following requirements:

- \* Users must be able to authenticate during business hours only.
- \* Authentication requests must be processed successfully if a single server fails.
- \* When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.
- \* Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

Solution: You design an authentication strategy that contains a pass-through authentication model. The solution contains two servers that have an Authentication Agent installed and password hash synchronization configured.

Does this meet the goal?

- A. Yes  
B. No

**Answer:** B

**Explanation:**

This solution meets the following goals:

- > Users must be able to authenticate during business hours only.
- > Authentication requests must be processed successfully if a single server fails.
- > When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.

However, the following goal is not met:

- > Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

You would need to configure Single-sign on (SSO) to meet the last requirement. Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-ad-choose-authn>

#### NEW QUESTION 53

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@M365x981607.onmicrosoft.com Microsoft 365 Password: \*yfLo7lr2&yIf the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You plan to invite several guest users to access the resources in your organization.

You need to ensure that only guests who have an email address that uses the @contoso.com suffix can connect to the resources in your Microsoft 365 tenant.

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

- You need to add contoso.com as an allowed domain in the 'External collaboration settings'.
- \* 1. Go to the Azure Active Directory admin center.
  - \* 2. Select Users then select 'User settings'.
  - \* 3. Under External Users, select the 'Manage external collaboration settings'.
  - \* 4. Under 'Collaboration restrictions', select the 'Allow invitations only to the specified domains (most restrictive)' option.
  - \* 5. Under, Target Domains, type in the domain name 'contoso.com'
  - \* 6. Click the Save button at the top of the screen to save your changes. References: <https://docs.microsoft.com/en-us/azure/active-directory/b2b/allow-deny-list>

**NEW QUESTION 57**

- (Exam Topic 5)  
You have a Microsoft 365 E5 subscription and a hybrid deployment of Microsoft Exchange. The deployment contains TOO users who have on-premises mailboxes and 100 users who have mailboxes in Exchange Online.  
You enable Microsoft Teams and assign a Microsoft Teams license to each user.  
You need to ensure that the users who have on-premises mailboxes can use Microsoft Teams. All Microsoft Teams chat data must be searchable by using Content search in the Security fit Compliance admin center.  
What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

License to assign to the users who have on-premises mailboxes:

Data Investigations

Exchange Online

Microsoft Communications Compliance

Task to perform to enable Content search for the on-premises mailboxes:

Add an email alias

Create a supervision policy

Enable a Unified Messaging (UM) IP gateway

Submit a request to Microsoft Support

- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**

License to assign to the users who have on-premises mailboxes:

Data Investigations

Exchange Online

Microsoft Communications Compliance

Task to perform to enable Content search for the on-premises mailboxes:

Add an email alias


Create a supervision policy

Enable a Unified Messaging (UM) IP gateway

Submit a request to Microsoft Support

**NEW QUESTION 58**

- (Exam Topic 5)  
Your network contains an on-premises Active Directory domain that is synced to Microsoft Azure Active Directory (Azure AD) as shown in the following exhibit.



An on-premises Active Directory user account named Allan Yoo is synchronized to Azure AD. You view Allan's account from Microsoft 365 and notice that his username is set to Allan@contoso.onmicrosoft.com.  
For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

| Statements  | Yes                   | No                    |
|---|-----------------------|-----------------------|
| From the Azure portal, you can reset the password of Allan Yoo.           | <input type="radio"/> | <input type="radio"/> |
| From the Azure portal, you can configure the job title of Allan Yoo.      | <input type="radio"/> | <input type="radio"/> |
| From the Azure portal, you can configure the usage location of Allan Yoo. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Allan Yoo's user account is synchronized from the on-premise Active Directory. This means that most user account settings have to be configured in the on-premise Active Directory.

In the exhibit, Password Writeback is disabled. Therefore, you cannot reset the password of Allan Yoo from the Azure portal.

You also cannot change Allan Yoo's job title in the Azure portal because his account is synchronized from the on-premise Active Directory.

One setting that you can configure for synchronized user accounts is the usage location. The usage location must be configured on a user account before you can assign licenses to the user.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-writeback>

**NEW QUESTION 60**

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com.

You purchase 100 Microsoft 365 Business Voice add-on licenses.

You need to ensure that the members of a group named Voice are assigned a Microsoft 365 Business Voice add-on license automatically.

What should you do?

- A. From the Azure Active Directory admin center, modify the settings of the Voice group.  
B. From the Microsoft 365 admin center, modify the settings of the Voice group.  
C. From the Licenses page of the Microsoft 365 admin center, assign the licenses.

**Answer:** A

**Explanation:**

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-groups-assign>

**NEW QUESTION 62**

- (Exam Topic 5)

Your network contains an Active Directory domain named fabrikam.com. The domain contains the objects shown in the following table.

| Name   | Type                    | In organizational unit (OU) |
|--------|-------------------------|-----------------------------|
| User1  | User                    | OU1                         |
| User2  | User                    | OU1                         |
| Group1 | Security Group - Global | OU1                         |
| User3  | User                    | OU2                         |
| Group2 | Security Group - Global | OU2                         |

The group have the members shown in the following table.

| Group  | Members              |
|--------|----------------------|
| Group1 | User1                |
| Group2 | User2, User3, Group1 |

You are configure synchronization between fabrikam.com and a Microsoft Azure Active Director (Azure AD) tenant.

You configure the domain/OU Filtering settings in Azure AD Connect as shown in the Domain>OU Filtering exhibit. (Click the Domain/OU Filtering tab.)

You configure the Filtering in Azure Connect as shown in the Filtering exhibit. (Click the Filtering tab.) NOTE: Each correct selection is worth one point.

**Answer Area**

| Statements                           | Yes                   | No                    |
|--------------------------------------|-----------------------|-----------------------|
| User2 will synchronize to Azure AD.  | <input type="radio"/> | <input type="radio"/> |
| Group2 will synchronize to Azure AD. | <input type="radio"/> | <input type="radio"/> |
| User3 will synchronize to Azure AD.  | <input type="radio"/> | <input type="radio"/> |

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No

The filtering is configured to synchronize Group2 and OU2 only. The effect of this is that only members of Group2 who are in OU2 will be synchronized.

User2 is in Group2. However, the User2 account object is in OU1 so User2 will not synchronize to Azure AD. Box 2: Yes

Group2 is in OU2 so Group2 will synchronize to Azure AD. However, only members of the group who are in OU2 will synchronize. Members of Group2 who are in OU1 will not synchronize.

Box 3: Yes

User3 is in Group2 and in OU2. Therefore, User3 will synchronize to Azure AD. References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering#group-b>

#### NEW QUESTION 66

- (Exam Topic 5)

Your company has a Microsoft 365 subscription that has multi-factor authentication configured for all users. Users on the network report that they are prompted for multi-factor authentication multiple times a day.

You need to reduce the number of times the users are prompted for multi-factor authentication on their company-owned devices.

What should you do?

- A. Enable the multi-factor authentication trusted IPs setting, and then verify each device as a trusted device.
- B. Enable the remember multi-factor authentication setting, and then verify each device as a trusted device.
- C. Enable the multi-factor authentication trusted IPs setting, and then join all client computers to Microsoft Azure Active Directory (Azure AD).
- D. Enable the remember multi-factor authentication setting, and then join all client computers to Microsoft Azure Active Directory (Azure AD).

**Answer: B**

#### Explanation:

The remember Multi-Factor Authentication feature for devices and browsers that are trusted by the user is a free feature for all Multi-Factor Authentication users.

Users can bypass subsequent verifications for a specified number of days, after they've successfully signed-in to a device by using Multi-Factor Authentication.

The feature enhances usability by minimizing the number of times a user has to perform two-step verification on the same device.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

#### NEW QUESTION 70

- (Exam Topic 5)

Your company has a Microsoft 365 subscription that contains the following domains: Contoso.onmicrosoft.com

Contoso.com

You plan to add the following domains to Microsoft 365 and to use them with Exchange Online:

- > Sub1.contoso.onmicrosoft.com
- > Sub2.contoso.com
- > Fabrikam.com

You need to identify the minimum number of DNS records that must be added for Exchange Online to receive inbound email messages for the three domains.

How many DNS records should you add? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

MX records:

|   |
|---|
|   |
| 0 |
| 1 |
| 2 |
| 3 |

CNAME records:

|   |
|---|
|   |
| 0 |
| 1 |
| 2 |
| 3 |

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Box 1: 2

You don't need to verify Sub1.contoso.onmicrosoft.com because the onmicrosoft.com domain and DNS is managed by Microsoft. You also don't need to configure an MX record for Sub1.contoso.onmicrosoft.com because that will be done by Microsoft.

For sub2.contoso.com, you don't need to verify the domain because you have already verified its parent domain contoso.com. However, you do need an MX record to direct email for that domain to Exchange Online.

For Fabrikam.com, you will need to verify the domain. You will need an MX record to direct email for that domain to Exchange Online.

Box 2: 0


You 'should' create CNAME records for autodiscover to point your email clients to Exchange Online to connect to the mailboxes. However, you don't have to.

You could configure the email client manually. Therefore, the minimum number of CNAME records required is zero.


#### NEW QUESTION 73



- (Exam Topic 5)  
You have a data loss prevention (DLP) policy.  
You need to increase the likelihood that the DLP policy will apply to data that contains medical terms from the International Classification of Diseases (ICD-9-CM).  
The solution must minimize the number of false positives.  
Which two settings should you modify? To answer, select the appropriate settings in the answer area. NOTE: Each correct selection is worth one point.

Content contains 

Any of these ▾

PII Identifiers 

Sensitive information type

U.S. Social Security Number (SSN)

Add ▾

Instance count

min

1

max

any

Match accuracy

min


50

max

100

and ▾

Any of these ▾

Medical Terms 

Sensitive information type

International Classification of Diseases (ICD-9-CM)

Add ▾

Instance count

min

1

max

any

Match accuracy

min

50

max

100

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
You can tune your rules by adjusting the instance count and match accuracy to make it harder or easier for content to match the rules. Each sensitive information type used in a rule has both an instance count and match accuracy.  
To make the rule easier to match, decrease the min count and/or increase the max count. You can also set max to any by deleting the numerical value.  
To minimize the number of false positives, we need to increase the minimum match accuracy.  
A sensitive information type is defined and detected by using a combination of different types of evidence. Commonly, a sensitive information type is defined by multiple such combinations, called patterns. A pattern that requires less evidence has a lower match accuracy (or confidence level), while a pattern that requires more evidence has a higher match accuracy (or confidence level).  
Reference:  
<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>  
<https://docs.microsoft.com/en-us/office365/securitycompliance/what-the-sensitive-information-types-look-for#i>

NEW QUESTION 77

- (Exam Topic 5)  
In Microsoft 365, you configure a data loss prevention (DLP) policy named Policy1. Policy1 detects the sharing of United States (US) bank account numbers in email messages and attachments.  
Policy1 is configured as shown in the exhibit. (Click the Exhibit tab.)



Use actions to protect content when the conditions are met.

**Restrict access or encrypt the content**

- ☒ Block people from sharing and restrict access to shared content
 

By default, users are blocked from sending email messages to people. You can choose who has access to shared SharePoint and OneDrive content.

Block these people from accessing SharePoint and OneDrive content

  - ☐ Everyone. Only the content owner, the lastmodifier, and the site admin will continue to have access.
  - ☒ Only people outside your organization. People inside your organization will continue to have access.
- ☐ Encrypt email messages (applies only to content to Exchange)

You need to ensure that internal users can email documents that contain US bank account numbers to external users who have an email suffix of contoso.com. What should you configure?

- A. an action
- B. a group
- C. a condition
- D. an exception

**Answer: D**

**Explanation:**

You need to add an exception. In the Advanced Settings of the DLP policy, you can add a rule to configure the Conditions and Actions. There is also an 'Add Exception' button. This gives you several options that you can select as the exception. One of the options is 'except when recipient domain is'. You need to select that option and enter the domain name contoso.com.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies#how-dlp-policies>

**NEW QUESTION 81**

- (Exam Topic 5)

You are developing a single-page application (SPA) that authenticates users by using MSALjs. The SPA must meet the following requirements:

- Only allow access to the users in an organization named contoso.onmicrosoft.com.
- Support single sign-on (SSO) across tabs and user sessions.

How should you complete the code for the SPA? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

```
const config = {
  auth: {
    clientId: "c10639eb-16ca-452b-a94d-ad8c43682819",
    authority: "https://login.microsoftonline.com/consumers/",
    cacheLocation: "https://login.microsoftonline.com/organizations/",
  },
}

const myMSALObj = new UserAgentApplication(config);
```

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

## Answer Area

```
const config = {
  auth: {
    clientId: "c10639eb-16ca-452b-a94d-ad8c43682819",
    authority: "https://login.microsoftonline.com/consumers/",
    cacheLocation: "https://login.microsoftonline.com/organizations/",
    // "https://login.microsoftonline.com/confoso.onmicrosoft.com"
  }
}

const myMSALObj = new UserAgentApplication(config);
```

### NEW QUESTION 84

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com

Microsoft 365 Password: m3t^We\$Z7&xy

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11440873



## Sign in

Email, phone, or Skype

No account? [Create one!](#)

[Can't access your account?](#)

[Sign-in options](#)

Next

You need to prevent all the users in your organization from sending an out of office reply to external users. To answer, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

**Answer: A**

### Explanation:

You need to modify the default remote domain. When you add a remote domain, you specify the domain name and the settings apply to that domain. The default remote domain applies to all other domains. Therefore, we need to disable Out of Office replies for external users in the settings of the default remote domain.

- \* 1. Go to the Exchange Admin Center.
- \* 2. Click Mail Flow in the left navigation pane.
- \* 3. Click on Remote Domains.
- \* 4. Select the default remote domain and click the Edit icon (pencil icon).
- \* 5. In the 'Out of Office automatic reply types' section, select 'None'.
- \* 6. Click Save to save changes to the default remote domain.

#### NEW QUESTION 88

- (Exam Topic 5)

Your network contains three Active Directory forests.

You create a Microsoft Azure Active Directory (Azure AD) tenant. You plan to sync the on premises Active Directory (Azure AD).

You need to recommend a synchronization solution. The solution must ensure that the synchronization can complete successfully and as quickly as possible if a single server fails.

What should you include in the recommendation?

- A. Three Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode
- B. One Azure AD Connect sync servers one Azure AD Connect sync servers in staging mode
- C. Three Azure AD Connect sync servers and one Azure AD Connect sync servers in staging mode
- D. six Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode

**Answer: B**

#### Explanation:

Azure AD Connect can be active on only one server. You can install Azure AD Connect on another server for redundancy but the additional installation would need to be in Staging mode. An Azure AD connect installation in Staging mode is configured and ready to go but it needs to be manually switched to Active to perform directory synchronization.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

#### NEW QUESTION 92

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You recently configured a Microsoft SharePoint Online tenant in the subscription. You plan to create an alert policy.

You need to ensure that an alert is generated only when malware is detected in more than five documents stored in SharePoint Online during a period of 10 minutes.

What should you do first?

- A. Enable Microsoft Office 365 Cloud App Security.
- B. Deploy Windows Defender Advanced Threat Protection (Windows Defender ATP).
- C. Enable Microsoft Office 365 Analytics.

**Answer: B**

#### Explanation:

An alert policy consists of a set of rules and conditions that define the user or admin activity that generates an alert, a list of users who trigger the alert if they perform the activity, and a threshold that defines how many times the activity has to occur before an alert is triggered.

In this question, we would use the “Malware detected in file” activity in the alert settings then configure the threshold (5 detections) and the time window (10 minutes).

The ability to configure alert policies based on a threshold or based on unusual activity requires Advanced Threat Protection (ATP).

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies>

#### NEW QUESTION 96

- (Exam Topic 5)

Your company has on-premises servers and a Microsoft Azure Active Directory (Azure AD) tenant. Several months ago, the Azure AD Connect Health agent was installed on all the servers.

You review the health status of all the servers regularly.

Recently, you attempted to view the health status of a server named Server1 and discovered that the server is NOT listed on the Azure Active Directory Connect Servers list.

You suspect that another administrator removed Server1 from the list. You need to ensure that you can view the health status of Server1.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From Windows PowerShell, run the Register-AzureADConnectHealthSyncAgent cmdlet.
- B. From Azure Cloud shell, run the Connect-AzureAD cmdlet.
- C. From Server1, change the Azure AD Connect Health services Startup type to Automatic (Delayed Start).
- D. From Server1, change the Azure AD Connect Health services Startup type to Automatic.
- E. From Server1, reinstall the Azure AD Connect Health agent.

**Answer: AE**

#### Explanation:

question states that another administrator removed Server1 from the list. To view the health status of Server1, you need to re-register the AD Connect Health Sync Agent. You can do this manually by running the Register-AzureADConnectHealthSyncAgent cmdlet. Alternatively, you can reinstall the Azure AD Connect Health agent. The Azure AD Connect Health agent is registered as part of the installation.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-agent-install>

#### NEW QUESTION 100

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant. Solution: You review the Windows release health in the Microsoft 365 admin center. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Reference:

<https://techcommunity.microsoft.com/t5/windows-it-pro-blog/windows-release-health-now-available-in-the-adm>

**NEW QUESTION 103**

- (Exam Topic 5)

Your company has a Microsoft 365 E5 subscription. Users in the research department work with sensitive data.

You need to prevent the research department users from accessing potentially unsafe websites by using hyperlinks embedded in email messages and documents.

Users in other departments must not be restricted. What should you do from the Security & Compliance admin center?

- A. Create a data loss prevention (DLP) policy that has a Content contains condition.
- B. Create a data loss prevention (DLP) policy that has a Content is shared condition.
- C. Modify the default safe links policy.
- D. Create a new safe links policy.

**Answer:** D

**Explanation:**

ATP Safe Links, a feature of Office 365 Advanced Threat Protection (ATP), can help protect your organization from malicious links used in phishing and other attacks. If you have the necessary permissions for the Office 365 Security & Compliance Center, you can set up ATP Safe Links policies to help ensure that when people click web addresses (URLs), your organization is protected. Your ATP Safe Links policies can be configured to scan URLs in email and URLs in Office documents.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-atp-safe-links-policies#policies-that-apply>

**NEW QUESTION 107**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 3,000 users. All the users are assigned Microsoft 365 E3 licenses.

Some users are assigned licenses for all Microsoft 365 services. Other users are assigned licenses for only certain Microsoft 365 services.

You need to determine whether a user named User1 is licensed for Exchange Online only. Solution: You run the Get-MsolAccountSku cmdlet.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The Get-MsolAccountSku cmdlet returns all the SKUs that the company owns. It does not tell you which licenses are assigned to users.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/msonline/get-msolaccountsku?view=azureadps-1.0>

**NEW QUESTION 111**

- (Exam Topic 5)

You have a Microsoft 365 Enterprise subscription.

You have a conditional access policy to force multi factor authentication when accessing Microsoft SharePoint from a mobile device

You need to view which users authenticated by using multi factor authentication. What should you do?

- A. From the Microsoft 365 admin center, view the Security Compliance reports.
- B. From the Azure Active Directory admin center, view the user sign-ins.
- C. From the Microsoft 365 admin center, view the Usage reports.
- D. From the Azure Active Directory admin center, view the audit logs.

**Answer:** B

**Explanation:**

With the sign-ins activity report in the Azure portal, you can get the information you need to determine how your environment is doing.

The sign-ins report can provide you with information about the usage of managed applications and user sign-in activities, which includes information about multi-factor authentication (MFA) usage. The MFA data gives you insights into how MFA is working in your organization

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-reporting>


**NEW QUESTION 112**

- (Exam Topic 5)

Your company has a hybrid deployment of Microsoft 365.

An on-premises user named User1 is synced to Microsoft Azure Active Directory (Azure AD). Azure AD Connect is configured as shown in the following exhibit.





Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

User1 [answer choice].

cannot change her password from any Microsoft portals

can change her password by using self-service password reset feature only

an change her password from the Office 365 admin center only

If the password for User1 is changed in Active Directory, [answer choice].

the password will be synchronized to Azure AD

a new randomly generated password will be assigned to User1

the password in Azure AD will be unchanged

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1 cannot change her password from any Microsoft portals because Password Writeback is disabled in the Azure AD Connect configuration.  
If the password for User1 is changed in Active Directory, the password will be synchronized to Azure AD because Password Synchronization is enabled in the Azure AD Connect configuration.  
Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

NEW QUESTION 113

- (Exam Topic 5)  
A user receives the following message when attempting to sign in to <https://myapps.microsoft.com>:  
"Your sign-in was blocked. We've detected something unusual about this sign-in. For example, you might be signing in from a new location, device, or app. Before you can continue, we need to verify your identity. Please contact your admin."  
Which configuration prevents the users from signing in?

- A. Security & Compliance supervision policies
- B. Security & Compliance data loss prevention (DLP) policies
- C. Microsoft Azure Active Directory (Azure AD) conditional access policies
- D. Microsoft Azure Active Directory (Azure AD) Identity Protection policies

Answer: C

Explanation:

The user is being blocked due to a 'risky sign-in'. This can be caused by the user logging in from a device that hasn't been used to sign in before or from an unknown location.  
Integration with Azure AD Identity Protection allows Conditional Access policies to identify risky sign-in behavior. Policies can then force users to perform password changes or multi-factor authentication to reduce their risk level or be blocked from access until an administrator takes manual action.  
Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/overview>



**NEW QUESTION 118**

- (Exam Topic 5)

Your company has an on-premises Microsoft SharePoint Server environment and a Microsoft 365 subscription. When users search for content from Microsoft 365, you plan to include content from the on-premises SharePoint Server environment in the results. You need to add crawled metadata from the on-premises SharePoint Server content to the Microsoft Office 365 search index. What should you do first?

- A. Run the SharePoint Hybrid Configuration Wizard.
- B. Create a site collection that uses the Basic Search Center template.
- C. Run the SharePoint Migration Tool.
- D. Create a site collection that uses the Enterprise Search Center template.

**Answer:** A

**NEW QUESTION 119**

- (Exam Topic 5)

Your company uses Gmail as a corporate email solution. You purchase a Microsoft 365 subscription and plan to move all email data to Microsoft Exchange Online. You plan to perform the migration by using the Exchange admin center. You need to recommend which type of migration to use and which type of data to migrate. What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Migration type to use:

Cutover migration

Staged migration

Remote move migration

IMAP migration

Data to include in the migration:

Email only

Email and calendar only

Email, calendar and contacts only

Email, calendar, contacts, and tasks

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

You'll need to use the IMAP migration method. You can use the setup wizard in the Microsoft 365 admin center for an IMAP migration to migrate mailboxes from Gmail to Microsoft 365.

IMAP migration will only migrate emails, not calendar and contact information. Users can import their own email, contacts, and other mailbox information to Office 365 after the mailboxes have been migrated.



Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrate-g-suite-mailb>

**NEW QUESTION 122**

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain. You have a Microsoft 365 subscription. You implement a directory synchronization solution that uses pass-through authentication. You configure Microsoft Azure Active Directory (Azure AD) smart lockout as shown in the following exhibit.

 Save
  Discard

### Custom smart lockout

Lockout threshold ⓘ

Lockout duration in seconds ⓘ

### Custom banned passwords

Enforce custom list ⓘ 

Yes

No

Custom banned password list ⓘ 

password  
 Pa\$Sw0rd  
 Pa55w0rd  
 Contoso

### Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory ⓘ 

Yes

No

Mode ⓘ 

Enforced

Audit

You discover that Active Directory users can use the passwords in the custom banned passwords list. You need to ensure that banned passwords are effective for all users.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From a domain controller, install the Azure AD Password Protection Proxy.
- B. From a domain controller, install the Microsoft AAD Application Proxy connector.
- C. From Custom banned passwords, modify the Enforce custom list setting.
- D. From Password protection for Windows Server Active Directory, modify the Mode setting.
- E. From all the domain controllers, install the Azure AD Password Protection DC Agent.
- F. From Active Directory, modify the Default Domain Policy.

**Answer:** ACE

#### Explanation:

References:

Azure AD password protection is a feature that enhances password policies in an organization. On-premises deployment of password protection uses both the global and custom banned-password lists that are stored in Azure AD. It does the same checks on-premises as Azure AD does for cloud-based changes. These checks are performed during password changes and password reset scenarios.

You need to install the Azure AD Password Protection Proxy on a domain controller and install the Azure AD Password Protection DC Agent on all domain controllers. When the proxy and agent are installed and configured, Azure AD password protection will work.

In the exhibit, the password protection is configured in Audit mode. This is used for testing. To enforce the configured policy, you need to set the password protection setting to Enforced.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-de> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad-on-premises>

#### NEW QUESTION 125

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that uses Microsoft Intune.

You need to access service health alerts from a mobile phone. What should you use?

- A. the Microsoft Authenticator app
- B. the Intune app
- C. the Microsoft 365 Admin mobile app
- D. Intune Company Portal

**Answer:** A

#### NEW QUESTION 126

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant. Solution: You use the View service requests option in the Microsoft 365 admin center. Does this meet the goal?

- A. Yes
- B. NO

**Answer:** B

**Explanation:**

A service request is a support ticket. Therefore, the View service requests option in the Microsoft 365 admin center displays a list of support tickets. It does not display a list of the features that were recently updated in the tenant so this solution does not meet the goal.

To meet the goal, you need to use Message center in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

**NEW QUESTION 129**

- (Exam Topic 5)

You have a Microsoft 365 subscription that uses a default domain named contoso.com. The domain contains the users shown in the following table.

| Name  | Member of      |
|-------|----------------|
| User1 | Compliant      |
| User2 | Group1, Group2 |

The domain contains the devices shown in the following table.

| Name    | Compliance status |
|---------|-------------------|
| Device1 | Compliant         |
| Device2 | Noncompliant      |

The domain contains conditional access policies that control access to a cloud app named App1. The policies are configured as shown in the following table.

| Name    | Includes | Excludes | Device state includes | Device state excludes       | Grant        |
|---------|----------|----------|-----------------------|-----------------------------|--------------|
| Policy1 | Group1   | None     | All device states     | Devices marked as compliant | Block access |
| Policy2 | Group1   | Group2   | None                  | None                        | Block Access |
| Policy3 | Group1   | None     | All device states     | None                        | Grant access |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements                          | Yes                   | No                    |
|-------------------------------------|-----------------------|-----------------------|
| User1 can access App1 from Device1. | <input type="radio"/> | <input type="radio"/> |
| User2 can access App1 from Device1. | <input type="radio"/> | <input type="radio"/> |
| User2 can access App1 from Device2. | <input type="radio"/> | <input type="radio"/> |

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes.

User1 is in a group named Compliant. All the conditional access policies apply to Group1 so they don't apply to User1.

As there is no conditional access policy blocking access for the group named Compliant, User1 is able to access App1 using any device.

Box 2: Yes.

User2 is in Group1 so Policy1 applies first. Policy1 excludes compliant devices and Device1 is compliant. Therefore, Policy1 does not apply so we move on to Policy2.

User2 is also in Group2. Policy2 excludes Group2. Therefore, Policy2 does not apply so we move on to Policy3.

Policy3 applies to Group1 so Policy3 applies to User2. Policy3 applies to 'All device states' so Policy3 applies to Device1. Policy3 grants access. Therefore, User2 can access App1 using Device1.

Box 3: No.

User2 is in Group1 so Policy1 applies. Policy1 excludes compliant devices but Devices is non-compliant. Therefore, User2 cannot access App1 from Device2.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/plan-conditional-access>

**NEW QUESTION 131**

- (Exam Topic 5)

You plan to deploy Microsoft Teams to 2,500 users.

You need to estimate the internet bandwidth required for the deployment. What should you use?

- A. Advisor for Teams
- B. Network planner
- C. Skype for Business Server Remote Connectivity Test
- D. Microsoft Remote Connectivity Analyzer

**Answer: B**

**Explanation:**

From: <https://docs.microsoft.com/en-us/microsoftteams/network-planner>

Network Planner is a new tool that is available in the Teams admin center. It can be found by going to Planning > Network planner. In just a few steps, the Network Planner can help you determine and organize network requirements for connecting Microsoft Teams users across your organization. When you provide your network details and Teams usage, the Network Planner calculates your network requirements for deploying Teams and cloud voice across your organization's physical locations.

**NEW QUESTION 135**

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain that syncs to Azure Active Directory (Azure AD).

The on-premises network contains a Microsoft SharePoint Server 2019 farm. The company purchases a Microsoft 365 subscription.

You have the users shown in the following table

| Name  | Source                   |
|-------|--------------------------|
| User1 | Windows Active Directory |
| User2 | Azure Active Directory   |

You plan to assign User1 and User2 the required roles to run the SharePoint Hybrid Configuration Wizard. User1 will be used for on-premises credentials and User2 will be used for cloud credentials.

You need to assign the correct role to User2. The solution must use the principle of least privilege. Which role should you assign to User2?

- A. Application administrator
- B. SharePoint farm administrator
- C. Global administrator
- D. SharePoint administrator

**Answer: C**

**Explanation:**

To run the SharePoint Hybrid Configuration Wizard, you need to provide credentials of a user (in this case User2) of a Global Administrator account in Azure Active Directory.

Reference:


<https://www.c-sharpcorner.com/article/sharepoint-2019-enable-hybrid-experience/> <https://docs.microsoft.com/en-us/sharepoint/hybrid/accounts-needed-for-hybrid-configuration-and-testing>

**NEW QUESTION 136**

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You view the service advisories shown in the following exhibit.



You need to ensure that users who administer Microsoft SharePoint Online can view the advisories to investigate health issues. Which role should you assign to the users?

- A. SharePoint administrator
- B. Message Center reader
- C. Reports reader
- D. Service administrator

**Answer: D**



**Explanation:**

People who are assigned the global admin or service administrator role can view service health. To allow Exchange, SharePoint, and Skype for Business admins to view service health, they must also be assigned the Service admin role. For more information about roles that can view service health.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/view-service-health>

**NEW QUESTION 141**

- (Exam Topic 5)

You have a Microsoft 365 tenant that contains 300 users.

The users have Domestic and International Calling Plan licenses.

What is the maximum user phone numbers and toll-free service phone numbers can you acquire? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of user phone numbers:

|     |
|-----|
| 150 |
| 300 |
| 340 |
| 600 |

Number of toll-free service phone numbers:

|    |
|----|
| 20 |
| 30 |
| 45 |
| 65 |

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/how-many-phone-numbers-can-you-get>

**NEW QUESTION 144**

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You need to implement Windows Defender Advanced Threat Protection (ATP) for all the supported devices enrolled devices enrolled on mobile device management (MDM).

What should you include in the device configuration profile? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Platform:

|                       |
|-----------------------|
| Android               |
| iOS                   |
| Windows 10 and later  |
| Windows 8.1 and later |

Settings:

|                                   |
|-----------------------------------|
| Offboard package                  |
| Onboard package                   |
| Windows Defender Applicaion Guard |
| Windows Defender Firewall         |

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

You can integrate Microsoft Defender Advanced Threat Protection (Microsoft Defender ATP) with Microsoft Intune as a Mobile Threat Defense solution. Integration can help you prevent security breaches and limit the impact of breaches within an organization. Microsoft Defender ATP works with devices that run Windows 10 or later.

When you establish a connection from Intune to Microsoft Defender ATP, Intune receives a Microsoft Defender ATP onboarding configuration package from Microsoft Defender ATP. This package is deployed to devices by using a device configuration profile.

Reference:



<https://docs.microsoft.com/en-us/intune/advanced-threat-protection>

NEW QUESTION 148

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains a Microsoft SharePoint Online site named Site1 and the accounts shown in the following table.

| Name   | Account type   |
|--------|----------------|
| UserA  | User           |
| UserB  | User           |
| GroupA | Security group |

You have an on-premises server named Server1 that contains a folder named Folder1. Folder1 contains the files shown in the following table.

| Name  | Permission           |
|-------|----------------------|
| File1 | User1: Full control  |
| File2 | User2: Modify        |
| File3 | Group1: Full control |

The User1, User2, and Group1 accounts have the security identifiers (SIDs) shown in the following table.

| Name   | SID   |
|--------|---|
| User1  | S-1-5-21-4534338-1127018997-2609994386-1304 |
| User2  | S-1-5-21-4534338-1127018997-2609994386-1228 |
| Group1 | S-1-5-21-4534338-1127018997-2609994386-1106 |

You use the SharePoint Migration Tool to migrate Folder1 to Site1. You preserve the file share permissions and use the following user mapping file.  
S-1-5-21-4534338-1127018997-2609994386-1304, UserA@Contoso.com, FALSE S-1-5-21-4534338-1127018997-2609994386-1228, UserB@Contoso.com, FALSE S-1-5-21-4534338-1127018997-2609994386-1106, GroupA, TRUE  
For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point

| Statements                             | Yes                   | No                    |
|--|-----------------------|-----------------------|
| UserA is the owner of File1 on Site1.  | <input type="radio"/> | <input type="radio"/> |
| UserB is the owner of File2 on Site1.  | <input type="radio"/> | <input type="radio"/> |
| GroupA is the owner of File3 on Site1. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Statements                             | Yes                   | No                               |
|--|-----------------------|----------------------------------|
| UserA is the owner of File1 on Site1.  | <input type="radio"/> | <input checked="" type="radio"/> |
| UserB is the owner of File2 on Site1.  | <input type="radio"/> | <input checked="" type="radio"/> |
| GroupA is the owner of File3 on Site1. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION 149

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You have a Microsoft 365 subscription.

You need to prevent users from accessing your Microsoft SharePoint Online sites unless the users are connected to your on-premises network.  
Solution: From the Azure Active Directory admin center, you create a trusted location and a conditional access policy.  
Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Conditional Access in SharePoint Online can be configured to use an IP Address white list to allow access. References:  
<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition> <https://techcommunity.microsoft.com/t5/Microsoft-SharePoint-Blog/Conditional-Access-in-SharePoint-Onlinea>

**NEW QUESTION 150**

- (Exam Topic 5)

Your company has a Microsoft 365 subscription that contains the users shown in the following table.

| Name  | Role                                  |
|-------|---------------------------------------|
| User1 | Global administrator                  |
| User2 | Security administrator, Guest inviter |
| User3 | None                                  |
| User4 | Password administrator                |

You need to identify which users can perform the following administrative tasks:

- Modify the password protection policy.
- Create guest user accounts.

Which users should you identify for each task? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Modify the password protection policy:

User1 only

User1 and User2 only

User1, User2, and User4 only

User1, User2, User3, and User4

Create new guest users in Microsoft Azure Active Directory (Azure AD):

User1 only

User1 and User2 only

User1, User2, and User4 only

User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Only a Global Admin can modify the password protection policy.  
A Global Admin or a user with the Guest Inviter role can create guest accounts. Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-op>

**NEW QUESTION 151**

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that includes a user named User1.

You enable multi-factor authentication for contoso.com and configure the following two fraud alert settings: ➤ Set Allow users to submit fraud alerts: On

- Automatically block users who report fraud: On

You need to instruct the users in your organization to use the fraud reporting features correctly. What should you tell the users to do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A user can report fraud on her account by:

Typing a special code after receiving an alert call

Sending an email message to an administrator

Using the Microsoft Authenticator app

If User1 reports fraud on his account, the account will be blocked automatically for:

6 hours

1 day

7 days

90 days

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Code to report fraud during initial greeting: When users receive a phone call to perform two-step verification, they normally press # to confirm their sign-in. To report fraud, the user enters a code before pressing #. This code is 0 by default, but you can customize it.

Block user when fraud is reported: If a user reports fraud, their account is blocked for 90 days or until an administrator unblocks their account. An administrator can review sign-ins by using the sign-in report, and take appropriate action to prevent future fraud. An administrator can then unblock the user's account.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#fraud-alert>

**NEW QUESTION 152**

- (Exam Topic 5)

Your on-premises network contains an Active Directory domain that syncs with an Azure Active Directory (Azure AD) tenant named contoso.com by using Azure AD Connect. Your company purchases another company that has an on-premises Active Directory domain named lrtwareinc.com. You need to sync lrtwareinc.com with contoso.com. What should you install in the lrtwareinc.com domain?

- A. an Azure AD Connect provisioning agent
- B. an Azure AD Connect instance in staging mode
- C. an active instance of Azure AD Connect
- D. an Azure AD application proxy connector

**Answer:** A

**NEW QUESTION 157**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@M365x981607.onmicrosoft.com Microsoft 365 Password: \*yfLo7lr2&yIf the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You need to prevent non-administrators in your organization from registering applications.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

You need to configure the App Registrations setting in Azure Active Directory.

- \* 1. Go to the Azure Active Directory admin center.
- \* 2. Select Azure Active Directory.
- \* 3. Select 'User settings'
- \* 4. In the 'App registrations' section, toggle the 'Users can register applications' setting to No.
- \* 5. Click Save to save the changes.

**NEW QUESTION 158**

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

You have three applications App1, App2, App3. The Apps use files that have the same file extensions. Your company uses Windows Information Protection (WIP). WIP has the following configurations:

- Windows Information Protection mode: Silent
- Protected apps: App1
- Exempt apps: App2

From App1, you create a file named File1.

What is the effect of the configurations? To answer, select the appropriate options in the answer area.



You can open File1 from:

☐

|                      |
|----------------------|
| App1 only            |
| App1 and App2 only   |
| App1 and App3 only   |
| App1, App2, and App3 |

An action will be logged when you attempt to open File1 from:

☐

|                      |
|----------------------|
| App1 only            |
| App3 only            |
| App1 and App2 only   |
| App2 and App3 only   |
| App1, App2, and App3 |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Exempt apps: These apps are exempt from this policy and can access corporate data without restrictions.  
Windows Information Protection mode: Silent: WIP runs silently, logging inappropriate data sharing, without stopping anything that would've been prompted for employee interaction while in Allow overrides mode. Unallowed actions, like apps inappropriately trying to access a network resource or WIP-protected data, are still stopped.  
Reference:  
<https://docs.microsoft.com/en-us/intune/apps/windows-information-protection-policy-create> [https://docs.microsoft.com/en-us/windows/security/information-protection/crea](https://docs.microsoft.com/en-us/windows/security/information-protection/windows-information-protection/crea)

NEW QUESTION 159

- (Exam Topic 5)  
You have a Microsoft 365 subscription that uses an Azure AD tenant named contoso.com. The tenant contains the user's shown in the following table.

| Name  | Role                   |
|-------|------------------------|
| User1 | Report reader          |
| User2 | User administrator     |
| User3 | Security administrator |
| User4 | Global administrator   |

From the Sign-ins blade of the Azure Active Directory admin center, for which users can User1 and User2 view the sign-ins? To answer, select the appropriate options in the answer area.

Answer Area

User1 can view the sign-ins for the following users:

☐

User1 only

☐

User1 and User2 only

☐

User1, User2, and User3 only☒

User2 can view the sign-ins for the following users:

☐

User2 only

☐

User1 and User2 only☐☐

User2 can view the sign-ins for the following users:

☐

User2 only

☐

User1 and User2 only☐☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

User1 can view the sign-ins for the following users:

☐

User1 only

☐

User1 and User2 only

☐

User1, User2, and User3 only☒

User2 can view the sign-ins for the following users:

☐

User2 only

☐

User1 and User2 only☐☐

User2 can view the sign-ins for the following users:

☐

User2 only

☐

User1 and User2 only☐☐



### NEW QUESTION 162

- (Exam Topic 5)

You have a Microsoft 365 subscription and a DNS domain. The domain is hosted by a third-party DNS service.

You plan to add the domain to the subscription.

You need to use Microsoft Exchange Online to send and receive emails for the domain.

Which type of DNS record should you add to the DNS zone of the domain for each task? To answer, drag the appropriate records to the correct tasks. Each record may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

#### Answer Area

Route email for the domain to Exchange Online

Enable Microsoft Outlook to auto discover the Exchange Online server for the domain.

Help prevent spam for the domain.

A

CNAME

MX

SRV

TXT

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Box 1: MX

When you update your domain's MX record, all new email for anyone who uses your domain will now come to Microsoft 365.

Box 2: CNAME

Add CNAME records to connect other service. You can add CNAME records for each service that you want to connect.

Box 3: TXT

Add or edit an SPF TXT record to help prevent email spam Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/get-help-with-domains/create-dns-records-at-any-dns-hos>

### NEW QUESTION 163

- (Exam Topic 5)

This question requires that you evaluate the underlined text to determine if it is correct-In Microsoft Word on Windows, before you can sideload a Microsoft Office Add-in, you must first: upload the manifest to Microsoft OneDrive instructions: Review the underlined text. If it makes the statement correct select "No change is needed," If the statement is incorrect select the answer choice that makes the statement correct

- A. No change is needed.
- B. deploy the manifest to an Azure website
- C. publish the manifest to a trusted network location
- D. set Microsoft Edge to Developer Mode

**Answer:** C

### NEW QUESTION 168

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain.

You deploy a Microsoft Azure Active Directory (Azure AD) tenant. Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD.

Solution: From the Synchronization Rules Editor, you create a new outbound synchronization rule. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

#### Explanation:

The question states that "all the user account synchronizations completed successfully". Therefore, the synchronization rule is configured correctly. It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

### NEW QUESTION 169

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

You need to ensure that users are prompted for multi-factor authentication (MFA) when they attempt to access Microsoft SharePoint Online resources. Users must NOT be prompted for MFA when they attempt to access other Microsoft 365 services.

What should you do?

- A. From the Microsoft Endpoint Manager admin center, create an app protection policy.
- B. From the multi-factor authentication page, configure the users settings.
- C. From the Azure Active Directory admin center, create a conditional access policy.
- D. From the Cloud App Security admin center, create an app access policy.

**Answer:** C

**Explanation:**

Multi-factor authentication (MFA) is configured through conditional access policies. Reference:  
<https://docs.microsoft.com/en-us/appcenter/general/configuring-aad-conditional-access>

**NEW QUESTION 173**

- (Exam Topic 5)

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:


- > Contoso.com
- > East.contoso.com

The forest contains the users shown in the following table.

| Name  | UPN suffix       |
|-------|------------------|
| User1 | Contoso.com      |
| User2 | East.contoso.com |
| User3 | Fabrikam.com     |

The forest syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

### PROVISION FROM ACTIVE DIRECTORY



#### Azure AD Connect cloud provisioning


This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

#### Azure AD Connect sync

|                    |                      |
|--------------------|----------------------|
| Sync Status        | Enabled              |
| Last Sync          | Less than 1 hour ago |
| Password Hash Sync | Disabled             |

### USER SIGN-IN



|   |          |           |
|---|----------|-----------|
| <a href="#">Federation</a>                  | Disabled | 0 domains |
| <a href="#">Seamless single sign-on</a>     | Enabled  | 1 domain  |
| <a href="#">Pass-through authentication</a> | Enabled  | 2 agents  |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

| Statements   | Yes                   | NO                    |
|--|-----------------------|-----------------------|
| User1 can authenticate to Azure AD by using a username of user1@contoso.com. | <input type="radio"/> | <input type="radio"/> |
| User2 can authenticate to Azure AD by using a username of user2@contoso.com. | <input type="radio"/> | <input type="radio"/> |
| User3 can authenticate to Azure AD by using a username of user3@contoso.com  | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes  
The UPN of user1 is user1 @contoso.com so he can authenticate to Azure AD by using the username user1 @contoso.com.  
Box 2: No  
The UPN of user2 is user2@east.contoso.com so he cannot authenticate to Azure AD by using the username user2@contoso.com.  
Box 3: No

The UPN of user3 is user3@fabrikam.com so he cannot authenticate to Azure AD by using the username user3@contoso.com.

**NEW QUESTION 177**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You plan to provide an external user named fabrikamuser@fabrikam.com with access to several resources in your Microsoft 365 tenant.

You need to ensure that the external user can be added to Office 365 groups.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

You need to create a guest account for the external user.

- \* 1. Go to the Azure Active Directory admin center.
- \* 2. Select Users.
- \* 3. Click the 'New guest user' link.
- \* 4. Select the 'Invite user' option.
- \* 5. Give the account a name and enter fabrikamuser@fabrikam.com in the email address field.
- \* 6. Click the 'Invite' button. References:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/b2b-quickstart-add-guest-users-portal>

**NEW QUESTION 178**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@M365x981607.onmicrosoft.com Microsoft 365 Password: \*yfLo7lr2&yIf the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You need to prevent the users in your organization from establishing voice calls from Microsoft Skype for Business to external Skype users.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

You need to configure the External Communications settings in the Skype for Business admin center.

- \* 1. You need to go to the Skype for Business admin center. If you see a Skype for Business admin center in the admin center list in the Microsoft portal, open it and skip to step 4.
- \* 2. If you don't see a Skype for Business admin center in the admin center list in the Microsoft portal, open the Teams admin center.
- \* 3. In the Teams admin center, choose Skype > Legacy Portal.
- \* 4. In the Skype for Business admin center, select Organization.
- \* 5. Select External communications.
- \* 6. Untick the 'Let people use Skype for Business to communicate with Skype users outside your organization' checkbox.
- \* 7. Click Save to save the changes.

**NEW QUESTION 181**

- (Exam Topic 5)



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy several Microsoft Office 365 services.

You need to design an authentication strategy for the planned deployment. The solution must meet the following requirements:

- Users must be able to authenticate during business hours only.
- Authentication requests must be processed successfully if a single server fails.
- When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.
- Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

Solution: You design an authentication strategy that uses federation authentication by using Active Directory Federation Services (AD FS). The solution contains two AD FS servers and two Web Application Proxies.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

This solution meets the following requirements:

- Users must be able to authenticate during business hours only.
- Authentication requests must be processed successfully if a single server fails.
- When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.

The following requirement is not met:

- Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

To meet this requirement, you would need to configure seamless Single Sign-on (SSO) Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-ad-choose-authn>

**NEW QUESTION 182**

- (Exam Topic 5)

You create a Microsoft 365 subscription.

You plan to deploy Microsoft Office 365 ProPlus applications to all the client computers at your company. You prepare the following XML file for the planned deployment.

```
<Configuration>
  <Add OfficeClientEdition="32"
    Channel="Broad">
    <Product ID="0365ProPlusRetail">
      <Language ID="en-us" />
    </Product>
  </Add>
  <Updates Enabled="TRUE"
    UpdatePath=""
    Channel="Targeted" />
  <Display Level="None"
    AcceptEULA="TRUE" />
</Configuration>
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Office 365 ProPlus feature updates will be installed [answer choice].

▼

once a month

once every six months

once a year

Office 365 ProPlus security updates will be installed [answer choice].

▼

once a month

every six months in January and July

every six months in March and September

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/deployoffice/configuration-options-for-the-office-2016-deployment-tool#updates> <https://docs.microsoft.com/en-us/deployoffice/overview-of-update-channels-for-office-365-proplus>

**NEW QUESTION 185**

- (Exam Topic 5)



Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. You purchase a domain named contoso.com from a registrar and add all the required DNS records. You create a user account named User1. User1 is configured to sign in as user1@contoso.onmicrosoft.com. You need to configure User1 to sign in as user1@contoso.com. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

| Actions   | Answer Area |
|---|-------------|
| Run Set-MsolDomainAuthentication - TenantID contoso.com |             |
| Modify the email address of User1.                      |             |
| Modify the username of User1.                           |             |
| Verify the custom domain.                               |             |
| Add a contoso.com as a SAN for an X.509 certificate.    |             |
| Add a custom domain name.                               |             |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The first step is to add the contoso.com domain to Office 365. You do this by adding a custom domain. When you add a custom domain to office 365, you can use the domain as your email address or to sign in to Office 365. The second step is to verify the custom domain. This is to prove that you own the domain. You can verify the custom domain by adding a DNS record to the domain DNS zone. When you have added and verified the domain, you can configure the user accounts to use it. To configure User1 to sign in as user1@contoso.com, you need to change the username of User1. In Office 365, the username is composed of two parts. The first part is the actual username (User1) and the second part is the domain. You need to modify the username of User1 by selecting the contoso.com domain from the dropdown list of domains. The dropdown list of domains contains the <domain>.onmicrosoft.com domain and any custom domains that have been added. Reference: <https://docs.microsoft.com/en-us/office365/admin/setup/add-domain?view=o365-worldwide>

NEW QUESTION 189

- (Exam Topic 5)  
You have a Microsoft 365 E5 subscription that contains a group named Group 1. You need to ensure that all the members of Group1 are notified when Microsoft 365 outages occur. The solution must minimize administrative effort What should you do?

- A. From the Microsoft 365 admin center, configure a Service health email notification
- B. From the Exchange admin center, create an alert policy and configure an email notification.
- C. From the Microsoft 365 admin center, configure a Message center email notification.
- D. From the Microsoft 365 Defender portal create an alert policy and configure an email notification.

Answer: C

NEW QUESTION 192

- (Exam Topic 5)  
You have a Microsoft 365 subscription. You create an alert policy as shown in the following exhibit.

Policy1

Edit policy

Delete policy

Status

On

Description

Description

Edit

Severity

Low

Edit

Category

Threat management

Conditions

Activity is Detected malware in file

Edit

Aggregation

Aggregated

Threshold

20 activities

Window

120 minutes

Scope

All users

Email recipients

User1@sk190107outlook.onmicrosoft.com

Daily notification limit

No limit

Edit

Close

Use the drop-down menus to select the answer choice that completes each statement based on the information in the graphic.  
NOTE: Each correct selection is worth one point.

Policy1 will trigger an alert if malware is detected in [answer choice].

Exchange Online only

SharePoint Online only

SharePoint Online or OneDrive only

Exchange Online, SharePoint Online, or OneDrive

The maximum number of email messages that Policy1 will generate per day is [answer choice].

5

12

20

100

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The 'Activity is' setting is configured as 'Detected malware in file'. This setting means the policy is applied to files stored in SharePoint or OneDrive. The Aggregation settings has a 120 minute window. This means that if there 20 detections in 120 minutes, an email will be generated. Therefore, the maximum number of emails generated in 24 hours is 12.  
Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies>

#### NEW QUESTION 197

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You plan to allow the users in your organization to invite external users as guest users to your Microsoft 365 tenant.

You need to prevent the organization's users from inviting guests who have an email address that uses a suffix of @gmail.com.

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

You need to add gmail.com as a denied domain in the 'External collaboration settings'.

- \* 1. Go to the Azure Active Directory admin center.
- \* 2. Select Users then select 'User settings'.
- \* 3. Under External Users, select the 'Manage external collaboration settings'.
- \* 4. Under 'Collaboration restrictions', select the 'Deny invitations to the specified domains' option.
- \* 5. Under, Target Domains, type in the domain name 'gmail.com'
- \* 6. Click the Save button at the top of the screen to save your changes. References:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/allow-deny-list>

#### NEW QUESTION 199

- (Exam Topic 5)

Your network contains two on-premises Active Directory forests named contoso.com and fabrikam.com. Fabrikam.com contains one domain and five domain controllers. Contoso.com contains the domains shown in the following table.

| Name             | Number of domain controllers |
|------------------|------------------------------|
| Contoso.com      | 2                            |
| East.contoso.com | 3                            |
| West.contoso.com | 3                            |

You need to sync all the users from both the forests to a single Azure Active Directory (Azure AD) tenant by using Azure AD Connect.

What is the minimum number of Azure AD Connect sync servers required?

- A. 1
- B. 2
- C. 3
- D. 4

**Answer: A**

#### Explanation:

You can have only one active Azure AD Connect server synchronizing accounts to a single Azure Active Directory (Azure AD) tenant. You can have 'backup' Azure AD Connect servers, but these must be running in 'staging' mode. Staging mode means the Azure AD Connect instance is not actively synchronizing users but is ready to be brought online if the active Azure AD Connect instance goes offline.

When you have multiple forests, all forests must be reachable by a single Azure AD Connect sync server. The server must be joined to a domain. If necessary, to reach all forests, you can place the server in a perimeter network (also known as DMZ, demilitarized zone, and screened subnet).

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/plan-connect-topologies#multiple-forests-single->

#### NEW QUESTION 200

- (Exam Topic 5)

Your organization has an on-premises Microsoft Exchange Server 2016 organization. The organization is in the company's main office in Melbourne. The main office has a low-bandwidth connection to the Internet.

The organization contains 250 mailboxes.

You purchase a Microsoft 365 subscription and plan to migrate to Exchange Online next month. In 12 months, you plan to increase the bandwidth available for the Internet connection.

You need to recommend the best migration strategy for the organization. The solution must minimize administrative effort.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. network upload

- B. cutover migration
- C. hybrid migration
- D. staged migration

Answer: C

Explanation:

With a hybrid migration, you can migrate the mailboxes in small batches over a period of time which will help to avoid saturating the bandwidth. With the migration wizard, you can configure a migration batch to start outside office hours which would minimize bandwidth usage during office hours. With a hybrid migration, you do not need to reconfigure Outlook to connect to the migrated mailbox. Outlook will automatically detect the new mailbox location. This reduces administrative effort.  
Reference:  
<https://docs.microsoft.com/en-us/exchange/mailbox-migration/mailbox-migration>

NEW QUESTION 202

- (Exam Topic 5)  
You have a Microsoft 365 subscription that contains a guest user named User1. User1 is assigned the User administrator role. You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. Contoso.com is configured as shown in the following exhibit.

### External collaboration settings

Save

Discard

Guest users permissions are limited

Yes

No

Admins and users in the guest inviter role can invite

Yes

No

Members can invite

Yes

No

Guests can invite

Yes

No

### Collaboration restrictions

☒ Allow invitations to be sent to any domain (most inclusive)

☐ Deny invitations to the specified domains

☐ Allow invitations only to the specified domains (most restrictive)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

User1 can [answer choice]

open the Azure portal only

open the Azure portal and view users only

open the Azure portal, view users, and create new guest users only

open the Azure portal, view users, create new users, and create new guest users

All other guest users can [answer choice]

open the Azure portal only

open the Azure portal and view users only

open the Azure portal, view users, and create new guest users only

open the Azure portal, view users, create new users, and create new guest users

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Default permissions for guests are restrictive by default. Guests can be added to administrator roles, which grant them full read and write permissions contained in the role. There is one additional restriction available, the ability for guests to invite other guests. Setting Guests can invite to No prevents guests from inviting other guests. User1 is assigned the User Administrator role. Therefore, User1 can open the Azure portal, view users, create new users, and create new guest users. In the exhibit, the ‘Guest user permissions are limited’ is set to no. This means that guest users have the same permissions as members. However, the ‘Guests can invite’ setting is set to No. Therefore, other guest users (all guest users except User1) can open the Azure portal and view users in the same way as member users can.



Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/b2b/delegate-invitations> <https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/users-default-permissions>

**NEW QUESTION 206**

- (Exam Topic 5)

You have a Microsoft 365 subscription that uses a default named contoso.com. Three files were created on February 1, 2019, as shown in the following table.

| Name  | Stored in                       |
|-------|---------------------------------|
| File1 | Microsoft OneDrive              |
| File2 | A Microsoft SharePoint library  |
| File3 | Microsoft Exchange Online email |

On March 1, 2019, you create two retention labels named Label1 and label2.  
The settings for Label1 are configured as shown in the Label1 exhibit. (Click the Label1 tab.)  
Label 1

## Label settings

Retention

On

When this label is applied to content...

Retain the content

For this long...

2

years

Do you want us to delete it after this time?

Delete the content automatically.

Trigger a disposition review

Notify these people when there are items ready to review

User1@sk180818.onmicrosoft.com

x

Nothing. Leave the content as is.

Don't retain the content. Just delete it if it's older than

1

years

Retain or delete the content based on

when it was created

Label classification

Use label to classify content as a "Record"

The settings for Label2 are configured as shown in the Label1 exhibit. (Click the Label2 tab.)  
Label 2

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

# Label settings

Retention ⓘ  
  
On

When this label is applied to content...

☐ Retain the content ⓘ

For this long... ▾

2

years ▾

☒ Don't retain the content. Just delete it if it's older than ⓘ

1

years ▾

Retain or delete the content based on 

when it was created ▾ ⓘ

You apply the retention labels to Exchange email, SharePoint sites, and OneDrive accounts. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

| Statements  | Yes                   | No                    |
|---|-----------------------|-----------------------|
| File1 will be deleted automatically on February1, 2020.   | <input type="radio"/> | <input type="radio"/> |
| If User1 does not complete the disposition review within 90 days of receiving the notification, File2 will be deleted automatically after February 1, 2021. | <input type="radio"/> | <input type="radio"/> |
| File3 will be deleted automatically after February 1, 2021.   | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No  
Retention overrides deletion.  
Box 2: No  
Content in a document library will be moved to the first-stage Recycle Bin within 7 days of disposition, and then permanently deleted another 93 days after that. Thus 100 days in total.  
Box 3: No  
Items in an Exchange mailbox will be permanently deleted within 14 days of disposition. References:  
<https://docs.microsoft.com/en-us/office365/securitycompliance/labels> <https://docs.microsoft.com/en-us/office365/securitycompliance/disposition-reviews>

NEW QUESTION 207

- (Exam Topic 5)  
Your company has a Microsoft Azure Active Directory (Azure AD) directory tenant named contoso.onmicrosoft.com. All users have client computers that run Windows 10 Pro and are joined to Azure AD. The company purchases a Microsoft 365 E3 subscription. You need to upgrade all the computers to Windows 10 Enterprise. The solution must minimize administrative effort. You assign licenses from the Microsoft 365 admin center. What should you do next?

- A. Add a custom domain name to the subscription.
- B. Deploy Windows 10 Enterprise by using Windows Autopilot.
- C. Create provisioning package, and then deploy the package to all the computers.
- D. Instruct all the users to log off of their computer, and then to log in again.

Answer: B

Explanation:

With Windows Autopilot the user can set up pre-configure devices without the need consult their IT administrator.  
Reference:  
<https://docs.microsoft.com/en-us/windows/deployment/windows-10-deployment-scenarios> <https://docs.microsoft.com/en-us/windows/deployment/windows-autopilot/windows-autopilot>

NEW QUESTION 210

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

You manage Windows 10 devices by using Microsoft System Center Configuration Manager (Current Branch).

You configure a pilot for co-management.

You add a new device named Device1 to the domain. You install the Configuration Manager client on Device1.

You need to ensure that you can manage Device1 by using Microsoft Intune and Configuration Manager. Solution: You add Device1 to an Active Directory group. Does this meet the goal?

A. Yes

B. No

**Answer: B**

**Explanation:**

Device1 has the Configuration Manager client installed so you can manage Device1 by using Configuration Manager.

To manage Device1 by using Microsoft Intune, the device has to be enrolled in Microsoft Intune. In the Co-management Pilot configuration, you configure a Configuration Manager Device Collection that determines which devices are auto-enrolled in Microsoft Intune. You need to add Device1 to the Device Collection, not an Active Directory Group. Therefore, this solution does not meet the requirements.

Reference:

<https://docs.microsoft.com/en-us/configmgr/comanage/how-to-enable>

**NEW QUESTION 212**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### MS-100 Practice Exam Features:

- \* MS-100 Questions and Answers Updated Frequently
- \* MS-100 Practice Questions Verified by Expert Senior Certified Staff
- \* MS-100 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* MS-100 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The MS-100 Practice Test Here](#)**