

HP

Exam Questions HPE2-T37

Using HPE OneView



NEW QUESTION 1

Which statement about HPE OneView Global Dashboard is true?

- A. It is an application that can be installed on Windows or Linux system that will provide automated discovery of HPE OneView instances
- B. It is a plugin to HPE Oneview that will allow integration of HPE oneView with VMware management and monitoring components
- C. It is a virtual appliance that can aggregate health and inventory information from multiple HPE OneView appliances or HPE Composers
- D. It is a plugin to vCenter Server that will allow management of the components added to HPE Oneview from vCenter server interface

Answer: C

NEW QUESTION 2

Your customer runs VMware ESXi on an HPE Synergy platform. The ESXi systems must have access to 50 VLANs initially. However, this is a dynamic environment, and more VLANs will be added in the future.

They want to add more networks for virtual machines, but they do not want to modify the HPE Virtual Connect configuration.

Which type of the network should the customer define?

- A. Untagged
- B. Internal
- C. Tunnel
- D. Tagged

Answer: D

Explanation:

Virtual Connect will pass through all tagged packets without modification, and it will be the responsibility of the teaming software to strip/add tags.

NEW QUESTION 3

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen 10 systems. What should you explain to this customer?

- A. HPE Management Agent must be installed for HPE ProLiant Gen 10 servers.
- B. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance.
- C. Not all of the features will be available for HPE ProLiant G7 systems.
- D. HPE ProLiant Gen 10 servers do not need an HPE OneView license.

Answer: C

NEW QUESTION 4

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy.

In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed
- C. When each Virtual Connect module is installed in different frame
- D. When each Virtual Connect module is installed in different fabric

Answer: A

NEW QUESTION 5

Which statement regarding HPE OneView backup restore is true?

- A. During backup restore, users with Administrator privileges can still login to HPE OneView
- B. An HPE OneView backup can be used to restore individual components like server profile
- C. Users with Backup Administrator privileges can restore an HPE OneView backup
- D. Only users with Infrastructure Administrator privileges can restore an HPE OneView backup

Answer: D

Explanation:

Only an Infrastructure administrator can restore an appliance from a backup file.

NEW QUESTION 6

You originally configured boot mode for HPE ProLiant Gen10 server to 'Legacy BIOS' in an HPE OneView server profile and deployed an operating system. A few weeks later, you change the boot mode to the 'UEFI optimized' to leverage some features provided by this mode.

What must you do next?

- A. reset an il_0 management processor to activate the new boot mode for the server
- B. reinstall an operating system, as UEFI is using different drive format than Legacy BIOS
- C. reset BIOS settings to the defaults so UEFI settings can be applied
- D. reset BIOS settings to the defaults through the server profile after changing the boot mode

Answer: A

NEW QUESTION 7

For HPE Primera, match each task with the management tool that can be used to perform it.

HPE OneView

HPE StoreServ Management Console

Answer Area

Tool	Task
	Replication configuration
	Volume to host presentation
	Automated zoning with SAN Manager
	Adding new storage pool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, application Description automatically generated

NEW QUESTION 8

Within HPE OneView you can configure SNMPv1 read community string. What is the purpose of this feature?

- A. This is an SNMP community string that will be used when traps are forwarded to a WBEM Provider
- B. This is an SNMP community string that will be used when traps are forwarded to other SNMP applications
- C. This is an SNMP community string that will be used to receive a trap's SNMP Agent
- D. This is an SNMP community string that will be used to receive traps from HPE Onboard Administrators

Answer: C

NEW QUESTION 9

You want a server profile to be automatically applied when an HPE Synergy Compute Module is replaced. Click the appropriate configuration option.

General

Name

ESXi-ClusterNode1

Description

Server profile template

None

✕ 🔍

Server hardware

CZ204400XB, bay 1

✕ 🔍

☐ Show empty bays

Server hardware power is on. Some server profile updates require the server to be powered off. [Power off](#) the server. [Learn more](#).

Server hardware type

SY 480 Gen10 1

Change

Enclosure group

EG

Change

Affinity

Device bay + server hardware

OS Deployment

To define OS deployment settings, add a OneView Deployment Manager type OS deployment server. [Add OS deployment server](#)

Firmware

Firmware baseline

managed manually

Connections

ID	Name	Network	Port	Boot
1	#1	Eth1 Untagged	Mezzanine 3:1-a	Not bootable
Type		Ethernet		
MAC address		94:4D:C9:6C:24:24 (ii)		
Requested virtual functions		None		
Requested bandwidth		2.5 Gb/s		
Link Aggregation group		None		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Connections

NEW QUESTION 10

Which locations are supported for HPE OneView remote scheduled backup? (Choose two.)

- A. SCP
- B. HTTPS
- C. SFTP
- D. HTTP

E. FTP

Answer: AC

Explanation:

Scheduled to be uploaded to the remote location.

NEW QUESTION 10

Which statement about RoCE network restrictions is true?

- A. RoCE networks require Virtual Connect SE 32Gb FC Modules.
- B. RoCE networks cannot be configured when Virtual Connect modules are used.
- C. RoCE networks are supported only when PVLANS are enabled.
- D. RoCE networks are not supported with HPE BladeSystem

Answer: D

NEW QUESTION 11

Your customer asks you if it is possible to perform HPE Synergy initial setup remotely. How should you respond?

- A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network.
- B. Remote HPE Synergy Installation can be done only if an additional set of the services was purchased together with hardware platform.
- C. HPE Synergy cannot be deployed remotely, as Initial setup must be performed using a local console connection.
- D. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory.

Answer: D

Explanation:

HPE Synergy 4-port Frame Link Modules have SFP+ ports which enable connections to distant frames and remote subnets.

NEW QUESTION 16

You want to put two FlexNICs into a single Link Aggregation Group within a server profile. What is a prerequisite for this setup?

- A. The sFlow option must be enabled and configured.
- B. Both FlexNICs must be connected to the same network.
- C. The Compute Module profile must have exactly two connections defined.
- D. An upgrade license must be purchased and deployed.

Answer: B

NEW QUESTION 19

Which statement about managing an HPE BladeSystem server is true?

- A. A multi-enclosure Virtual Connect domain can be imported to HPE OneView without disrupting servers
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section
- C. An HPE server blade cannot be deleted from HPE OneView. It must be physically removed from the enclosure
- D. Both c3000 and C7000 HPE BladeSystem enclosures can be imported to HPE OneView for monitoring

Answer: B

NEW QUESTION 20

You are deploying HPE OneView to manage a customer's HPE ProLiant servers. Is this statement about appliance availability true?

- A. HA features for HPE OneView are enabled only if the appliance is deployed on an HPE SimpliVity cluster
- B. HPE OneView has a built-in HA feature that can be activated with an additional license
- C. HPE OneView availability relies on HA features provided by the hypervisor
- D. During HPE OneView deployment, customer may select configure proprietary HA mode.

Answer: C

NEW QUESTION 21


You are implementing an HPE Synergy solution with multiple frames in one management ring. Image Streamer is not a part of this solution. How can an IPv4 address pool defined by the administrator be used in HPE OneView?

- A. to provide static IP addresses to iLO and interconnect modules if applicable
- B. to provide static IP addresses for an operating system running on a Compute Module
- C. to provide static IP addresses for Logical Interconnects and Logical Enclosures
- D. to provide static IP addresses for storage systems managed in HPE OneView

Answer: A

NEW QUESTION 26

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:



NEW QUESTION 28

Which statement about the volume template is true?



- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template will not support snapshots
- D. Users will be able to select storage pool during volume creation

Answer: A

NEW QUESTION 29

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Answer: BD

NEW QUESTION 30

Which statement about a server profile for an Apollo system is true?

- A. Fibre Channel connections can be defined
- B. UEFI optimized is the only available boot mode
- C. Virtual WWNs and MAC addresses can be defined
- D. Enclosure Group is automatically selected

Answer: A

NEW QUESTION 33

You configured downlink aggregation for one of the HPE Synergy Compute Modules in an environment by placing two connections in the same Link Aggregation Group. After you made the changes to the server profile, its status changed to critical. What can be done to fix this issue?

- A. The teaming or bonding driver in the server OS must be configured to enable the LACP and to form the LAG correctly.
- B. The server profile for a given HPE Synergy compute module should be reapplied, then the Compute Module should be rebooted.
- C. Link Aggregation Group functionality should be enabled in advanced properties of the Logical Interconnect.
- D. Ensure that the Link Aggregation Group time-out value matches the server set values.

Answer: C

NEW QUESTION 38

Which operation can be performed using HPE OneView for VMware vCenter Server?

- A. Remove a new node from an existing cluster
- B. Create a new VMware cluster within vCenter Server
- C. Configure VMware cluster properties for HA and DRS
- D. Create a new distributed switch for cluster connectivity

Answer: A

NEW QUESTION 42

Your customer added HPE Primera to HPE OneView and enabled volume provisioning on all storage pools. For security reasons, the customer wants to disable volume provisioning using HPE OneView on a specific storage pool. How can this task be completed?

- A. The storage pool should be removed from HPE OneView using a PowerShell script.
- B. The storage pool should be disabled using the array management tool.
- C. The storage pool state should be changed to discovered using HPE OneView.
- D. The storage pool should be marked as read-only using HPE OneView.

Answer: B

NEW QUESTION 44

Which statement about server hardware types is true?


- A. Once selected in the server profile, the server hardware type cannot be changed, and a server profile can be moved only between the same type of servers
- B. Server hardware type can be defined only for HPE Synergy and HPE BladeSystem, but it cannot be defined for HPE ProLiant or Apollo systems
- C. Administrator has to manually define the server hardware type for any unique server architecture and mezzanine card combination
- D. The server hardware type is automatically created when a server with unique architecture and mezzanine card configuration is added to HPE OneView

Answer: A

NEW QUESTION 48

Refer to the exhibit.

Logical Interconnect [Edit](#)



Which statement about the logical interconnect shown is true?

- A. For FC uplink sets, an additional uplink from second module should be added for redundancy.
- B. The maximum supported number of the internal networks for logical interconnect is configured.
- C. Additional uplink ports can be added to ETH-Uplink to increase available bandwidth.
- D. FC uplinks are not supported and will be converted to FCoE or RoCE uplinks.

Answer: C

NEW QUESTION 49

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE2-T37 Practice Exam Features:

- * HPE2-T37 Questions and Answers Updated Frequently
- * HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- * HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE2-T37 Practice Test Here](#)