

# Microsoft

## Exam Questions MS-203

Microsoft 365 Messaging



### NEW QUESTION 1

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email gateway device. You discover that inbound email messages are delayed. The gateway device receives the following error message when sending email to the tenant.

\* 4.7.500 Server busy, please try again later. You need to prevent inbound email delays. What should you configure?

- A. Organization Sharing
- B. an MX record for the domain
- C. a transport rule
- D. a connector

**Answer:** D

#### **Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use-connectors-to-configure-mail-flow>

### NEW QUESTION 2

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to import an Edge Subscription on a Mailbox server. Which cmdlet should you run?

- A. New-EdgeSubscription
- B. Start-EdgeSynchronization
- C. Set-EdgeSubscription
- D. Set-TransportAgent

**Answer:** A

### NEW QUESTION 3

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with users in the tenant and users in a domain named contoso.com.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to Organization > Sharing.

? Under Organization Sharing, click New +.

? In new organization relationship, in the Relationship name box, type a friendly name for the organization relationship.

? In the Domains to share with box, type the domain for the external Microsoft 365, Office 365, or Exchange on-premises organization you want to let see your calendars. If you need to add more than one domain, you can do it after you create the organization relationship by editing it.

? Select the Enable calendar free/busy information sharing check box to turn on calendar sharing with the domains you listed. Set the sharing level for calendar free/busy information and set which users can share calendar free/busy information.

? To set the free/busy access level, select one of the following values:

- Calendar free/busy information with time only
- Calendar free/busy with time, subject, and location

To set which users will share calendar free/busy information, select one of the following values:

- Everyone in your organization
- A specified security group

? Click Browse to pick the security group from a list, then click OK.

? Click Save to create the organization relationship.

**NEW QUESTION 4**

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Two users named Christie Cline and Irvyn Sayers leave your company.

You need to ensure that all email sent to the users at your company are forwarded automatically to the mailbox of Megan Bowen. The solution must NOT use mail flow rules.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? In the EAC, go to Recipients > Mailboxes.

? In the list of user mailboxes, click or tap the mailbox that you want to configure mail forwarding for, and then click or tap Edit

? On the mailbox properties page, click Mailbox Features.

? Under Mail Flow, select View details to view or change the setting for forwarding email messages.

On this page, you can set the maximum number of recipients that the user can send a message to. For on-premises Exchange organizations, the recipient limit is unlimited. For Exchange Online organizations, the limit is 500 recipients.

? Check the Enable forwarding check box, and then click or tap Browse.

? On the Select Recipient page, select a user you want to forward all email to. Select the Deliver message to both forwarding address and mailbox check box if you want both the recipient and the forwarding email address to get copies of the emails sent. Click or tap OK, and then click or tap Save.

**NEW QUESTION 5**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a supervision policy.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

You should create a Data Loss Prevention (DLP) policy.

**NEW QUESTION 6**

DRAG DROP - (Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



Actions	Answer Area
Add an accepted domain to Office 365.	Add an accepted domain to Office 365.
Create a migration endpoint and a migration batch.	Provision a mailbox in Office 365 for each Litware user.
Create an Office 365 connector.	Create a migration endpoint and a migration batch.
Start the migration batch.	Start the migration batch.
Provision a mailbox in Office 365 for each Litware user.	

**NEW QUESTION 7**

**SIMULATION - (Topic 5)**


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent users in your company from sending out-of-office replies to users who use an email address suffix of @contoso.com. The solution must NOT use mail flow rules.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? In the Exchange admin center, go to Mail flow > Remote domains.  
? Click + Add a remote domain. The Name the domain screen appears.  
? In the Name text box, enter a descriptive name for the domain.  
? In the Remote Domain text box, enter the full domain name. Use the wildcard character (\*) for all subdomains of a specified domain, for example, \*.contoso.com.  
? Click Next. The Email reply types screen appears.  
? Define the following settings:  
- In the Out of Office reply types section, specify which type of out-of-office replies should be sent to people at this domain.  
- In the Automatic replies section, specify whether you want to allow automatic replies, automatic forwarding, or both.  
? Click Next. The Message reporting screen appears.  
? Specify whether you want to allow delivery reports and non-delivery reports by checking the respective check boxes.  
? Click Next. The Text and character set screen appears.  
? Define the following settings:  
- In the Use Rich-text format pane, specify whether to follow each user's message settings, or whether to always or never preserve RTF formatting. Selecting Never means that RTF messages are sent as plain text or HTML.  
- In the Supported Character Set pane, specify which character set to use (if the message doesn't specify the character set) by choosing from the MIME character set or on-MIME character set drop-down list.  
? Click Next. The Review screen appears.  
? Review the remote domain settings, and click Save.

**NEW QUESTION 8**

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.  
You need to create a new public folder. The solution must ensure that users can create new posts by sending emails to the folder.  
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order

Actions

Create a mail flow rule.

Edit the properties of the public folder mailbox.

Create a Microsoft 365 group.

Create a public folder mailbox.

Create a public folder.

Edit the properties of the public folder.

>

<

Answer Area

&u2191

&u2193

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Actions

Create a mail flow rule.

Edit the properties of the public folder mailbox.

Create a Microsoft 365 group.

Create a public folder mailbox.

Create a public folder.

Edit the properties of the public folder.

>

<

Answer Area

Create a public folder mailbox.

Create a public folder.

Edit the properties of the public folder.

**NEW QUESTION 9**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.  
A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.  
You need to configure the deployment to meet the security policy requirement.  
Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

#### NEW QUESTION 10

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an Exchange Server 2019 organization. You need to enable journaling for outbound email. Where can you store the journal reports?

- A. a mail-enabled public folder
- B. an Exchange Server 2019 mailbox
- C. a Microsoft SharePoint Online document library
- D. an Exchange Online mailbox

**Answer: A**

#### NEW QUESTION 10

HOTSPOT - (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019. You need to configure modern attachments for Outlook on the web. From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼	-Name Default	▼	Https://Contoso-
Set-CASMailbox		-Identity	
Set-OutlookProvider		-internalSPMySiteHostURL	
Set-ClientAccessRule		-WacExternalServicesEnabled	
Set-OwaMailboxPolicy		-ThirdPartyAttachmentsEnabled	

my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

▼	-Name Default	▼	Https://Contoso-
Set-CASMailbox		-Identity	
Set-OutlookProvider		-internalSPMySiteHostURL	
Set-ClientAccessRule		-WacExternalServicesEnabled	
Set-OwaMailboxPolicy		-ThirdPartyAttachmentsEnabled	

my.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-my.Contoso.com

#### NEW QUESTION 12

- (Topic 5)

You have a Microsoft 365 subscription that contains a user named User1.

You need to ensure that User1 can only manage eDiscovery cases that she creates and export the search results. The solution must use the principle of least privilege.

To which role should you add User1?

- A. eDiscovery Manager
- B. eDiscovery Administrator
- C. Communications Compliance
- D. Compliance Administrator

**Answer: A**

#### NEW QUESTION 14

- (Topic 5)

You manage a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. The deployment contains a primary SMTP domain named contoso.com.

Users have email addresses that use a syntax of firstname.lastname@contoso.com.

A user named Ben Smith receives a new client computer. You configure the computer1 to access Ben Smith's mailbox. Ben Smith reports that he cannot connect to his mailbox from the new computer.

You verify that other users can connect successfully to their mailbox and that new users can discover their mailboxes by using Autodiscover.

You need to ensure that Ben Smith can connect to his mailbox from the new computer. What should you do?

- A. Modify the primarySmtpAddress property for the mailbox of Ben Smith.
- B. Modify the email address of Ben Smith to use a syntax of firstname.lastname@contoso.onmicrosoft.com
- C. Modify the RemoteRoutingAddress parameter for the mailbox of Ben Smith.
- D. Modify the email address of Ben Smith to use a syntax of lastname.firstname@contoso.com

**Answer: C**



#### NEW QUESTION 15

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 must perform the following tasks:

- Manage audit logs.
- Track email messages in the Exchange organization.
- Manage transport rules for the Exchange organization.

You need to recommend to which role group to add User1. The solution must follow the principle of least privilege. What should you recommend?

- A. Security Administrator
- B. Organization Management
- C. Compliance Management
- D. Security Operator

**Answer: C**

#### NEW QUESTION 17

- (Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web. What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

**Answer: C**

#### Explanation:

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

#### NEW QUESTION 21

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to



reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered


**Answer:** A

**Explanation:**

? Go to the Microsoft 365 admin center and then click Users > Active users.

? Select Pradeep Gupta.

? On the properties flyout page, click the Mail tab, and then under More actions, click Manage litigation hold.



? On the Manage litigation hold flyout page, select the Turn on litigation hold checkbox and then enter the following optional information:

\_ Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.

\_ Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.

\_ Web page with more information for the user: Use this box to direct the user to a website for more information about Litigation hold. This URL appears on the Account Information page in the user's mailbox if they are using Outlook 2010 or later. To access this page, users can click File in Outlook.

Click Save changes on the Litigation hold flyout page to create the hold.

The system displays a banner saying it might take up to 240 minutes for the change to take effect.

**NEW QUESTION 23**

- (Topic 5)

You deploy a Microsoft Exchange Server 2019 organization.

You need to ensure that users of all new mailboxes are prevented from editing their personal information.

What should you do?

- A. From the Exchange admin center, create a new role assignment policy.
- B. From PowerShell, run the New-RoleAssignmentPolicy cmdlet and specify the-IsDefault parameter.
- C. From the Exchange admin center, create a new role group and assign the role group to Domain Users.
- D. From PowerShell, run the New-RoleGroup cmdlet and specify the-CustomRecipientWriteScope parameter.

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/role-based-access-control/newroleassignmentpolicy?view=exchange-ps>

**NEW QUESTION 27**

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type.

You need to identify the sync status of each move request in the batch. Which cmdlet should you run?

- A. Gec-PublicFolderMailboxMigrationRequest
- B. Get-PublicFolderMigrationRequest
- C. Gec-PublicFolderMoveRequest
- D. Gee-MoveRequest

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfoldermailboxmigrationrequest?view=exchange-ps>

#### NEW QUESTION 29

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport

You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the CustomerSupport public folder

How should you configure the group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

#### Answer Area

Group type:

<input type="text"/>
Distribution list
Microsoft 365
Security

Configuration:

<input type="text"/>
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### Answer Area

Group type:

<input type="text"/>
Distribution list
Microsoft 365
Security

Configuration:

<input type="text"/>
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

#### NEW QUESTION 34

- (Topic 5)

You use an IMAP-based email system. You purchase a Microsoft 365 subscription.

In Exchange Online, you create mailboxes for all users.

You need to migrate all the email accounts of all the users to Exchange Online.

Which three components should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a migration batch
- B. a CSV migration file
- C. an inbound connector
- D. an accepted domain
- E. a remote domain
- F. a migration endpoint

**Answer:** BDF

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrate-other-typesof-imap-mailboxes>

### NEW QUESTION 39

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two users named User1 and User2.

User1 receives an email message that appears to come from User2. You discover that the message did NOT originate from User2.

You need to prevent email impersonation in the Exchange environment.

Which type of policy should you use, and which setting should you configure? To answer, select the appropriate options in the answer area.

**Answer Area**

Policy type:

- Anti-malware
- Anti-phishing**
- Anti-spam

Setting:

- Enable users to protect
- Enable domains to protect**
- Add trusted senders and domains

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Policy type:

- Anti-malware
- Anti-phishing**
- Anti-spam

Setting:

- Enable users to protect
- Enable domains to protect**
- Add trusted senders and domains

### NEW QUESTION 40

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

### NEW QUESTION 42

- (Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com.

When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text: "550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup."

You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully.

You delete the user account and mailbox of User1.

You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Azure AD Connect, modify the synchronization settings
- B. From Server1, run the New-RemoteMailbox cmdlet
- C. From Server1, run the Enable-Mailbox cmdlet
- D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365
- E. From the Exchange admin center, modify the properties of the Outbound connector

**Answer:** BD

**Explanation:**

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this happening, new mailboxes need to be created from the on-premise Exchange server.

You can create on Exchange Online mailbox from the on-premise server by running New-RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

**NEW QUESTION 44**

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named contoso.com.

You collaborate with a partner company that has an email domain named adatum.com. You need to ensure that all the email messages sent to and received from adatum.com are encrypted in transit.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to use SMTP relay.
- B. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to require TLS.
- C. Create a connector from Microsoft Office 365 to adatum.com and configure the connector to require TLS.
- D. Issue S/MIME certificates to all the users in contoso.com.
- E. Configure Exchange Online to use direct send to adatum.com.

**Answer:** BC

**NEW QUESTION 46**

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Users use Microsoft Outlook as their primary email client.

The users report that email messages received from a partner company are often delayed before being delivered.

You need to analyze the message header of one of the delayed messages to identify the cause of the delay.

What are two actions that you can perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Message trace in the Exchange admin center, create a custom query.
- B. From the Exchange admin center, review the Queued messages report.
- C. Run the Microsoft Remote Connectivity Analyzer.
- D. From Outlook, review the properties of the message.
- E. From the Exchange admin center, review the mail flow rules.

**Answer:** AD

**NEW QUESTION 47**

- (Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users.

All the users connect to their mailbox by using a mobile device and Exchange ActiveSync. You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices.

What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

**NEW QUESTION 48**

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.



Your company has a partnership with another company named fabrikam.com. You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.  
 What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

**Answer: D**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setup-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION 52**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 receives an email notification and can take corrective action when the Fix possible mail loop insight is generated

What should you use, and to which role group should you add User1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Use: Mail flow rules  
Alert policies  
Mail flow reports  
Mail flow rules  
Message trace

Role group: Records Management  
Compliance Management  
Organization Management  
Records Management  
Security Operator

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Answer Area

Use: Mail flow rules  
Alert policies  
Mail flow reports  
Mail flow rules  
Message trace

Role group: Records Management  
Compliance Management  
Organization Management  
Records Management  
Security Operator

**NEW QUESTION 53**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe attachments policy. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

**NEW QUESTION 54**

HOTSPOT - (Topic 5)

You run the Get-WebServicesVirtualDirectory cmdlet as shown in the following exhibit.

```
PowerShell I-preview o(64)

PS C:\> Get-WebServicesVirtualDirectory | Format-Table

Identity MRSProxyEnabled InternalURL ExternalURL
-----
MBX1      False      https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx
MBX2      True       https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx
MBX3      False      https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx

PS C:\> Get-ExchangeCertificate | Format-Table

Thumbprint RootCAType ISSelfSigned Services
-----
A80VESIE410PCANGPTG14VPXYC51H9AGRN72KFZG6 None True SMTP
TTVQY2WYN851594C2062NWNF5JK98I6N667RF9XK4 ThirdParty False IIS, IMAP, POP

PS C:\>
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

What should you do to ensure that all mailboxes can be synced successfully?

What should you do to ensure that email can be delivered between on-premises users and Microsoft Exchange Online users?

▼  
Enable the MRS proxy endpoint on all servers.  
Disable the MRS proxy endpoint on all servers.  
Update the external URL to outlook.office365.com.

▼  
Configure IMAP to use a self-signed certificate.  
Configure SMTP to use a third-party certificate.  
Disable the MRS proxy endpoint on all servers.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1:

The MRS proxy endpoint needs to be enabled on all mailbox servers.

Box 2:

SMTP is used to deliver email between on-premise users and Exchange Online users. This requires a third-party (public CA) certificate.

#### NEW QUESTION 55

- (Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1
- B. Select Calendar free/busy information with time, subject, and location and enter Groups
- C. Select Calendar free/busy information with time, subject, and location and enter Group3
- D. Select Calendar free/busy information with time only and enter Group3
- E. Select Calendar free/busy information with time only and enter Group2

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationship>

#### NEW QUESTION 57

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Recipient Management
- B. Server Management
- C. Help Desk
- D. Organization Management

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchserver-2019>

#### NEW QUESTION 62

- (Topic 4)

You need to ensure that Alex Wilber can recover deleted items when using Outlook on the web.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

**Answer:** BD

#### NEW QUESTION 63

- (Topic 4)

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung. What should you do?

- A. Run the admin audit log report
- B. Run the external admin audit log report
- C. Export the admin audit log
- D. Run an administrator role group report
- E. Export the mailbox audit logs

**Answer:** C

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditing-reports>

#### NEW QUESTION 66

- (Topic 4)

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start.

You need to troubleshoot the issue.

From the device, you start the Microsoft Remote Connectivity Analyzer. What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

**Answer:** D

#### Explanation:

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

#### NEW QUESTION 70

HOTSPOT - (Topic 3)

You need to modify FilesPolicy to prevent users from downloading ASPX files. The solution must meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<div><div></div><div>Set-SafeLinksPolicy</div><div>Set-OwaMailboxPolicy</div><div>Set-ActiveSyncMailboxPolicy</div><div>Set-HostedContentFilterPolicy</div></div>	<code>-id FilesPolicy -BlockedFileTypes</code>	<div><div></div><div>.aspx</div><div>*.aspx</div><div>@{Add = ".aspx"}</div><div>@{Remove = ".aspx"}</div></div>
---	--	--

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

<div><div></div><div>Set-SafeLinksPolicy</div><div>Set-OwaMailboxPolicy</div><div>Set-ActiveSyncMailboxPolicy</div><div>Set-HostedContentFilterPolicy</div></div>	<code>-id FilesPolicy -BlockedFileTypes</code>	<div><div></div><div>.aspx</div><div>*.aspx</div><div>@{Add = ".aspx"} </div><div>@{Remove = ".aspx"}</div></div>
---	--	---

#### NEW QUESTION 71

- (Topic 3)

User3 leaves the company.

You need to ensure that Admin1 and Admin2 can access the mailbox of User3. The solution must meet the technical requirements.

What should you do?

- A. Migrate the mailbox of User3 to a distribution group.
- B. Migrate the mailbox of User3 to a Microsoft 365 group.
- C. Convert the mailbox of User3 into a resource mailbox.
- D. Convert the mailbox of User3 into a shared mailbox.

**Answer:** D

**Explanation:**

Fabrikam identifies the following technical requirements:  
? When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.  
If you remove the license from User3, the mailbox will be deleted after 30 days. Converting the mailbox to a shared mailbox will ensure that the mailbox is not deleted. You would still need to give Admin1 and Admin2 permissions to access the mailbox.  
Reference:  
<https://docs.microsoft.com/en-us/microsoft-365/admin/email/convert-user-mailbox-to-shared-mailbox?view=o365-worldwide>

**NEW QUESTION 74**

- (Topic 3)  
You need to identify the contents of the FabrikamProject public folder to meet the technical requirements.  
Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

**Answer:** B

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

**NEW QUESTION 75**

HOTSPOT - (Topic 3)  
How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

**Answer Area**

DPTs:

0

1

2

3

4

RPTs:

0

1

2

3

4

5

6

7

Personal tags:

0

1

2

3

4

5

6

7

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: 1  
Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:  
? Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.  
Box 2: 2  
Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:  
? Automatically delete items in the Junk Email folder after 30 days.



? Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3

Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:

? Enable users to tag items for deletion after one year.

? Enable users to tag items for deletion after two years.

? Enable users to tag items to be archived after one year.

#### NEW QUESTION 80

- (Topic 2)

You need to configure the required objects for the branch office administrators. What should you create for each administrator?

A. a management role assignment policy and a management role group

B. a management role scope and a management role assignment

C. a management role scope and a management role group

D. a management role and a management role assignment policy

**Answer: C**

#### Explanation:

Reference:

<https://practical365.com/exchange-server/exchange-server-role-based-access-control-in-action/>

#### NEW QUESTION 83

- (Topic 2)

You need to implement a solution to support the planned changes for the branch office administrators.

What should you do?

A. Assign the Mail Recipients role to the branch office administrators and use a default management scope.

B. Assign the Mail Recipients role to the branch office administrators and create a custom management scope.

C. Assign the Recipient Policies role to the branch office administrators and use a default management scope.

D. Assign the Recipient Policies role to the branch office administrators and create a custom management scope.

**Answer: B**

#### Explanation:

Ensure that the branch office administrators can configure the properties of the mailboxes in their respective offices only.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-recipients-role-exchange-2013-help>

#### NEW QUESTION 86

HOTSPOT - (Topic 2)

You need to implement a solution that meets the technical requirements for the retention of junk email, sent items, and deleted items.

What is the minimum number of retention policies and retention tags you should use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Retention tags:

	▼
1	
2	
3	
14	
30	

Retention policies:

	▼
1	
2	
3	
14	
30	

A. Mastered

B. Not Mastered

**Answer: A**

#### Explanation:

Retention tags:

	▼
1	
2	
3	
14	
30	

Retention policies:

	▼
1	
2	
3	
14	
30	

#### NEW QUESTION 90

- (Topic 2)

You need to implement a solution to support the planned changes for the helpdesk users. What should you do?

- A. Assign the Recipient Policies role to the helpdesk users and a default management scope
- B. Assign the Mail Recipients role to the helpdesk users and use a default management scope
- C. Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- D. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Answer: C

#### NEW QUESTION 95

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named adatum.com that contains a user named User1.

You plan to perform a new message trace for User1. The message trace must generate an Enhanced summary report.

Which three Delivery status options can be included in the report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

New message trace

Senders ⓘ

U

User1@adatum.com

×

Recipients ⓘ

All

Time range (UTC-06:00) ⓘ

Custom time range

Last 2 day(s)

90301510721 day12 hr6 hr0

Detailed search options

^

Delivery status ⓘ

All

All

Delivered

Expanded

Failed

Pending

Quarantined

Filtered as spam

Getting status

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

### New message trace

Senders ⓘ

U

User1@adatum.com

×

Recipients ⓘ

All

Time range (UTC-06:00) ⓘ

Custom time range

Last 2 day(s)

90301510721 day12 hr6 hr0

Detailed search options

^

Delivery status ⓘ

All

All

Delivered

Expanded

Failed

Pending

Quarantined

Filtered as spam

Getting status

**NEW QUESTION 96**  
HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant.  
You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.  
Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

Policy type:

Retention policy

Auto-labeling policy

Retention label policy

Retention policy

Sensitivity label policy

First create:

A label

A data connector

A label

A messaging records management (MRM) retention tag

An adaptive scope

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Answer Area

Policy type:   
 Auto-labeling policy  
 Retention label policy  
 Retention policy  
 Sensitivity label policy

First create:   
 A data connector  
 A label  
 A messaging records management (MRM) retention tag  
 An adaptive scope

**NEW QUESTION 100**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**NEW QUESTION 104**

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 server.

Users report that the email they send to external recipients is marked as spam.

You need to validate the Reverse DNS and Sender ID data for the on-premises server. What should you use in the Microsoft Remote Connectivity Analyzer?

- A. Inbound SMTP Email
- B. Outbound SMTP Email
- C. Message Analyzer
- D. Exchange Online Custom Domains DNS Connectivity Test

**Answer: B**

**NEW QUESTION 105**

HOTSPOT - (Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 108

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email sent or received by a user named Diego Siciliani is preserved in Exchange Online. The solution must prevent Diego Siciliani from permanently deleting any email messages for 180 days.

To complete this task, sign in to the Microsoft 365 admin center.

A. Mastered

B. Not Mastered

**Answer: A**

**Explanation:**

You need configure a Retention Policy. You could also use a Litigation Hold but Retention Policies are replacing Litigation Holds in future, so a Retention Policy is the way to go.

? In the Microsoft 365 Compliance Center, go to the Policies section and click Retention.

? Click the New retention policy link.

? Enter a name for the policy (such as "Diego Siciliani Email Retention") and click Next.

? In the retention period, enter 180 days and click Next.

? Ensure that only Exchange email is selected. SharePoint sites, OneDrive accounts and Office 365 groups are also selected by default so you may need to deselect them.

? Click the Choose recipients link for Exchange email.

? Click the Choose recipients button to open a list of recipients.

? Select Admin1 and click the Choose button then click the Done button.

? Click Next.

? Click the Create this policy button.

**NEW QUESTION 109**

HOTSPOT - (Topic 5)

Your network contains an Active Directory Domain Services (AD DS) domain.

You have a Microsoft 365 subscription. All mailboxes are hosted in Microsoft Exchange Online.

You have the DNS domains shown in the following table.

Name	Description
corp.contoso.com	AD DS domain
contoso.com	Verified custom domain for Azure AD
contoso.onmicrosoft.com	Default Azure AD tenant

You need to ensure that the Autodiscover service can be used to configure Microsoft Outlook settings for devices connecting from the internet. How should you configure the DNS record for Autodiscover? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Type of DNS record: CNAME

A  
**CNAME**  
MX  
SRV  
TXT

In DNS domains: contoso.com only

**contoso.com only**  
corp.contoso.com only  
contoso.onmicrosoft.com only  
contoso.com and corp.contoso.com  
contoso.com and contoso.onmicrosoft.com  
corp.contoso.com and contoso.onmicrosoft.com

A. Mastered

B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

Type of DNS record: CNAME

In DNS domains: contoso.com only

**NEW QUESTION 112**

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION 113**

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
- The old and new values of settings modified in Policy1
- How the modifications compare to the baseline settings of Standard Preset Security Policy

What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

**Answer:** D

**NEW QUESTION 118**

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Group1.

The members of Group1 need to create user mailboxes. The solution must use the principle of least privilege.

To which role group should you add Group1?

- A. Recipient Management
- B. Security Operator
- C. Help Desk
- D. Organization Management

**Answer:** A

**NEW QUESTION 121**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.



Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2. What occurs on the device of each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: 

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

User2: 

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1: 

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

User2: 

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

NEW QUESTION 126

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You create a new anti-phishing policy named Policy1. You need to ensure that users are notified every five days about all the email messages quarantined by Policy1. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Modify the AdminOnlyAccessPolicy quarantine policy and assign the policy to Policy1.
- B. Modify the DefaultFullAccessPolicy quarantine policy and assign the policy to Policy1.
- C. Modify the global settings for quarantine policies.
- D. Add a custom quarantine policy and assign the policy to Policy1.
- E. Configure the User reported messages settings.

Answer: CD

NEW QUESTION 129

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant. You need to create a report to display messages that have a delivery status of Quarantined. From the modern Exchange admin center, you create a new message trace. How should you configure the message trace? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Time range:

▼

Last 7 days

Last 15 days

Last 30 days

Last 90 days

Report type:

▼

Extended report

Summary report

Enhanced summary report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Time range:

▼

Last 7 days

Last 15 days

Last 30 days

Last 90 days

Report type:

▼

Extended report

Summary report

Enhanced summary report

NEW QUESTION 132

- (Topic 5)  
You have two mailboxes named Mailbox1 and Mailbox2 that have the ProhibitSendReceiveQuota parameter set to 50 GB. From a Microsoft Exchange Online tenant, you run the following PowerShell command.  
PS C:\> Get-Mailbox | Select-Object Alias, RecipientTypeDetails | FT -AutoSize

Alias	RecipientTypeDetails
-----	-----
Mailbox1	SharedMailbox
Mailbox2	RoomMailbox

You receive the license status of each mailbox and discover the configurations shown in the following table.

Alias	SKUAssigned
Mailbox1	False
Mailbox2	False

You need to increase the quota for Mailbox1 and Mailbox2. What should you do first?

- A. Assign a license to each mailbox.
- B. Convert each mailbox into an equipment mailbox.
- C. Enable an archive for each mailbox.
- D. Place both mailboxes on retention hold.

**Answer:** A

**Explanation:**

Shared and resource mailboxes don't require a license. However, without a license, these mailboxes are limited to 50 GB. To increase the mailbox size, an E3 or E5 license must be assigned. This will increase the mailbox to 100 GB.

Reference:

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-online-limits>

**NEW QUESTION 133**

- (Topic 5)

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'."

You need to ensure that the user send email to external recipients. What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

**Answer:** C

**Explanation:**

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-error/>

**NEW QUESTION 136**

- (Topic 5)

You have a Microsoft 365 subscription that uses Microsoft Exchange Online Protection (EOP) with the default settings.

You need to ensure that email messages sent from the unauthorized IP addresses of any sending domain are marked as High confidence spam. The solution must minimize administrative effort.

What should you do?

- A. For the default anti-spam inbound policy, set SPF record: hard fail to On
- B. For the default connection filter policy, add an entry to the IP Block List.
- C. For the default anti-spam inbound policy, set Conditional Sender ID filtering: hard fail to On
- D. Create a mail flow rule.

**Answer:** A

**NEW QUESTION 138**

- (Topic 5)

You have two servers named EXCH1 and EXCH2 that run Windows Server 2012 R2 and have Microsoft Exchange 2016 installed. You purchase a Microsoft 365 subscription. You plan to configure a hybrid deployment between an Exchange Online tenant and the on-premises Exchange Server Organization. You need to identify the prerequisites to installing the Microsoft Hybrid Agent on EXCH1 and EXCH2. Which two prerequisites should you identify? Each correct answer presents part of the solution.

- A. All outbound HTTPS connections to Microsoft Online Services
- B. Enable Hybrid Modern Authentication (HMA).
- C. Upgrade the operating system of EXCH1 and EXCH2 to Windows Server 2019.
- D. Enable TLS 1.2.

**Answer:** AD

**Explanation:**

To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that all outbound HTTPS connections to Microsoft Online Services are allowed. This is a prerequisite for installing the Microsoft Hybrid Agent.

\* D. Enable TLS 1.2. Reference: <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/prepare-for-hybrid-deployment> explanation: To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that Transport Layer Security (TLS) 1.2 is enabled on your on-premises Exchange servers. This is a prerequisite for installing the Microsoft Hybrid Agent.

**NEW QUESTION 140**

- (Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment.

What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

**Answer:** A

**NEW QUESTION 141**

HOTSPOT - (Topic 5)



You have a Microsoft Exchange Server 2019 hybrid deployment.  
You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25 mailboxes, and then you select Manual Complete the batch.  
Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.  
You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.  
How should you complete the command? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Set-MoveRequest

Set-MigrationBatch

Set-MigrationConfig

-Identity "user1@litware.com"

-CompleteAfter(Get-Date)

-SuspendWhenReadyToComplete \$false

-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-MoveRequest

Set-MigrationBatch

Set-MigrationConfig

-Identity "user1@litware.com"

-CompleteAfter(Get-Date)

-SuspendWhenReadyToComplete \$false

-PreventCompletion \$false


Resume-MoveRequest -Identity "user1@litware.com"

NEW QUESTION 145

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.  
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.  
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.  
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.  
Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:  
To enter your username, place your cursor in the Sign in box and click on the username below.  
To enter your password, place your cursor in the Enter password box and click on the password below.  
Microsoft 365 Username: admin@abc.com  
Microsoft 365 Password: xxxxxx  
If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.



The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

? In the Exchange admin center, navigate to Recipients > Resources.

? To create a room mailbox, click New + > Room mailbox.

? Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

? When you're finished, click Save to create the room mailbox.

**NEW QUESTION 146**

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Go to the Microsoft 365 Defender portal and undEemr ail & collaboration selecPt olicies

& rules >Alert policy.

? An alert policy consists of the following settings and conditions.

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

? You can also define user tags as a condition of an alert policy. This results in the

alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

? If you select the setting based on unusual activity, Microsoft establishes a baseline

value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the activity tracked by the alert policy greatly exceeds the baseline value. For auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.

- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

? When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you

to track and manage alerts that have the same category setting on the Alerts page in the compliance center because you can sort and filter alerts based on category.

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium

, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy. Again, this allows you to track and manage alerts that have the same severity setting on the Alerts page. For example, you can filter the list of alerts so that only alerts with a High severity are displayed.

- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

#### NEW QUESTION 147

- (Topic 5)

You discover that Policy1 failed to apply to the Executives group.

You need to ensure that Policy1 is applied to all the members of the Executives group. What should you do?

- A. Increase the priority of Policy1.
- B. Decrease the priority of Strict Preset Security Policy.
- C. Remove the Executives group from the Strict protection preset security policy.
- D. Modify the Strict protection preset security policy to match Policy? and assign the Strict protection preset security policy to contoso.com.

**Answer: C**

#### Explanation:

Preset security policies are policies that provide a centralized location for applying all of the recommended spam, malware, and phishing policies to users at once1

. The policy settings are not configurable and are set by Microsoft based on best practice1s

. There are two types of preset security policies: Standard protection and Strict protection1

. Standard protection is a baseline protection profile that's suitable for most user1s. Strict protection is a more aggressive protection profile for selected users who are high value targets or priority users1.

If you want to apply Policy1 to the Executives group, you need to remove them from the Strict protection preset security policy first. Otherwise, the preset security policy will take precedence over Policy1 and prevent it from being applied2.

To remove the Executives group from the Strict protection preset security policy, you can follow these steps2:

? Login to the Microsoft Security portal at <https://security.microsoft.com>.

? On the left nav, under Email & collaboration, select Policies & rules.

? Select Threat policies.

? Select Preset Security Policies underneath the Templated policies heading

? Select Manage underneath the Strict protection preset.

? Select Specific recipients and remove the Executives group from the list of recipients.

? Select Save.

#### NEW QUESTION 152

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All Mailbox servers and domain controllers are in the same site. You deploy an Edge Transport server.

You need to ensure that all SMTP traffic between the on-premises organization and Exchange Online is routed through the Edge Transport server.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
On a Mailbox server, modify the accepted domains.	
Copy the Edge Subscription file to a Mailbox server.	
On the Edge Transport server, run New-EdgeSubscription.	
On a Mailbox server, run New-EdgeSubscription.	
Run the Microsoft Office 365 Hybrid Configuration wizard.	

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
New-EdgeSubscription -FileName "c:\EdgeServerSubscription.xml" This example creates the Edge Subscription file. It should be run on your Edge Transport server. New- EdgeSubscription -FileData ([byte[]]\$(Get-Content -Path "C:\EdgeServerSubscription.xml" - Encoding Byte -ReadCount 0)) -Site "Default-First-Site-Name" This example also imports the Edge Subscription file generated in Example 1 to the Active Directory site Default-First- Site-Name; however, the end result is accomplished using one command. You must run this command on the Mailbox server. ref. <https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/new-edgesubscription?view=exchange-ps>

**NEW QUESTION 155**  
HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant.  
You have an on-premises scanner that emails scanned documents by using SMTP.  
You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.  
How should you configure the connector? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.  
[Learn more](#)

From:

▼

Internet

Office 365

Partner organization

Your organization's email server

To:

▼

Internet

Office 365

Partner organization

Your organization's email server

- A. Mastered
- B. Not Mastered



Answer: A

Explanation:

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.  
[Learn more](#)

From:

Internet

Office 365

Partner organization

Your organization's email server

To:

Internet

Office 365

Partner organization

Your organization's email server

**NEW QUESTION 158**  
HOTSPOT - (Topic 5)  
You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.  
An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.  
You have tie anti-malware policy shown in following exhibit.



Default (Default)

Always on | Priority Lowest

Protection settings

To enable only the members of the App1support group to receive the JAR files, you must **[answer choice]**.

add a new file entry to the Tenant Allow/Block List

create a new anti-malware policy

customize the file types for the default anti-malware policy

disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must **[answer choice]**.

create a new anti-malware policy

enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy

select a different quarantine policy for the default anti-malware policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To enable only the members of the App1support group to receive the JAR files, you must **[answer choice]**.

add a new file entry to the Tenant Allow/Block List

create a new anti-malware policy

customize the file types for the default anti-malware policy

disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must **[answer choice]**.

create a new anti-malware policy

enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy

select a different quarantine policy for the default anti-malware policy



NEW QUESTION 161

DRAG DROP - (Topic 5)

Your company has two departments named Dept1 and Dept2. You have a Microsoft Exchange Online tenant.

You need to deploy custom offline address books (OABs) that contain address lists for each department. The solution must meet the following requirements:

- Dept1 and Dept2 must each have its own OAB.
- The users in Dept1 must NOT list the users in Dept2 in its OAB.
- The Dept2 users must NOT list the Dept1 users in its OAB.
- All users must be able to use the global address list (GAL) to search for users in both departments.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

Run the new-globalAddressList cmdlet to create a custom address list.

Run the new-addressList cmdlet to create a custom address list for each department.

Run the new-offlineAddressbook cmdlet to create a new OAB for each department.

Run the new-mailAddressPolicy cmdlet to create a new address book policy for each department.

Run the update-mailAddressPolicy cmdlet to assign an address book policy to each department.

**Answer Area**

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

**Actions**

Run the new-globalAddressList cmdlet to create a custom address list.

Run the new-addressList cmdlet to create a custom address list for each department.

Run the new-offlineAddressbook cmdlet to create a new OAB for each department.

Run the new-mailAddressPolicy cmdlet to create a new address book policy for each department.

Run the update-mailAddressPolicy cmdlet to assign an address book policy to each department.

**Answer Area**

Run the new-addressList cmdlet to create a custom address list for each department.

Run the new-offlineAddressbook cmdlet to create a new OAB for each department.

Run the new-mailAddressPolicy cmdlet to create a new address book policy for each department.

Run the update-mailAddressPolicy cmdlet to assign an address book policy to each department.

NEW QUESTION 162

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that does NOT contain any public folders.

You need to create a new public folder. The solution must ensure that users can create a post by sending an email to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

**Actions**

Assign an Exchange Online license.

Create a public folder mailbox.

Create a public folder.

Create a Microsoft 365 group.

Create a shared mailbox.

Mail-enable the public folder.

Set an email address on a pubic folder.

**Answer Area**

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

**Actions**

Assign an Exchange Online license.

Create a public folder mailbox.

Create a public folder.

Create a Microsoft 365 group.

Create a shared mailbox.

Mail-enable the public folder.

Set an email address on a pubic folder.

**Answer Area**

Create a public folder mailbox.

Create a public folder.

Mail-enable the public folder.

### NEW QUESTION 167

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to add a custom domain named contoso.com that meets the following requirements:

« All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online.

« Recipient email systems must validate the messaging server for contoso.com)

Which type of DNS record should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online:

  
 CNAME  
 MX  
 SPF TXT  
 SRV

Recipient email systems must validate the messaging server for contoso.com:

  
 CNAME  
 MX  
 SPF TXT  
 SRV

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

? For the requirement that all email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online, you should use an MX record1. An MX record specifies the mail server that is responsible for accepting email messages on behalf of your domain1. You need to configure your MX record to point to the third-party cloud service's mail server, and then configure the third-party cloud service to forward email messages to Exchange Online1.

? For the requirement that recipient email systems must validate the messaging server for contoso.com, you should use an SPF TXT record2. An SPF TXT record is a type of DNS record that identifies which mail servers are authorized to send email on behalf of your domain2. It helps prevent spoofing and phishing by verifying the sender's IP address against the list of authorized IP addresses in your SPF TXT record2. You need to configure your SPF TXT record to include both the third-party cloud service and Exchange Online as authorized senders for your domain2.

### NEW QUESTION 172

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Mailbox1.

You need to ensure that Mailbox1 rejects all external email messages and responds with the following non-delivery report (NDR): "Mailbox1 is an automated system mailbox and does not accept incoming mail.

What should you do?

- A. Set a message delivery restriction for Mailbox1.
- B. From Mailbox1, create an inbox rule.
- C. Create a mail flow rule.
- D. Modify the permissions for Mailbox1.

**Answer: C**

### NEW QUESTION 175

DRAG DROP - (Topic 5)

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com.

The company works with a partner company that uses an email domain named tailspintoys.com.

You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

## Options

Office 365

Your organization's email server

Partner organization

Internet

## Answer Area

To:

From:

- A. Mastered  
B. Not Mastered

**Answer:** A

### Explanation:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

### NEW QUESTION 180

#### SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Miriam Graham has the required rights to create new recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege. To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered  
B. Not Mastered

**Answer:** A



**Explanation:**

- ? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.
- ? In the Exchange admin center, go to Roles > Admin roles, select the Recipient Management role group.
- ? In Assigned section, add Miriam Graham to the role group.
- ? When you're finished, click Save.

**NEW QUESTION 181**

- (Topic 5)  
You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online.  
The installation of the Hybrid Agent fails.  
You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl

ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSProxyEnabled: False
Server : EX01

Get-MAPIVirtualDirectory | fl

InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01

Get-OWAVirtualDirectory | fl

InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

**Answer: B**

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

**NEW QUESTION 183**

HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant.  
You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:  
? Admin5 must be able to assign licenses to users.  
? Admin6 must be able to modify the email SPAM settings of all users.  
? Admin5 must be able to configure the email forwarding settings of all users.  
? Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.  
Which role should you assign to each user? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Admin5:

User Administrator

Global Administrator

Exchange Administrator

Admin6:

User Administrator

Global Administrator

Exchange Administrator

- A. Mastered
- B. Not Mastered



Answer: A

Explanation:

Admin5:

Admin6:

#### NEW QUESTION 187

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name,

and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format.

Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

#### NEW QUESTION 190

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

#### NEW QUESTION 192

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

\* 1. Open the Microsoft 365 administration centre This can be done at: <https://admin.microsoft.com>

\* 2. Create a new user Please enter a first name Last name

Display name Username

\* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

\* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want.

**NEW QUESTION 197**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential. What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

**Answer: D**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

**NEW QUESTION 199**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.  
Solution: You modify the Exchange Online Protection (EOP) settings. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**


**Explanation:**

You can block common attachments (attachments commonly used as malware) in EOP but not all attachments as required in this question. Instead, you should create a mail flow rule. Reference:  
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

**NEW QUESTION 203**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.



STATUS	NAME	FROM	TO
On	Connector to Server1	Office 365	Partner organization

**Connector to Server1**

Mail flow scenario  
From: Office 365  
To: Partner organization

Description  
None

Status  
On  
[Turn it off](#)

Validation  
[Validate this connector](#)  
Last validation result: Failed  
Last validation time: 4/7/2020 4:04 PM

When to use the connector  
Use only for email sent to these domains: \*

Routing method  
Route email messages through these smart hosts:  
131.107.100.200

Security restrictions  
Always use Transport Layer Security (TLS) and connect only if the recipient's email server certificate is issued by a trusted certificate authority (CA) and the subject names matches this domain: server1.contoso.com

All email recipients have an email address that uses an SMTP suffix of @contoso.com.  
Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

131.107.100.200 will route

- all email messages from Exchange Online to any contoso.com recipients.
- all email from Exchange Online to any external recipients
- all email messages from Exchange Online to recipients hosted on Server1 only

The Exchange Online tenant

- cannot receive email messages from the internet
- can receive email messages from server1.contoso.com only
- can receive email messages from any email host on the internet

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1:  
Under "When to use this connector", it says "Use only for email sent to these domains: \*" The asterisk means all domains so any external email will use the connector.  
Box 2:  
With Exchange Online, you don't need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

**NEW QUESTION 208**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.  
A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.  
You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.  
You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.  
Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

**NEW QUESTION 212**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

- A. Run the New-Mailbox cmdlet.
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

**Answer:** C

**Explanation:**

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=exchserver-2019>

**NEW QUESTION 214**

HOTSPOT - (Topic 5)

Your network contains an Active Directory forest named contoso.com.

You plan to implement Microsoft 365 and use Microsoft Exchange Online services.

You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365.

Which record should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Record Type: 

	▼
Host(A)	
Alias(CNAME)	
Text(TXT)	

Target: 

	▼
autodiscover.contoso.com	
autodiscover.outlook.com	
autodiscover.office365.com	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Record Type: 

	▼
Host(A)	
Alias(CNAME)	
Text(TXT)	

Target: 

	▼
autodiscover.contoso.com	
autodiscover.outlook.com	
autodiscover.office365.com	

**NEW QUESTION 215**



- (Topic 5)  
You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users. Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

Answer: A

Explanation:

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019>

NEW QUESTION 218

HOTSPOT - (Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | fl *group*
```

```
DistributionGroupDefaultOU           :  
DistributionGroupNameBlockedWordsList : {}  
DistributionGroupNamingPolicy        :  
MailTipsGroupMetricsEnabled          : True  
DirectReportsGroupAutoCreationEnabled : False  
GroupsCreationEnabled                 : False  
HiddenMembershipGroupsCreationEnabled : False  
GroupsUsageGuidelinesLink            :  
DefaultGroupAccessType                : Private  
IsMIPLabelForGroupsEnabled           : False  
OcmGroupId                           :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.  
NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

▼

Only administrators

Only administrators and group owners

All users

[Answer choice] can view the contents of a group mailbox

▼

Only administrators

Only administrators and group owners

All users

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

[Answer choice] can view the list of members in a group

Only administrators

Only administrators and group owners

All users

[Answer choice] can view the contents of a group mailbox

Only administrators

Only administrators and group owners

All users

NEW QUESTION 223

- (Topic 5)  
You have a Microsoft Exchange Online tenant that contains 1,000 users.  
A user recently sent an email message that was never received by a recipient on the internet. From the Exchange admin center, you successfully run a message trace but cannot see the message in the trace.  
What is the most likely reason why the message fails to appear in the message trace?

A. The user addressed the message to multiple internal and external receipts  
B. The user encrypted the email message.  
C. Your administrative user account requires additional rights.  
D. The message is in the user's Outbox folder.

Answer: D

NEW QUESTION 227

HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.  
Users report that a domain named contoso.com sent them phishing email messages that contain URLs.  
You need to ensure that the messages are identified as phishing. The solution must ensure that contoso.com and all its subdomains and paths are matched.  
How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

New-TenantAllowBlockListItems

New-EOPProtectionPolicyRule

New-ProtectionServicePolicy

New-TenantAllowBlockListItems

New-TenantAllowBlockListSpoofItems

-Listtype URL -Entries

\*.contoso.com

\*.contoso.com

~contoso.com

~contoso.com~

:Block -NoExpiration

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Answer Area

New-TenantAllowBlockListItems

New-EOPProtectionPolicyRule

New-ProtectionServicePolicy

New-TenantAllowBlockListItems

New-TenantAllowBlockListSpoofItems

-Listtype URL -Entries

\*.contoso.com

\*.contoso.com

~contoso.com

~contoso.com~

:Block -NoExpiration

NEW QUESTION 231

DRAG DROP - (Topic 5)  
You have a Microsoft 365 subscription that has Microsoft Defender for Office 365 enabled and contains two groups named Group1 and Group 2. The members of the groups must meet the requirements shown in the following table.

Group	Requirement
Group1	Enable email impersonation protection.
Group2	Receive email containing attachments that have a .jar extension from an application that sends log files.

You need to configure threat protection policies to meet the requirements.  
Which threat protection policy should you configure for each group? To answer, drag the appropriate policies to the correct groups. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each coned selection is worth one point.

Threat protection policy

A Safe Attachments policy

An anti-malware policy

An anti-phishing policy

An anti-spam policy

Answer Area

Group1:

Group2:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



**NEW QUESTION 234**

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You migrate public folders from on-premises to Exchange Online by using the batch migration process.

After the batch migration completes, additional public folders are created on-premises. You need to migrate the new on-premises public folders to Exchange Online.

What should you do?

- A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.
- B. Create a new public folder migration batch that contains only the new folders.
- C. Repeat the original batch migration process and add the new folders to the migration batch.

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

**NEW QUESTION 236**

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

The tenant uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. From Azure AD Connect add a domain for fabrikam.com.
- B. From the on-premises Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Exchange Management Shell, create a script that runs the
- D. From the Microsoft 365 admin center, verify the fabrikam.com email domain
- E. From the on-premises Exchange admin center, modify the email address policy
- F. From the Microsoft 365 admin center, add the fabrikam.com email domain.

**Answer:** BDE

**NEW QUESTION 241**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You purchase a Microsoft Office 365 E5 subscription.

You plan to implement Exchange Modern Hybrid and free/busy sharing.

Which two components should you configure for the planned implementations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a sharing policy
- B. a federation trust
- C. a relying party trust
- D. Active Directory Lightweight Directory Services (AD LDS)
- E. an organization relationship

**Answer:** BE

**Explanation:**

References:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

**NEW QUESTION 244**

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab

section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully



perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance. The solution must ensure that only the members of a group named Finance Team can send email messages to the Finance folder.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

? In the EAC, go to Public folders > Public folder mailboxes, and then click Add +.

? In the New public folder mailbox page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.

- Organizational unit: Click Browse to select the location in Active Directory where the mailbox object is created.

- Mailbox database: Click Browse to select the mailbox database where the mailbox is created.

When you're finished, click Save.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

? Navigate to Public folders > Public folders.

? If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

? Click Add +.

? In Public Folder, type the name of the public folder.

? In the Path box, verify the path to the public folder. If this isn't the desired path, click Cancel and follow Step 2 of this procedure.

? Click Save.

? Navigate back to Public folders > Public folders.

? In the list view, select the public folder that you want to mail-enable or mail-disable.

? In the details pane, under Mail settings, click Enable or Disable.

? A warning box displays asking if you're sure you want to enable or disable email for the public folder. Click Yes to continue.

You can then run the Set-MailPublicFolder PowerShell cmdlet, and include the AcceptMessagesOnlyFromDLMembers parameter to specify who is allowed to send messages to this recipient.

**NEW QUESTION 246**

- (Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com.

You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.



What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

- A. Create a connector
- B. Create a mail flow rule
- C. Create a remote domain
- D. Create an accepted domain

**Answer:** C

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote- domains/remote-domains>

**NEW QUESTION 250**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the

following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of a mail flow rule

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

**NEW QUESTION 252**

- (Topic 5)

You have a Microsoft 365 subscription that contains two users named User1 and User2.

User1 reports to have received a suspicious email message that appears to have come from User2.

You identify that the message was sent by an external user impersonating User2. You need to block email that contains the email address of an impersonated sender. What should you configure?

- A. an anti-phishing policy
- B. a Tenant Allow/Block Lists rule
- C. an anti-spam policy
- D. an Enhanced filtering rule

**Answer:** B

**NEW QUESTION 253**

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously.  
For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
References:  
<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>  
<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest- permissions/>

NEW QUESTION 255


HOTSPOT - (Topic 5)  
You manage a Microsoft Exchange Online subscription. You use Advanced Threat Protection (ATP).  
A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.  
Some users report that sometimes they cannot find the invoices in their Inbox folder. You need to identify whether the invoices are identified as malicious by Microsoft 365.  
Which two blades should you use? To answer, select the appropriate blades in the answer area.  
NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



### NEW QUESTION 260

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

### NEW QUESTION 261

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

- ? Sending out-of-office replies to an email domain named fabrikam.com.
- ? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create one mail flow rule. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

### NEW QUESTION 265

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You add 100 new users and create a mailbox for each user. The new users have the City attribute in Active Directory set to Seattle.

You need to create a separate global address list (GAL) that contains only users who have the City attribute set to Seattle. The solution must ensure that any new users who have the City attribute of Seattle are added automatically to the new GAL.

What should you do?



- A. From the Azure Active Directory admin center, create an Office 365 group that uses a dynamic membership rule.
- B. From the Exchange admin center, create a new GAL.
- C. Run the New-EmailAddressPolicy cmdlet to create a new email address policy that uses a recipient filter.
- D. Run the New-GlobalAddressList cmdlet to create a new address list.

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

**NEW QUESTION 270**

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder mailbox and a user named User1. You need to ensure that User1 can perform the following actions:

- Create new top-level public folders.
- Only modify items created by User1.
- Post items to the folders created by User1.
- Read and delete items in the folders created by User1. Which role should you assign to User1?

- A. PublishingEditor
- B. Author
- C. PublishingAuthor
- D. Editor

**Answer:** D

**NEW QUESTION 273**

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Project 1. You plan to delegate User1 permission to send email messages from Project1. You need to ensure that the messages appear to come directly from Project1. Which permission should you assign to User1?

- A. Send on Behalf
- B. Contributor
- C. Full Access
- D. Send As

**Answer:** D

**NEW QUESTION 278**

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization named contoso.com and an Exchange Online tenant.

You plan to implement a hybrid deployment.

You have the certificates shown in the following table.

Name	Source	Subject name
Cert1	Self-signed	server1.contoso.com
Cert2	Internal certification authority (CA)	*
Cert3	Internal certification authority (CA)	contoso.com and autodiscover.contoso.com
Cert4	Public certification authority (CA)	*
Cert5	Public certification authority (CA)	contoso.com and autodiscover.contoso.com

You need to identify which certificates can be assigned in the Microsoft Office 365 Exchange Hybrid Configuration wizard.

Which certificates should you identify?

- A. Cert4 and Cert5 only
- B. Cert2 and Cert3 only
- C. Cert1 only
- D. Cert3 and Cert5 only
- E. Cert2 and Cert4 only
- F. Cert2, Cert3, Cert4, and Cert5 only

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/exchange/certificate-requirements>

**NEW QUESTION 279**

DRAG DROP - (Topic 5)



You have a Microsoft Exchange Server 2019 organization.  
You need to identify which accounts in Active Directory are assigned permissions to dismount mailbox databases.  
How should you complete the command? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.

Values	Answer Area
Get-ManagementRole	\$Perms = <input type="text"/> -Cmdlet Dismount-Database
Get-ManagementRoleAssignment	\$Perms   foreach { <input type="text"/> -Role \$_.Name -Delegating \$false
Get-ManagementRoleEntry	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
Get-ManagementScope	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Values	Answer Area
Get-ManagementRole	\$Perms = <input type="text" value="Get-ManagementRoleEntry"/> -Cmdlet Dismount-Database
Get-ManagementRoleAssignment	\$Perms   foreach { <input type="text" value="Get-ManagementRoleAssignment"/> -Role \$_.Name -Delegating \$false
Get-ManagementRoleEntry	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
Get-ManagementScope	

NEW QUESTION 282

- (Topic 5)  
You have a Microsoft Exchange Server 2019 organization. You run the following commands.  
New-Management-Scope –Name "VIP Mailboxes" –RecipientRoot "Contoso.com/ Executives"  
–RecipientRestrictionFilter (ReceipientType –eq "UserMailbox")  
New-ManagementRoleAssignment –SecurityGroup "VIP Admins" –Role "Mail Recipients"  
–CustomRecipientWriteScope "VIP Mailboxes"  
You have a user named Admin1.  
You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.  
What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

Answer: A

Explanation:

References:  
<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou-in-exchange-2010-sp1?forum=exchangesvradminlegacy>

NEW QUESTION 285

HOTSPOT - (Topic 5)  
You have a Microsoft Exchange Online tenant.  
A user reports that an expected email message from an internet recipient was never delivered, and the sender never received a non-delivery report (NDR).  
You need to troubleshoot inbound message delivery to meet the following requirements:  
• Verify DNS and MX connectivity for the target domain.  
• Verify whether the message was quarantined.  
What should you use for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area
Verify DNS and MX connectivity for the target domain: <div><input type="text" value="Microsoft Remote Connectivity Analyzer"/></div>
Verify whether the message was quarantined: <div><input type="text" value="Message trace"/></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Verify DNS and MX connectivity for the target domain:

Microsoft Remote Connectivity Analyzer

Message trace

Microsoft Remote Connectivity Analyzer

The Inbound messages mail flow report

Verify whether the message was quarantined:

Message trace

Message trace

Microsoft Remote Connectivity Analyzer

The Inbound messages mail flow report

**NEW QUESTION 288**

HOTSPOT - (Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Get-ADUser

Get-Mailbox

Get-MigrationUser

Get-MoveRequest

-MoveStatus Suspended |

New-MoveRequest

Resume-MoveRequest

Set-MoveRequest

Start-MigrationUser

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: Get-MoveRequest  
The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.  
Box 2: Resume-MoveRequest  
The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.

**NEW QUESTION 292**

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

- ? Sending out-of-office replies to an email domain named fabrikam.com.
- ? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains. Does this meet the goal?

- A. Yes
- B. No

Answer: A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote- domains/remote-domains>

**NEW QUESTION 296**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### MS-203 Practice Exam Features:

- \* MS-203 Questions and Answers Updated Frequently
- \* MS-203 Practice Questions Verified by Expert Senior Certified Staff
- \* MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The MS-203 Practice Test Here](#)**