

ServiceNow

Exam Questions CAD

Certified Application Developer-ServiceNow



NEW QUESTION 1

A graphical view of relationships among tables is a <blank>.

- A. Schema map
- B. Dependency view
- C. Graphical User Interface
- D. Map source report

Answer: A

Explanation:

"Schema map: Provides a graphical representation of the relationships between tables." https://docs.servicenow.com/bundle/tokyo-platform-administration/page/administer/table-administration/concept/c_TableAdministration.html

NEW QUESTION 2

Access Control debug information identification whether each element of an Access Control granted or denied access. The elements of an Access Control evaluated?

- A. Conditions, Script, Roles
- B. Script, Conditions, Roles
- C. Conditions, Roles, Script
- D. Roles, Conditions, Script

Answer: C

Explanation:

The elements of an Access Control are evaluated in the following order: Conditions, Roles, Script. The Conditions are a set of criteria that must be met for the Access Control to apply. The Roles are a list of user roles that are required to access the object. The Script is an optional script that can further restrict or allow access based on custom logic. If any of these elements return false, the Access Control denies access and stops evaluating the remaining elements. Reference: Access control rules

NEW QUESTION 3

Which platform feature can be used to determine the relationships between field in an Import Set table to field in an existing ServiceNow table?

- A. Business Service Management Map
- B. Data Sources
- C. Transform Map
- D. CI Relationship Builder

Answer: C

Explanation:

A transform map determines the relationships between fields displaying in an Import Set table and fields in an existing ServiceNow table, such as the Incidents or Users table.

Reference: https://community.servicenow.com/community? id=community_QUESTIONNO:&sys_id=69fc8369db9cdb01dc01dcaf3231f961935

The following platform feature can be used to determine the relationships between fields in an Import Set table to fields in an existing ServiceNow table:

Transform Map. This is a feature that defines the mapping between the fields of an Import Set table and the fields of a target table, such as incident, problem, or user. A transform map also specifies the logic and rules for transforming the imported data, such as coalescing, scripting, or applying data policies.

The following platform features are not used to determine the relationships between fields in an Import Set table to fields in an existing ServiceNow table:

Business Service Management Map. This is a feature that provides a graphical representation of the configuration items (CIs) and their relationships in the Configuration Management Database (CMDB). A Business Service Management Map can be used to visualize the impact of incidents, changes, or problems on the CIs and the services they support.

Data Sources. This is a feature that defines the connection and authentication information for an external data source, such as a file, a JDBC database, or a web service. A data source is used to import data from the external source into an Import Set table.

CI Relationship Builder. This is a feature that creates relationships between CIs in the CMDB based on predefined or custom rules. A CI Relationship Builder can be used to populate the CMDB with the dependencies and connections between the CIs. References:

Transform Maps, Business Service Management Map, Data Sources, CI Relationship Builder

NEW QUESTION 4

When a ServiceNow instance requests information from a web service, ServiceNow is the web service:

- A. Publisher
- B. Specialist
- C. Provider
- D. Consumer

Answer: D

Explanation:

When a ServiceNow instance requests information from a web service, ServiceNow is the web service consumer. A web service consumer is an application that sends requests to a web service provider and receives responses from it. A web service provider is an application that exposes its functionality as web services. A web service publisher is a person or organization that publishes web services for others to use. A web service specialist is a person who has expertise in developing or using web services. Reference: Web services

Reference: https://docs.servicenow.com/bundle/orlando-application-development/page/integrate/web-services/reference/r_AvailableWebServices.html

NEW QUESTION 5

A scoped application containing Flow Designer content dedicated to a particular application is called a(n):

- A. Spoke
- B. Bundle
- C. Action
- D. Flow

Answer: A

Explanation:

<https://docs.servicenow.com/bundle/paris-servicenow-platform/page/administer/flow-designer/concept/spokes.html>

A spoke is a scoped application containing Flow Designer content dedicated to a particular application or record type. Flow Designer provides a set of core actions to automate Now Platform® processes. You can add application-specific core actions by activating the associated spoke.

Reference: https://community.servicenow.com/community? id=community_blog&sys_id=7b3af354db93ab80afc902d5ca9619bc

NEW QUESTION 6

How does ServiceNow match inbound email to existing records?

- A. Watermark
- B. Record link
- C. Subject line
- D. sys_id

Answer: A

Explanation:

https://developer.servicenow.com/dev.do#!/learn/courses/tokyo/app_store_learnv2_flowdesigner_tokyo_flow_designer/app_store_learnv2_flowdesigner_tokyo_notifications_in_flow_designer/app_store_learnv2_flowdesigner_tokyo_inbound_email_and_flows

"By default, the system generates a watermark label at the bottom of each notification email to allow matching incoming email to existing records."

https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/concept/c_WorkingWithWatermarks.html

NEW QUESTION 7

What are Application Files in a ServiceNow application?

- A. An XML export of an application's table records
- B. ServiceNow artifacts comprising an application
- C. XML exports of an application's Update Set
- D. CSV files containing data imported into an application

Answer: B

Explanation:

Application Files are ServiceNow artifacts comprising an application. An application is a group of files and data that work together to provide a service or functionality. An application file is a specific type of file that belongs to an application, such as a table, a script, a form, a business rule, a UI action, etc. Application files define the structure, logic, and interface of the application. An XML export of an application's table records, XML exports of an application's Update Set, and CSV files containing data imported into an application are not examples of application files, as they are data formats that can be used to transfer or store information related to an application, but not the application itself. Reference: Application Files

NEW QUESTION 8

Which of the following is an available feature in Studio? Choose 2 answers

- A. Push to external source control
- B. Search branch
- C. Merge branches
- D. Push to update set

Answer: BC

Explanation:

Search branch and merge branches are available features in Studio. Search branch allows you to search for a specific branch name or ID in your Git repository. Merge branches allows you to merge changes from one branch to another, resolving any conflicts that may arise. Push to external source control and push to update set are not available features in Studio. Push to external source control is a feature of Source Control Integration, which is a separate application from Studio. Push to update set is a feature of Update Set Previewer, which is also a separate application from Studio.

Reference: Studio, Source Control Integration, Update Set Previewer

NEW QUESTION 9

From the list below, identify one reason an application might NOT be a good fit with ServiceNow.

The application:

- A. Needs workflow to manage processes
- B. Requires "as-is" use of low-level programming libraries
- C. Requires reporting capabilities
- D. Uses forms extensively to interact with data

Answer: B

Explanation:

From the list below, the following is a reason an application might not be a good fit with ServiceNow:

? Requires “as-is” use of low-level programming libraries. This is the correct answer

because ServiceNow is a high-level platform that abstracts away the low-level details of the underlying infrastructure and technology stack. ServiceNow provides a rich set of APIs, tools, and features that allow users to develop applications without coding or with minimal coding. However, ServiceNow does not support the direct

NEW QUESTION 10

Which one of the following is NOT a purpose of application scoping?

- A. Provide a relationship between application artifacts
- B. Provide a way of tracking the user who developed an application
- C. Provide a namespace (prefix and scope name) to prevent cross application name collisions
- D. Provide controls for how scripts from another scope can alter tables in a scoped application

Answer: B

Explanation:

The purpose of application scoping is NOT to provide a way of tracking the user who developed an application. Application scoping does not store or display information about the user who created or modified an application or its artifacts. The purpose of application scoping is to provide a relationship between application artifacts, provide a namespace to prevent cross-application name collisions, and provide controls for how scripts from another scope can alter tables in a scoped application. References: [Product Documentation | ServiceNow], [Advantages of Scoped Applications in ServiceNow]

NEW QUESTION 10

What are the ways to designate data tables when Guided Application Creator (GAC)?

Choose 3 answers

- A. Upload an existing PDF
- B. Create a new table on the platform
- C. Use an existing table on the platform
- D. Upload an existing spreadsheet
- E. Upload an existing word processing document.
- F. Use a freeform database

Answer: ABD

Explanation:

The Guided Application Creator (GAC) is a tool that helps you create applications on the ServiceNow platform by guiding you through the steps of defining the data model, user interface, and logic. When using the GAC, you can designate data tables in three ways:

? Upload an existing PDF: You can upload a PDF file that contains the table schema and sample data. The GAC will parse the PDF and create the table and fields based on the file content.

? Create a new table on the platform: You can create a new table on the platform by specifying the table name, label, and description. You can also add fields, indexes, and relationships to the table using the GAC.

? Upload an existing spreadsheet: You can upload a spreadsheet file that contains the table schema and sample data. The GAC will parse the spreadsheet and create the table and fields based on the file content.

The other options are not valid ways to designate data tables when using the GAC. You cannot upload an existing word processing document or use a freeform database. You can use an existing table on the platform, but you cannot designate it as a data table. You can only use it as a reference table for lookup fields.

References:

? Guided Application Creator

? Create a table from a PDF or spreadsheet

? Create a table from scratch

NEW QUESTION 13

In a Business Rule, which one of the following returns the sys_id of the currently logged in user?

- A. g_form getUserID()
- B. g_form getUserSysy
- C. gs.getUserSysID()
- D. gs.getUserID()

Answer: D

Explanation:

https://docs.servicenow.com/bundle/tokyo-application-development/page/app-store/dev_portal/API_reference/glideSystemScoped/concept/c_GlideSystemScopedAPI.html

NEW QUESTION 14

Which one of the following is NOT true for Modules?

- A. Access to Modules is controlled with roles
- B. Modules open content pages
- C. Every Module must be associated with a table
- D. Every Module must be part of an Application Menu

Answer: C

Explanation:

The statement that is not true for Modules is that every Module must be associated with a table. A Module is the functionality within an Application Menu that opens a content page in the content frame or a separate tab or window. A Module can be associated with a table, a list, a form, a report, a script, or any other type of page. For example, the Open Module under the Incident Application Menu opens a list of incident records from the Incident table, while the Overview Module under the Performance Analytics Application Menu opens a dashboard page with various charts and widgets. The other statements are true for Modules. Access

to Modules is controlled with roles, as each Module can have one or more roles specified in its definition that determine who can see and access it. Modules open content pages, as they are links to different types of pages that provide information and functionality to users. Every Module must be part of an Application Menu, as they are the second-level navigation options for Applications. Reference: Modules

NEW QUESTION 18

Which of the following is NOT a way to install an application on a ServiceNow instance?

- A. Install an application from the Application Repository
- B. Select the Copy button on the application record
- C. Download and install an application from the ServiceNow Share web site
- D. Download and install a third-party application from the ServiceNow Store

Answer: B

Explanation:

There is no "copy" button on the application record (at least I couldn't see one). Also, see here: https://docs.servicenow.com/bundle/sandiego-application-development/page/build/applications/reference/r_ManagingApplications.html

NEW QUESTION 20

The source control operation used to store local changes on an instance for later application is called a(n) <blank>.

- A. Branch
- B. Tag
- C. Stash
- D. Update set

Answer: C

Explanation:

The source control operation used to store local changes on an instance for later application is called a stash. A stash is a temporary storage area for uncommitted changes that are not ready to be pushed to a remote repository. Developers can use stashes to save their work in progress without committing it to the local repository or discarding it. Stashes can be applied later to restore the changes to the working directory, or dropped if they are no longer needed.

References: [ServiceNow Docs - Stash local changes], [ServiceNow Docs - Source control]

Reference: https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t_StashLocalChanges.html

NEW QUESTION 21

Client-side scripts manage what?

- A. Forms and Forms Fields
- B. Playbook access
- C. Database and backend
- D. User access

Answer: C

Explanation:

https://docs.servicenow.com/bundle/tokyo-application-development/page/script/server-scripting/concept/c_ServerScripting.html

NEW QUESTION 24

What is the purpose of the Application Picker?

- A. Select an application to run
- B. Select an application as a favorite in the Application Navigator
- C. Choose an application to edit and set the Application Scope
- D. Choose an application to download and install

Answer: C

Explanation:

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ApplicationPicker.html

NEW QUESTION 28

In a Business Rule, which one of the following returns true if the currently logged in user has the admin role?

- A. g_form.hasRoleExactly('admin')
- B. gs.hasRole('admin')
- C. g_form.hasRole('admin')
- D. gs.hasRoleExactly('admin')

Answer: B

Explanation:

Business Rule is server-side, so it uses GlideSystem API. gs.hasRoleExactly doesn't exist

In a Business Rule, the following returns true if the currently logged in user has the admin role:

? gs.hasRole('admin'). This is the correct answer because gs is the GlideSystem object, which provides methods for performing system operations, and hasRole is a method that checks if the current user has the specified role. For example, gs.hasRole('admin') will return true if the current user has the admin role, and

false otherwise.

The following do not return true if the currently logged in user has the admin role in a Business Rule:

? g_form.hasRoleExactly('admin'). This is not correct because g_form is the

GlideForm object, which provides methods for manipulating forms, and hasRoleExactly is a method that checks if the current user has exactly the specified role and no other roles. For example, g_form.hasRoleExactly('admin') will return true if the current user has only the admin role, and false if the current user has the admin role and any other role.

? g_form.hasRole('admin'). This is not correct because g_form is the GlideForm

object, which provides methods for manipulating forms, and hasRole is a method

that checks if the current user has the specified role or any role that contains the specified role. For example, g_form.hasRole('admin') will return true if the current user has the admin role or any role that contains the admin role, such as admin_ui or admin_script.

? gs.hasRoleExactly('admin'). This is not correct because gs is the GlideSystem

object, which provides methods for performing system operations, and hasRoleExactly is not a valid method of the gs object. There is no method that checks if the current user has exactly the specified role and no other roles in the gs object. References: Business Rules, GlideSystem, GlideForm

NEW QUESTION 31

What is a Module?

A. The functionality within an application menu such as opening a page in the content frame or a separate tab or window

B. A group of menus, or pages, providing related information and functionality to end-users

C. A way of helping users quickly access information and services by filtering the items in the Application Navigator

D. A web-based way of providing software to end-users

Answer: A

Explanation:

https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/task/t_CreateAModule.html

A module is the functionality within an application menu such as opening a page in the content frame or a separate tab or window. For example, Open is a module under the Problem application menu that opens a list of problem records. Modules are the second level navigation options for applications. Reference: Modules | ServiceNow Tutorials

NEW QUESTION 35

* a. To replace outdated, inadequate, custom business applications and processes

* b. To extend service delivery and management to all enterprise departments

* c. To allow users full access to all ServiceNow tables, records, and fields

* d. To extend the value of ServiceNow

A. a, b, and c

B. a, b, c, and d

C. b, c, and d

D. a, b, and d

Answer: D

Explanation:

The correct combination of statements is a, b, and d. These are possible reasons to build custom applications on ServiceNow:

? To replace outdated, inadequate, custom business applications and processes.

Building custom applications on ServiceNow can help digitize and automate manual or legacy processes that are not covered by existing ServiceNow solutions.

This can improve efficiency, data quality, user experience, and innovation.

? To extend service delivery and management to all enterprise departments.

Building custom applications on ServiceNow can help provide consistent and scalable services across different functions and teams in the organization. This can enhance collaboration, visibility, productivity, and customer satisfaction.

? To extend the value of ServiceNow. Building custom applications on ServiceNow

can help leverage the capabilities and benefits of the Now Platform®, such as low- code development tools, workflow automation engine, AI-powered insights, security operations, etc. This can increase agility, resilience, performance, and value.

The statement c is not a valid reason to build custom applications on ServiceNow:

? To allow users full access to all ServiceNow tables, records, and fields. Building custom applications on ServiceNow does not imply granting users full access to all data and objects in ServiceNow. Access control rules still apply to custom applications and their components to ensure security and compliance.

Reference: Build Custom Apps in ServiceNow – eBook

NEW QUESTION 39

Which of the following methods are useful in Access Control scripts?

A. g_user.hasRole() and current.isNewRecord()

B. gs.hasRole() and current.isNewRecord()

C. g_user.hasRole() and current.isNew()

D. gs.hasRole() and current.isNew()

Answer: B

Explanation:

Access Control scripts are server-side scripts that run when an Access Control rule is evaluated. They can use the gs and current objects to access the GlideSystem and GlideRecord methods, respectively. Some of the useful methods in Access Control scripts are:

? gs.hasRole() - This method checks if the current user has a specified role. It returns true if the user has the role, and false otherwise. For example, gs.hasRole('admin') will return true if the user is an administrator, and false otherwise.

? current.isNewRecord() - This method checks if the current record is a new record that has not been inserted into the database yet. It returns true if the record is new, and false otherwise. For example, current.isNewRecord() will return true if the record is being created, and false if the record is being updated or deleted.

The methods g_user.hasRole() and current.isNew() are not part of the server-side scripting API. They are part of the client-side scripting API, which is used in Client Scripts and UI

Policies. They cannot be used in Access Control scripts. References:

? [Access Control scripts]

? [GlideSystem methods]

? [GlideRecord methods]

Reference: <http://servicenowmypath.blogspot.com/2017/>

NEW QUESTION 43

Which of the following is true about deleting fields from a table?

- A. Any field on a table can be deleted
- B. User-defined non-inherited fields can be detected
- C. Inherited fields can be detected
- D. Table records are deleted when a field is detected

Answer: B

Explanation:

User-defined non-inherited fields can be deleted from a table in ServiceNow. These are fields that are created by users on a specific table and are not inherited from a parent table. Inherited fields cannot be deleted from a table, as they are defined on a parent table and shared by all child tables. Any field on a table cannot be deleted, as some fields are system-defined and essential for the table functionality. Table records are not deleted when a field is deleted, as the field deletion only affects the table structure and not the data. Reference: Delete fields

NEW QUESTION 46

How must Application Access be configured to prevent all other private application scopes from creating configuration records on an application's data tables?

- A. You must create Access Controls to prevent all other application scopes from creating configuration records on an application's data tables rather than using Application Access
- B. Set the Accessible from field value to All application scopes and de-select the Can create option
- C. Set the Accessible from field value to This application scope only and de-select the Allow access to this table via web services option
- D. Set the Accessible from field value to This application scope only

Answer: D

Explanation:

Application Access is a feature that allows you to control the access level of other application scopes to your application's data tables. By setting the Accessible from field value to This application scope only, you can restrict the access to your data tables to only your application scope. This means that other application scopes cannot create, read, write, or delete records on your data tables, unless they have explicit permissions through Access Controls or other means.

References:

? Application Access

? [Application scope]

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_securingapps_rome_application_access

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ExampleDenyingAllDesignAccess.html

NEW QUESTION 49

When configuring the content of an Email Notification, which syntax should be used to reference the properties of an event triggering the Notification?

- A. \${event.<property name>}
- B. \${current.<property name>}
- C. \${property name}.getDisplayValue()
- D. \${gs.<property name>}

Answer: A

Explanation:

<https://www.servicenow.com/community/it-service-management-forum/email-notification/m-p/695221>

Reference: https://community.servicenow.com/community?id=community_QUESTION

NO:&sys_id=e017cbe5db1cdb01dcaf3231f9619a3

When configuring the content of an Email Notification, the following syntax should be used to reference the properties of an event triggering the Notification:

event.<propertyname>. This is the correct syntax to access the properties of the event record that triggered the Email Notification, such as event.name, event.parm1, or event.parm2. For example, {event.parm1} will display the value of the first parameter of the event.

The following syntaxes are not correct for referencing the properties of an event triggering the Notification:

current.<propertyname>. This is the syntax to access the properties of the current record that is associated with the event, such as current.number, current.short description, or current.state. For example, {current.short_description} will display the short description of the current record.

\${property name}.getDisplayValue(). This is the syntax to access the display value of a property of the current record, such as current.state.getDisplayValue(), current.assigned_to.getDisplayValue(), or current.category.getDisplayValue(). For example, current.state.getDisplayValue() will display the state of the current record in a human-readable format, such as New, In Progress, or Closed.

\${gs.<property name>}. This is the syntax to access the properties of the GlideSystem (gs) object, which provides methods for performing system operations, such as gs.now(), gs.getUserID(), or gs.getProperty(). For example, gs.now() will display the current date and time of the system. References: Email Notifications, Email Notification Variables

NEW QUESTION 53

Identify characteristic(s) of a Record Producer. Choose 3 answers

- A. Graphics can be included on the user interface.
- B. All records created using this strategy are inserted into the Requested Item [sc_req_item] table.
- C. You can script behaviors of fields in the user interface.
- D. They must be scripted.
- E. Each field prompts the user with a question rather than a field label.

Answer: ACE

Explanation:

A Record Producer is a type of service catalog item that allows users to create records on a specified table. A Record Producer has the following characteristics:
? Graphics can be included on the user interface: You can add images, icons, or banners to the Record Producer to make it more appealing and informative for the user. You can also use HTML and CSS to customize the layout and style of the Record Producer.

? You can script behaviors of fields in the user interface: You can use Client Scripts

and UI Policies to control the behavior and appearance of the fields on the Record Producer. For example, you can use Client Scripts to validate the field inputs, perform calculations, or populate default values. You can also use UI Policies to show or hide fields, make fields mandatory or read-only, or set field values based on conditions.

? Each field prompts the user with a question rather than a field label: You can use

the Variable Question field to define the question that prompts the user for the field value. The question can be more descriptive and user-friendly than the field label. For example, you can use the question "What is the name of the project?" instead of the field label "Name".

The other statements are not true for Record Producers. Record Producers do not always insert records into the Requested Item [sc_req_item] table. They can insert records into any table that is specified in the Record Producer properties. Record Producers also do not have to be scripted. They can use the default script that maps the variable values to the record fields, or they can use a custom script that defines the logic for creating the record. References:

? [Record Producers]

? [Record Producer properties]

? [Record Producer scripts]

NEW QUESTION 56

What is the ServiceNow store?

- A. The source for ServiceNow Community created developer content
- B. Marketplace for free and paid certified ServiceNow applications and integrations
- C. Downloadable content ServiceNow script archive
- D. Alternate name for the ServiceNow Developer Share site

Answer: B

Explanation:

The ServiceNow Store is a marketplace for free and paid certified ServiceNow applications and integrations. The ServiceNow Store provides customers with access to Now Certified enterprise workflow apps from partners that complement and extend ServiceNow products and solutions. Customers can browse, try, buy, and deploy apps and integrations that suit their needs and enhance their ServiceNow experience. The ServiceNow Store is not the source for ServiceNow Community created developer content, as that is available on the Developer Portal or the Share site. The ServiceNow Store is not a downloadable content ServiceNow script archive, as that is available on the Script Library or the Script Repository. The ServiceNow Store is not an alternate name for the ServiceNow Developer Share site, as that is a separate site where developers can share applications, code snippets, UI pages, etc. Reference: ServiceNow Store

NEW QUESTION 57

The task table is an example of which of the following? Choose 2 answers

- A. Legacy class
- B. Child class
- C. Base class
- D. Parent class

Answer: CD

Explanation:

"A table that extends another table is called a child class, and the table it extends is the parent class" - this is about halfway down in this link below:

<https://docs.servicenow.com/en-US/bundle/tokyo-platform-administration/page/administer/table-administration/concept/table-extension-and-classes.html>

NEW QUESTION 58

Which one of the following is NOT part of the Form Designer?

- A. Form layout
- B. Page header
- C. Schema map
- D. Field navigator

Answer: C

Explanation:

https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app_store_learnv2_learnmore_sandiego_learn_more/app_store_learnv2_learnmore_sandiego_form_and_list_layouts/app_store_learnv2_learnmore_sandiego_what_is_form_designer

The Form Designer is a tool that allows you to create and customize forms on the ServiceNow platform. The Form Designer has four main components:

? Form layout: The form layout shows the preview of the form and allows you to drag

and drop fields, sections, and related lists onto the form. You can also resize, reorder, and delete the elements on the form layout.

? Page header: The page header shows the name of the table and the form that you

are editing. You can also access the form properties, save the form, and switch to the form view from the page header.

? Field navigator: The field navigator shows the list of available fields for the table

and allows you to search, filter, and add fields to the form. You can also create new fields and edit existing fields from the field navigator.

? Schema map: The schema map is not part of the Form Designer. The schema

map is a separate tool that shows the relationships between tables and fields on the platform. You can access the schema map from the System Definition > Tables module or from the context menu of a table.

References:

? [Form Designer]

? [Schema map]

NEW QUESTION 62

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

CAD Practice Exam Features:

- * CAD Questions and Answers Updated Frequently
- * CAD Practice Questions Verified by Expert Senior Certified Staff
- * CAD Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CAD Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The CAD Practice Test Here](#)