



Microsoft

Exam Questions AI-102

Designing and Implementing an Azure AI Solution

NEW QUESTION 1

DRAG DROP - (Topic 3)

You are using a Language Understanding service to handle natural language input from the users of a web-based customer agent.

The users report that the agent frequently responds with the following generic response: "Sorry, I don't understand that."

You need to improve the ability of the agent to respond to requests.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

(Choose three.)

Actions	Answer Area
Add prebuilt domain models as required.	
Validate the utterances logged for review and modify the model.	
Migrate authoring to an Azure resource authoring key.	
Enable active learning.	
Enable log collection by using Log Analytics.	
Train and republish the Language Understanding model.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- enable active learning
- validate the utterances
- train and republish

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-queries-to-enable-active-learning>
<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-prebuilt-model>

NEW QUESTION 2

HOTSPOT - (Topic 3)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	Platform as a service (PaaS) database offerings in Azure require less setup and configuration effort than infrastructure as a service (IaaS) database offerings.	<input type="radio"/>	<input type="radio"/>
	Platform as a service (PaaS) database offerings in Azure provide end users with the ability to control and update the operating system version.	<input type="radio"/>	<input type="radio"/>
	All relational and non-relational platform as a service (PaaS) database offerings in Azure can be paused to reduce costs.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area	Statements	Yes	No
	Platform as a service (PaaS) database offerings in Azure require less setup and configuration effort than infrastructure as a service (IaaS) database offerings.	<input checked="" type="radio"/>	<input type="radio"/>
	Platform as a service (PaaS) database offerings in Azure provide end users with the ability to control and update the operating system version.	<input type="radio"/>	<input checked="" type="radio"/>
	All relational and non-relational platform as a service (PaaS) database offerings in Azure can be paused to reduce costs.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 3

- (Topic 3)

You have an Azure IoT hub that receives series data from machinery. You need to build an app that will perform the following actions:

- Perform anomaly detection across multiple correlated sensors
- Identify the root cause of process stops.
- Send incident alerts

The solution must minimize development time. Which Azure service should you use?

- A. Azure Metrics Advisor
- B. Form Recognizer

- C. Azure Machine teaming
- D. Anomaly Detector

Answer: D

NEW QUESTION 4


HOTSPOT - (Topic 3)

You build a chatbot by using Azure OpenAI Studio.

You need to ensure that the responses are more deterministic and less creative. Which two parameters should you configure? To answer, select the appropriate parameters in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 5

- (Topic 3)

Your company uses an Azure Cognitive Services solution to detect faces in uploaded images. The method to detect the faces uses the following code.

```
static async Task DetectFaces(string imagePath)
{
    HttpClient client = new HttpClient();
    DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", subscriptionKey);
    string requestParameter = "detectionModel=detection_01&returnFaceId=true&returnFaceLandmarks=false";
    string uri = endpoint + "/face/v1.0/detect?" + requestParameters;
    HttpResponseMessage response;
    byte[] byteData = GetImagesAsByteArray(imageFilePath);
    using (ByteArrayContent content = new ByteArrayContent(byteData))
    {
        Headers.ContentType = new MediaTypeHeaderValue("application/octet-stream");
        response = await PostAsync(uri, content);
        string contentString = await Content.ReadAsStringAsync();
        ProcessDetection(contentString);
    }
}
```

You discover that the solution frequently fails to detect faces in blurred images and in images that contain sideways faces.

- A. Use a different version of the Face API.
- B. Use the Computer Vision service instead of the Face service.
- C. Use the Identify method instead of the Detect method.
- D. Change the detection model. You need to increase the likelihood that the solution can detect faces in blurred images and images that contain sideways faces. What should you do?

Answer: D

Explanation:

Evaluate different models.

The best way to compare the performances of the detection models is to use them on a sample dataset. We recommend calling the Face - Detect API on a variety of images, especially images of many faces or of faces that are difficult to see, using each detection model. Pay attention to the number of faces that each model returns.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/specify-detection-model>

NEW QUESTION 6

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

Relational data is stored in

a file system as unstructured data.
 a hierarchal folder structure.
 a tabular form of rows and columns.
 comma-separated value (CSV) files.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Relational data is stored in

a file system as unstructured data.
 a hierarchal folder structure.
 a tabular form of rows and columns.
 comma-separated value (CSV) files.

NEW QUESTION 7

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet.

Solution: You deploy service1 and a public endpoint, and you configure an IP firewall rule. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 8

- (Topic 3)

You are building a retail kiosk system that will use a custom neural voice. You acquire audio samples and consent from the voice talent. You need to create a voice talent profile.

What should you upload to the profile?

- A. a five-minute wav or mp3 file of the voce talent describing the kiosk system
- B. a five-minute .flac audio file and the associated transcript as a w file
- C. a .wav or mp3 file of the voice talent consenting to the creation of a synthetic version of their voice
- D. a .zip file that contains 10-second .wav files and the associated transcripts as .txt files

Answer: D

NEW QUESTION 9

- (Topic 3)

You need to upload speech samples to a Speech Studio project. How should you upload the samples?

- A. Combine the speech samples into a single audio file in the .wma format and upload the file.
- B. Upload a .zip file that contains a collection of audio files in the .wav format and a corresponding text transcript file.
- C. Upload individual audio files in the FLAC format and manually upload a correspondingtranscript in Microsoft Word format.
- D. Upload individual audio files in the .wma format.

Answer: B

Explanation:

To upload your data, navigate to the Speech Studio . From the portal, click Upload data to launch the wizard and create your first dataset. You'll be asked to select a speech data type for your dataset, before allowing you to upload your data.

The default audio streaming format is WAV

Use this table to ensure that your audio files are formatted correctly for use with Custom Speech:

Property	Value
File format	RIFF (WAV)
Sample rate	8,000 Hz or 16,000 Hz
Channels	1 (mono)
Maximum length per audio	2 hours
Sample format	PCM, 16-bit
Archive format	.zip
Maximum archive size	2 GB

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/how-to-custom-speech-test-and-train>

NEW QUESTION 10

- (Topic 3)

You have an Azure subscription. The subscription contains an Azure OpenAI resource that hosts a GPT-3.5 Turbo model named Model1.

You configure Model1 to use the following system message: "You are an AI assistant that helps people solve mathematical puzzles. Explain your answers as if the request is by a 4- year-old."

Which type of prompt engineering technique is this an example of?

- A. few-shot learning
- B. affordance
- C. chain of thought
- D. priming

Answer: D

NEW QUESTION 10

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

- A data analyst
- A data engineer
- A data scientist
- A database administrator

_____ is responsible for creating visuals and charts that help a company make informed decisions.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



is responsible for creating visuals and charts that help a company make informed decisions.

NEW QUESTION 15

- (Topic 3)

You develop a custom question answering project in Azure Cognitive Service for Language. The project will be used by a chatbot. You need to configure the project to engage in multi-turn conversations. What should you do?

- A. Add follow-up prompts.
- B. Enable active learning.
- C. Add alternate questions.
- D. Enable chit-chat.

Answer: A

NEW QUESTION 16

- (Topic 3)

You are designing a conversational interface for an app that will be used to make vacation requests. The interface must gather the following data:

- The start date of a vacation
- The end date of a vacation
- The amount of required paid time off

The solution must minimize dialog complexity. Which type of dialog should you use?

- A. Skill
- B. waterfall
- C. adaptive
- D. component

Answer: D

NEW QUESTION 19

- (Topic 3)

Your company needs to implement a relational database in Azure. The solution must minimize ongoing maintenance. Which Azure service should you use?

- A. SQL Server on Azure Virtual Machines
- B. Azure SQL Database
- C. Azure HDInsight
- D. Azure Cosmos DB

Answer: B

NEW QUESTION 23

DRAG DROP - (Topic 3)

You plan to build a chatbot to support task tracking.

You create a Language Understanding service named lu1.

You need to build a Language Understanding model to integrate into the chatbot. The solution must minimize development time to build the model.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose four.)

Actions

Answer Area

- Train the application.
- Publish the application.
- Add a new application.
- Add example utterances.
- Add the prebuilt domain ToDo.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Add a new application
- * 2. Add a prebuilt domain intent ToDo (it has already utterances so we can skip this step)
- * 3. Train
- * 4. Publish

NEW QUESTION 26

HOTSPOT - (Topic 3)

You are building a bot and that will use Language Understanding. You have a LUDown file that contains the following content.

```
## Confirm
- confirm
- ok
- yes

## ExtractName
- call me steve !
- i am anna
- (i'm|i am) {@PersonName.Any}[.]
- my name is {@PersonName.Any}[.]

## Logout
- forget me
- log out

## SelectItem
- choose last
- choose the {@DirectionalReference=bottom left}
- choose {@DirectionalReference=top right}
- i like {@DirectionalReference=left} one

## SelectNone
- none

@m1 DirectionalReference
@prebuilt personName
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

SelectItem is [answer choice].

- a domain
- an entity
- an intent
- an utterance

Choose {@DirectionalReference=top right} is [answer choice].

- a domain
- an entity
- an intent
- an utterance

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SelectItem is [answer choice].

a domain
an entity
an intent
an utterance

Choose {@DirectionalReference=top right} is [answer choice].

a domain
an entity
an intent
an utterance

NEW QUESTION 29

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training.

Find contacts in London. Who do I know in Seattle? Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new intent for location.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 33

HOTSPOT - (Topic 3)

You are developing an application that includes language translation.

The application will translate text retrieved by using a function named getTextToBeTranslated. The text can be in one of many languages. The content of the text must remain within the Americas Azure geography.

You need to develop code to translate the text to a single language.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

* * *
var endpoint =  ;

var apiKey = "FF956C68883821B38691ABD200A4C606";
var text = getTextToBeTranslated();
var body = '[{"Text":"' + text + '"}]';
var client = new HttpClient();
client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", apiKey);


var uri = endpoint + &quot;?from=en&quot;;
var uri = endpoint + &quot;?suggestedFrom=en&quot;;
var uri = endpoint + &quot;?to=en&quot;;

HttpResponseMessage response;
var content = new StringContent(body, Encoding.UTF8, "application/json");
var response = await client.PutAsync(uri, content);
* * *

```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```

* * *
var endpoint =
    &quot;https://api.cognitive.microsofttranslator.com/translate&quot;;
    &quot;https://api.cognitive.microsofttranslator.com/transliterate&quot;;
    &quot;https://api-apc.cognitive.microsofttranslator.com/detect&quot;;
    &quot;https://api-nam.cognitive.microsofttranslator.com/detect&quot;;
    &quot;https://api-nam.cognitive.microsofttranslator.com/translate&quot;;

var apiKey = "FF956C68883B21B38691ABD200A4C606";
var text = getTextToBeTranslated();
var body = '[{"Text":"' + text + '"}]';
var client = new HttpClient();
client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", apiKey);

var uri = endpoint + &quot;?from=en&quot;;
var uri = endpoint + &quot;?suggestedFrom=en&quot;;
var uri = endpoint + &quot;?to=en&quot;;

HttpResponseMessage response;
var content = new StringContent(body, Encoding.UTF8, "application/json");
var response = await client.PutAsync(uri, content);
* * *

```

NEW QUESTION 37

- (Topic 3)

You have an Azure subscription that contains an Anomaly Detector resource. You deploy a Docker host server named Server 1 to the on-premises network. You need to host an instance of the Anomaly Detector service on Server 1. Which parameter should you include in the docker run command?

- A. Fluentd
- B. Billing
- C. Http Proxy
- D. Mounts

Answer: B

NEW QUESTION 40

- (Topic 3)

Which database transaction property ensures that individual transactions are executed only once and either succeed in their entirety or roll back?

- A. consistency
- B. isolation
- C. atomicity
- D. durability

Answer: A

NEW QUESTION 42

DRAG DROP - (Topic 3)

You have a collection of Microsoft Word documents and PowerPoint presentations in German. You need to create a solution to translate the file to French. The solution must meet the following requirements:

- * Preserve the original formatting of the files.
- * Support the use of a custom glossary.


You create a blob container for German files and a blob container for French files. You upload the original files to the container for German files. Which three actions should you perform in sequence actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Perform an asynchronous translation by using the list of files to be translated.	
Upload a glossary file to the container for German files.	
Upload a glossary file to the container for French files.	
Generate a list of files to be translated.	
Define a document translation specification that has a French target.	
Perform an asynchronous translation by using the document translation specification.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 43

- (Topic 3)

You have a factory that produces food products. You need to build a monitoring solution for staff compliance with personal protective equipment (PPE) requirements. The solution must meet the following requirements:

- identify staff who have removed masks or safety glasses.
- Perform a compliance check every 15 minutes.
- Minimize development effort.
- Minimize costs.

Which service should you use?

- A. Face
- B. Computer Vision
- C. Azure Video Analyzer for Media (formerly Video indexer)

Answer: A

NEW QUESTION 47

- (Topic 3)

You need to develop a solution to provide data to executives. The solution must provide an interactive graphical interface, depict various key performance indicators, and support data exploration by using drill down. What should you use in Microsoft Power BI?

- A. a report
- B. Microsoft Power Apps
- C. a view
- D. a dataflow

Answer: C

NEW QUESTION 52

HOTSPOT - (Topic 3)

You plan to provision Azure Cognitive Services resources by using the following method.

```
{
  CognitiveServicesAccount parameters =
    new CognitiveServicesAccount(null, null, kind, location, name,
      new CognitiveServicesAccountProperties(), new Sku(tier));
  result = client.Accounts.Create(resource_group_name, tier, parameters);
}
```

You need to create a Standard tier resource that will convert scanned receipts into text. How should you call the method? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

provision_resource("res1",

FormRecognizer	"eastus", "S1"
ComputerVision	"eastus", "S1"
CustomVision.Prediction	"useast", "S1"
CustomVision.Training	"S0", "eastus"
FormRecognizer	"S0", "useast"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

provision_resource("res1",

FormRecognizer	"eastus", "S1"
ComputerVision	"eastus", "S1"
CustomVision.Prediction	"useast", "S1"
CustomVision.Training	"S0", "eastus"
FormRecognizer	"S0", "useast"

NEW QUESTION 57

- (Topic 3)

You are building a natural language model. You need to enable active learning. What should you do?

- A. Add show-all-intents=true to the prediction endpoint query.
- B. Enable speech priming.
- C. Add log=true to the prediction endpoint query.
- D. Enable sentiment analysis.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-queries-to-enable-active-learning>

NEW QUESTION 62

- (Topic 3)

You are building an AI solution that will use Sentiment Analysis results from surveys to calculate bonuses for customer service staff. You need to ensure that the solution meets the Microsoft responsible AI principles. What should you do?

- A. Add a human review and approval step before making decisions that affect the staffs financial situation
- B. Include the Sentiment Analysis results when surveys return a low confidence score.
- C. Use all the surveys, including surveys by customers who requested that their account be deleted and their data be removed.
- D. Publish the raw survey data to a central location and provide the staff with access to the location.

Answer: A

NEW QUESTION 64

HOTSPOT - (Topic 3)

You are developing an application that includes language translation.

The application will translate text retrieved by using a function named `get_text_to_be_translated`. The text can be in one of many languages. The content of the text must remain within the Americas Azure geography.

You need to develop code to translate the text to a single language.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```

...
api_key = "FF956C68B83821838691ABD200A4C606"
text = get_text_to_be_translated()
headers = {
    'Content-Type': 'application/json',
    'Ocp-Apim-Subscription-Key': api_key
}
body = {
    'Text': text
}
conn = httplib.HTTPSConnection
conn.request("POST",
response = conn.getresponse()
    conn.request("POST",
        response = conn.getrespons
        response_data = response.r
...

```

["api.cognitive.microsofttranslator.com"]

["api-apc.cognitive.microsofttranslator.com"]

["api-nam.cognitive.microsofttranslator.com"]

"/translate?from=en"

"/translate?suggestedFrom=en"

"/translate?to=en"

"/detect?to=en"

"/detect?from=en"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

```

...
api_key = "FF956C68B83821838691ABD200A4C606"
text = get_text_to_be_translated()
headers = {
    'Content-Type': 'application/json',
    'Ocp-Apim-Subscription-Key': api_key
}
body = {
    'Text': text
}
conn = httplib.HTTPSConnection
conn.request("POST",
response = conn.getresponse()
    conn.request("POST",
        response = conn.getrespons
        response_data = response.r
...

```

["api.cognitive.microsofttranslator.com"]

["api-apc.cognitive.microsofttranslator.com"]

["api-nam.cognitive.microsofttranslator.com"]

"/translate?from=en"

"/translate?suggestedFrom=en"

"/translate?to=en"

"/detect?to=en"

"/detect?from=en"

NEW QUESTION 68

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

Varying fields for each entity in a JSON document is an example of

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Varying fields for each entity in a JSON document is an example of

NEW QUESTION 73

- (Topic 3)

You have a collection of 50,000 scanned documents that contain text. You plan to make the text available through Azure Cognitive Search. You need to configure an enrichment pipeline to perform optical character recognition (OCR) and text analytics. The solution must minimize costs. What should you attach to the skillset?

- A. a new Computer Vision resource
- B. a free (Limited enrichments) Cognitive Services resource
- C. an Azure Machine Learning pipeline
- D. a new Cognitive Services resource that uses the SO pricing tier

Answer: A

Explanation:

The Computer Vision API uses text recognition APIs to extract and recognize text information from images. Read uses the latest recognition models, and is optimized for large, text-heavy documents and noisy images.
 Reference:
<https://docs.microsoft.com/en-us/azure/architecture/solution-ideas/articles/cognitive-search-with-skillsets>

NEW QUESTION 78

DRAG DROP - (Topic 3)

You are developing an application that will recognize faults in components produced on a factory production line. The components are specific to your business. You need to use the Custom Vision API to help detect common faults. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Train the classifier model.	
Upload and tag images.	
Initialize the training dataset.	⬅️
Train the object detection model.	➡️
Create a project.	⬆️ ⬇️

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a project Create a new project.
 Step 2: Upload and tag the images
 Choose training images. Then upload and tag the images.
 Step 3: Train the classifier model. Train the classifier

NEW QUESTION 81

- (Topic 3)

You are developing a monitoring system that will analyze engine sensor data, such as rotation speed, angle, temperature, and pressure. The system must generate an alert in response to atypical values.
 What should you include in the solution?

- A. Application Insights in Azure Monitor
- B. metric alerts in Azure Monitor
- C. Multivariate Anomaly Detection
- D. Univariate Anomaly Detection

Answer: C

NEW QUESTION 85

DRAG DROP - (Topic 3)

You have a Docker host named Host1 that contains a container base image.
 You have an Azure subscription that contains a custom speech-to-text model named model1.
 You need to run model1 on Host1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Configure disk logging.	
Export model1 to Host1.	
Request approval to run the container.	
Retrain the model.	
Run the container.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

According to the course AI-102T00: Designing and Implementing a Microsoft Azure AI Solution1, the correct sequence of actions to run model1 on Host1 is:

- ? Export model1 to Host1
- ? Run the container
- ? Configure disk logging

The explanation and references are as follows:

- ? Export model1 to Host1: This step is required to deploy the custom speech-to-text model to the Docker host. You can use the Azure portal or the Azure CLI to export the model as a container image2.
- ? Run the container: This step is required to start the container and run the model on the Docker host. You can use the Docker CLI to run the container image3.
- ? Configure disk logging: This step is optional but recommended to monitor the performance and health of the container. You can use the Docker CLI to configure disk logging for the container4.

NEW QUESTION 88

- (Topic 3)

You need to store event log data that is semi-structured and received as the logs occur. What should you use?

- A. Azure Table storage
- B. Azure Queue storage
- C. Azure Files

Answer: A

NEW QUESTION 92

HOTSPOT - (Topic 3)

You are developing a text processing solution. You have the function shown below.

Statements	Yes	No
The output will include the following words: our and included.	<input type="radio"/>	<input type="radio"/>
The output will include the following words: Paris, Eiffel, and Tower.	<input type="radio"/>	<input type="radio"/>
The function will output all the key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

- The output will include the following words: our and included.
- The output will include the following words: Paris, Eiffel, and Tower.
- The function will output all the key phrases from the input string to the console.

Yes	No
<input checked="" type="radio"/>	<input type="radio"/>
<input checked="" type="radio"/>	<input type="radio"/>
<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 95

HOTSPOT - (Topic 3)

You have an Azure subscription that has the following configurations:

- Subscription ID: 8d3591aa-96b8-4737-ad09-00f9b1ed35ad
- Tenant ID: 3edfe572-cb54-3ced-ae12-c5c177f39a12


You plan to create a resource that will perform sentiment analysis and optical character recognition (OCR).

You need to use an HTTP request to create the resource in the subscription. The solution must use a single key and endpoint.

How should you complete the request? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 99

- (Topic 3)

You are building a Chatbot by using the Microsoft Bot Framework SDK. The bot will be used to accept food orders from customers and allow the customers to customize each food item. You need to configure the bot to ask the user for additional input based on the type of item ordered. The solution must minimize development effort. Which two types of dialogs should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. adaptive
- B. action
- C. waterfall
- D. prompt
- E. input

Answer: BC

NEW QUESTION 101

HOTSPOT - (Topic 3)

You are developing a service that records lectures given in English (United Kingdom).

You have a method named AppendToTranscriptFile that takes translated text and a language identifier.

You need to develop code that will provide transcripts of the lectures to attendees in their respective language. The supported languages are English, French, Spanish, and German.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
static async Task TranslateSpeechAsync()
{
    var config = SpeechTranslationConfig.FromSubscription("69cad5cc-0ab3-4704-bdff-afb4aa07d85", "uksouth");

    var lang = new List<string>
    {
        "en-GB"
    };
    config.SpeechRecognitionLanguage = "en-GB";
    lang.ForEach(config.AddTargetLanguage);

    using var audioConfig = AudioConfig.FromDefaultMicrophoneInput();
    using var recognizer = new TranslationRecognizer(config, audioConfig);

    var result = await recognizer.RecognizeOnceAsync();
    if (result.Reason == ResultReason.TranslatedSpeech)
    {
        // ...
    }
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: {"fr", "de", "es"}

A common task of speech translation is to specify target translation languages, at least one is required but multiples are supported. The following code snippet sets both French and German as translation language targets.

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    translationConfig.SpeechRecognitionLanguage = "it-IT";
    // Translate to languages. See, https://aka.ms/speech/sttt-languages translationConfig.AddTargetLanguage("fr"); translationConfig.AddTargetLanguage("de");
}
```

Box 2: TranslationRecognizer

After you've created a SpeechTranslationConfig, the next step is to initialize a TranslationRecognizer.

Example code:

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    var fromLanguage = "en-US";
    var toLanguages = new List<string> { "it", "fr", "de" }; translationConfig.SpeechRecognitionLanguage = fromLanguage;
    toLanguages.ForEach(translationConfig.AddTargetLanguage);
    using var recognizer = new TranslationRecognizer(translationConfig);
}
```

NEW QUESTION 104

- (Topic 3)

You have an Azure subscription that contains an AI enrichment pipeline in Azure Cognitive Search and an Azure Storage account that has 10 G8 of scanned documents and images. You need to index the documents and images in the storage account. The solution must minimize how long it takes to build the index. What should you do?

- A. From the Azure portal, configure parallel indexing.
- B. Create a text-based indexer by using the REST API.
- C. From the Azure portal, configure scheduled indexing.
- D. Configure field mappings by using the REST API.

Answer: A

NEW QUESTION 105

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a chatbot that uses question answering in Azure Cognitive Service for Language Users report that the responses of the chatbot lack formality when answering spurious questions

You need to ensure that the chatbot provides formal responses to spurious questions. Solution: From Language Studio, you change the chitchat source to qna_chitchit_friindly.tsv. and then retrain and republish the model. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 107

- (Topic 3)

You use the Custom Vision service to build a classifier.
 After training is complete, you need to evaluate the classifier.
 Which two metrics are available for review? Each correct answer presents a complete solution. (Choose two.)
 NOTE: Each correct selection is worth one point.

- A. recall
- B. F-score
- C. weighted accuracy
- D. precision
- E. area under the curve (AUC)

Answer: AD

Explanation:

Custom Vision provides three metrics regarding the performance of your model: precision, recall, and AP.
 Reference:
<https://www.tallan.com/blog/2020/05/19/azure-custom-vision/>

NEW QUESTION 109

- (Topic 3)
 You plan to perform predictive maintenance.
 You collect IoT sensor data from 100 industrial machines for a year. Each machine has 50 different sensors that generate data at one-minute intervals. In total, you have 5,000 time series datasets.
 You need to identify unusual values in each time series to help predict machinery failures. Which Azure Cognitive Services service should you use?

- A. Anomaly Detector
- B. Cognitive Search
- C. Form Recognizer
- D. Custom Vision

Answer: A


NEW QUESTION 110

HOTSPOT - (Topic 3)
 You are designing a conversation flow to be used in a chatbot.
 You need to test the conversation flow by using the Microsoft Bot Framework Emulator. How should you complete the .chat file? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

```

user=User1
bot=watchbot
user: I want a new watch.
bot: [  ][Delay=3000]

bot: I can help you with that! Let me see what I can find.
bot: Here's what I found.
bot:
[AttachmentLayout=  ]

[Attachment=https://contoso.blob.core.windows.net/watch01.jpg]
[Attachment=https://contoso.blob.core.windows.net/watch02.jpg]
user: I like the first one.
bot: Sure, pulling up more information.
bot: [Attachment=cards\watchProfileCard.json  ]
user: That's nice! Thank you.
bot: Sure, you are most welcome!
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```

user=User1
bot=watchbot
user: I want a new watch.
bot: [ Attachment ][Delay=3000]
      Attachment
      ConversationUpdate
      Typing
bot: I can help you with that! Let me see what I can find.
bot: Here's what I found.
bot:
[AttachmentLayout= adaptivecard ]
                  carousel
                  thumbnail
[Attachment=https://contoso.blob.core.windows.net/watch01.jpg]
[Attachment=https://contoso.blob.core.windows.net/watch02.jpg]
user: I like the first one.
bot: Sure, pulling up more information.
bot: [Attachment=cards\watchProfileCard.json ]
      adaptivecard
      carousel
      list
user: That's nice! Thank you.
bot: Sure, you are most welcome!
    
```

NEW QUESTION 114

HOTSPOT - (Topic 3)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Normalization involves eliminating relationships between database tables.	<input type="radio"/>	<input type="radio"/>
Normalizing a database reduces data redundancy.	<input type="radio"/>	<input type="radio"/>
Normalization improves data integrity.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Normalization involves eliminating relationships between database tables.	<input type="radio"/>	<input checked="" type="radio"/>
Normalizing a database reduces data redundancy.	<input checked="" type="radio"/>	<input type="radio"/>
Normalization improves data integrity.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 117

- (Topic 3)

What is a characteristic of a non-relational database?

- A. full support for Transact-SQL
- B. a fixed schema
- C. self describing entities

Answer: C

NEW QUESTION 118

HOTSPOT - (Topic 3)

You are developing an application to recognize employees' faces by using the Face Recognition API. Images of the faces will be accessible from a URI endpoint. The application has the following code.

```
static async void AddFace(string subscription_key, string personGroupId, string personId, string imageURI)
{
    var client = new HttpClient();
    client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", subscription_key);
    var endpointURI = $"https://westus.api.cognitive.microsoft.com/face/v1.0/persongroups/{personGroupId}/persons/{personId}/persistedFaces";
    HttpResponseMessage response;
    var body = "{ \"url\": \"" + imageURI + "\"}";
    var content = new StringContent(body, Encoding.UTF8, "application/json");
    var response = await client.PutAsync(endpointURI, content);
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
The code will add a face image to a person object in a person group.	<input type="radio"/>	<input type="radio"/>
The code will work for a group of 10,000 people.	<input type="radio"/>	<input type="radio"/>
AddFace can be called multiple times to add multiple face images to a person object.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

B: see this example code from documentation that uses PersonGroup of size 10,000 : <https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/how-to-add-faces>

the question wants to trick you into thinking you need to use a LargePersonGroup for a size of 10,000 - but the documentation for it doesn't include this limitation or criteria: <https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/how-to-use-large-scale>

NEW QUESTION 122

HOTSPOT - (Topic 3)

You have an app named App1 that uses Azure AI Document Intelligence to analyze

medical You have an app named App1 that uses Azure AI Document Intelligence for patients. You send a request to App1 and receive the following response.

```
{
  "status": "succeeded",
  "createdDateTime": "2023-09-14T21:01:02Z",
  "lastUpdatedDateTime": "2023-09-14T21:01:03Z",
  "analyzeResult": {
    "apiVersion": "2023-07-31",
    "modelId": "prebuilt-healthInsuranceCard.us",
    "stringIndexType": "utf16CodeUnit",
    "content": "Blood Pressure 118/72",
    "pages": [
      {
        ...
        "words": [
          {
            "content": "Blood",
            "polygon": [ ... ],
            "confidence": 0.766,
            "span": { ... }
          },
          {
            "content": "Pressure",
            "polygon": [ ... ],
            "confidence": 0.716,
            "span": { ... }
          },
          {
            "content": "118/72",
            "polygon": [ ... ],
            "confidence": 0.761,
            "span": { ... }
          }
        ],
        ...
      }
    ],
    "documents": [
      {
        "docType": "healthInsuranceCard.us",
        "boundingRegions": [ ... ]
      }
    ],
    "fields": {},
    "confidence": 1,
    "spans": [ - ]
  }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth point.

Answer Area

Statements	Yes	No
The chosen model is suitable for the intended use case.	<input type="radio"/>	<input type="radio"/>
The text content was recognized with greater than 70 percent confidence.	<input type="radio"/>	<input type="radio"/>
The form elements were recognized with greater than 70 percent confidence.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The chosen model is suitable for the intended use case.	<input type="radio"/>	<input checked="" type="radio"/>
The text content was recognized with greater than 70 percent confidence.	<input checked="" type="radio"/>	<input type="radio"/>
The form elements were recognized with greater than 70 percent confidence.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 126

- (Topic 3)

You have receipts that are accessible from a URL.

You need to extract data from the receipts by using Form Recognizer and the SDK. The solution must use a prebuilt model.

Which client and method should you use?

- A. the FormRecognizerClient client and the StartRecognizeReceiptsFromUri method
- B. the FormTrainingClient client and the StartRecognizeContentFromUri method
- C. the FormRecognizerClient client and the StartRecognizeReceiptsFromUri method
- D. the FormTrainingClient client and the StartRecognizeReceiptsFromUri method

Answer: D

Explanation:

To analyze receipts from a URL, use the StartRecognizeReceiptsFromUri method Example code:

```
private static async Task AnalyzeReceipt( FormRecognizerClient recognizerClient, string receiptUri)
```

```
{
```

```
    RecognizedFormCollection receipts = await recognizerClient.StartRecognizeReceiptsFromUri(new Uri(receiptUri)).WaitForCompletionAsync();
```

```
Reference:
```

```
https://docs.microsoft.com/en-us/azure/applied-ai-services/form-recognizer/quickstarts/client-library
```

NEW QUESTION 129

- (Topic 3)

You have an Azure Cognitive Search solution and a collection of handwritten letters stored as JPEG files.

You plan to index the collection. The solution must ensure that queries can be performed on the contents of the letters.

You need to create an indexer that has a skillset. Which skill should you include?

- A. key phrase extraction
- B. optical character recognition (OCR)
- C. document extraction
- D. image analysis

Answer: B

NEW QUESTION 133

- (Topic 3)

You are building a Language Understanding model for an e-commerce chatbot. Users can speak or type their billing address when prompted by the chatbot.

You need to construct an entity to capture billing addresses. Which entity type should you use?

- A. machine learned
- B. Regex
- C. list
- D. Pattern.any

Answer: B

Explanation:

Reference:

```
https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-entity-types
```

ML Entity with Structure

An ML entity can be composed of smaller sub-entities, each of which can have its own properties. For example, Address could have the following structure:

```
Address: 4567 Main Street, NY, 98052, USA Building Number: 4567
```

```
Street Name: Main Street State: NY
```

```
Zip Code: 98052 Country: USA
```

NEW QUESTION 134

- (Topic 3)

You plan create an index for an Azure Cognitive Search service by using the Azure portal. The Cognitive Search service will connect to an Azure SQL database

The Azure SQL database contains a table named UserMessages. Each row in User

Messages has a field named MessageCopy that contains the text of social media messages sent by a user

Users will perform full text searches against the MessageCopy field, and the values of the field will be shown to the users-

You need to configure the properties of the index for the MessageCopy field to support the solution.

Which attributes should you enable for the field?

- A. Searchable and Retrievable
- B. Sortable and Retrievable
- C. Searchable and Facetable

D. Filterable and Retrievable

Answer: A

NEW QUESTION 139

- (Topic 3)

A customer uses Azure Cognitive Search.

The customer plans to enable a server-side encryption and use customer-managed keys (CMK) stored in Azure.

What are three implications of the planned change? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. The index size will increase.
- B. Query times will increase.
- C. A self-signed X.509 certificate is required.
- D. The index size will decrease.
- E. Query times will decrease.
- F. Azure Key Vault is required.

Answer: ABF

Explanation:

"Customer-managed keys require an additional billable service, Azure Key Vault, which can be in a different region, but under the same subscription, as Azure Cognitive Search. Enabling CMK encryption will increase index size and degrade query performance."

same document also lists Azure Key Vault as a requirement: <https://docs.microsoft.com/en-us/azure/search/search-security-overview#data-protection>

NEW QUESTION 144

HOTSPOT - (Topic 3)

You are reviewing the design of a chatbot. The chatbot includes a language generation file that contains the following fragment.

Greet(user)

- \${Greeting()}, \${user.name}

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
<code>\${user.name}</code> retrieves the user name by using a prompt.	<input type="radio"/>	<input type="radio"/>
<code>Greet ()</code> is the name of the language generation template.	<input type="radio"/>	<input type="radio"/>
<code>\${Greeting ()}</code> is a reference to a template in the language generation file.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Example: Greet a user whose name is stored in `user.name`

- `${ welcomeUser(user.name) }`

Example: Greet a user whose name you don't know:

- `${ welcomeUser() }`

Box 2: No

Greet(User) is a Send a response action. Box 3: Yes

NEW QUESTION 148

HOTSPOT - (Topic 3)

You develop a test method to verify the results retrieved from a call to the Computer Vision API. The call is used to analyze the existence of company logos in images. The call returns a collection of brands named brands.

You have the following code segment.

```
foreach (var brand in brands)
{
    if (brand.Confidence >= .75)
        Console.WriteLine($"Logo of {brand.Name} between {brand.Rectangle.X},
{brand.Rectangle.Y} and {brand.Rectangle.W}, {brand.Rectangle.H}");
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.	<input type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-left corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.	<input checked="" type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-left corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input checked="" type="radio"/>
The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 150

- (Topic 3)

You are building a flight booking bot by using the Microsoft Bot Framework SDK.

The bot will ask users for their departure date. The bot must repeat the question until a valid date is given, or the users cancel the transaction.

Which type of dialog should you use?

- A. prompt
- B. action
- C. waterfall
- D. adaptive

Answer: A

NEW QUESTION 151

HOTSPOT - (Topic 3)

You are building an app by using the Speech SDK. The app will translate speech from French to German by using natural language processing.

You need to define the source language and the output language.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```

var speechTranslationConfig =
    SpeechTranslationConfig.FromSubscription(speechKey, speechRegion);
speechTranslationConfig.
    speech_translation_config.
    
```

The screenshot shows two dropdown menus. The first dropdown, associated with 'speechTranslationConfig', has 'SpeechRecognitionLanguage' selected and is followed by the text '"fr"'. The second dropdown, associated with 'speech_translation_config', has 'SpeechSynthesisLanguage' selected and is followed by the text '"de"'. Both dropdowns have a list of options including 'AddTargetLanguage', 'SpeechRecognitionLanguage', 'SpeechSynthesisLanguage', 'TargetLanguages', and 'VoiceName'.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

```
var speechTranslationConfig =
SpeechTranslationConfig.FromSubscription(speechKey, speechRegion);
speechTranslationConfig.
speech_translation_config.
```

NEW QUESTION 153

- (Topic 3)

You are training a Language Understanding model for a user support system.

You create the first intent named GetContactDetails and add 200 examples. You need to decrease the likelihood of a false positive.

What should you do?

- A. Enable active learning.
- B. Add a machine learned entity.
- C. Add additional examples to the GetContactDetails intent.
- D. Add examples to the None intent.

Answer: A

Explanation:

Active learning is a technique of machine learning in which the machine learned model is used to identify informative new examples to label. In LUIS, active learning refers to adding utterances from the endpoint traffic whose current predictions are unclear to improve your model.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-glossary>

NEW QUESTION 157

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a chatbot that uses question answering in Azure Cognitive Service for Language Users report that the responses of the chatbot lack formality when answering spurious questions

You need to ensure that the chatbot provides formal responses to spurious questions. Solution: From Language Studio, you change the chitchat source to qna_chitchat_professional.tsv. and then retrain and republish the model. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 161

DRAG DROP - (Topic 3)

You have 100 chatbots that each has its own Language Understanding model. Frequently, you must add the same phrases to each model.

You need to programmatically update the Language Understanding models to include the new phrases.

How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
AddPhraselistAsync	var phraselistId = await client.Features. <input type="text"/>
Phraselist	(appId, versionId, new <input type="text"/>
PhraselistCreateObject	{
Phrases	EnabledForAllModels = false,
SavePhraselistAsync	IsExchangeable = true,
UploadPhraselistAsync	Name = "PL1",
	Phrases = "item1,item2,item3,item4,item5"
	});

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AddPhraseListAsync Example: Add phraselist feature

```
var phraselistId = await client.Features.AddPhraseListAsync(appld, versionId, new
PhraselistCreateObject
```

```
{
EnabledForAllModels = false, IsExchangeable = true, Name = "QuantityPhraselist", Phrases = "few,more,extra"
});
```

```
Box 2: PhraselistCreateObject
```

NEW QUESTION 166

- (Topic 3)

You are building a chatbot.

You need to configure the chatbot to query a knowledge base. Which dialog class should you use?

- A. AdaptiveDialog
- B. QnAMakerDialog
- C. ComponentDialog
- D. SkillDialog

Answer: B

NEW QUESTION 168

- (Topic 3)

You have the following C# method for creating Azure Cognitive Services resources programmatically.

```
static void create_resource(CognitiveServicesManagementClient client, string
resource_name, string kind, string account_tier, string location)
{
    CognitiveServicesAccount parameters =
        new CognitiveServicesAccount(null, null, kind, location, resource_name,
new CognitiveServicesAccountProperties(), new Sku(account_tier));
    var result = client.Accounts.Create(resource_group_name, account_tier,
parameters);
}
```

You need to call the method to create a free Azure resource in the West US Azure region. The resource will be used to generate captions of images automatically. Which code should you use?

- A. create_resource(client, "res1", "ComputerVision", "F0", "westus")
- B. create_resource(client, "res1", "CustomVision.Prediction", "F0", "westus")
- C. create_resource(client, "res1", "ComputerVision", "S0", "westus")
- D. create_resource(client, "res1", "CustomVision.Prediction", "S0", "westus")

Answer: B

Explanation:

<https://azure.microsoft.com/en-us/pricing/details/cognitive-services/computer-vision/>

NEW QUESTION 172

- (Topic 3)

You have a Language service resource that performs the following:

- Sentiment analysis
- Named Entity Recognition (NER)
- Personally Identifiable Information (PII) identification

You need to prevent the resource from persisting input data once the data is analyzed. Which query parameter in the Language service API should you configure?

- A. loggingOptOut
- B. piiCategories
- C. showStats
- D. Model-version

Answer: A

NEW QUESTION 173

- (Topic 3)

You are building a solution that will detect anomalies in sensor data from the previous 24 hours.

You need to ensure that the solution scans the entire dataset, at the same time, for anomalies.

Which type of detection should you use?

- A. batch
- B. streaming
- C. change point

Answer: A

Explanation:

Batch anomaly detection is a type of anomaly detection that scans the entire dataset at once for outliers and unusual patterns. Batch anomaly detection is suitable for offline analysis of historical data, such as sensor data from the previous 24 hours. Batch anomaly detection can use various techniques, such as statistical

methods, machine learning methods, or hybrid methods, to identify anomalies in the data123.

NEW QUESTION 178

DRAG DROP - (Topic 3)

You have a monitoring solution that uses the Azure AI Anomaly Detector service. You provision a server named Server1 that has intermittent internet access. You need to deploy the Azure AI Anomaly Detector to Server 1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Server1, run the docker push command.	
Query the prediction endpoint of the Azure AI Anomaly Detector in Azure.	
Install the Docker Engine on Server1.	
From Server1, run the docker pull command.	
From Server1, run the docker run command.	
Query the prediction endpoint on Server1.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From Server1, run the docker push command.	
Query the prediction endpoint of the Azure AI Anomaly Detector in Azure.	
Install the Docker Engine on Server1.	Install the Docker Engine on Server1.
From Server1, run the docker pull command.	From Server1, run the docker pull command.
From Server1, run the docker run command.	From Server1, run the docker run command.
Query the prediction endpoint on Server1.	Query the prediction endpoint on Server1.

NEW QUESTION 182

- (Topic 3)

You have an app that analyzes images by using the Computer Vision API.

You need to configure the app to provide an output for users who are vision impaired. The solution must provide the output in complete sentences. Which API call should you perform?

- A. readInputStreamAsync
- B. describeImageInStreamAsync
- C. toggleImageInStreamAsync
- D. analyzeImageByDomainInStreamAsync

Answer: D

NEW QUESTION 183

DRAG DROP - (Topic 3)

You are developing a webpage that will use the Video Indexer service to display videos of internal company meetings.

You embed the Player widget and the Cognitive Insights widget into the page. You need to configure the widgets to meet the following requirements:

- ? Ensure that users can search for keywords.
- ? Display the names and faces of people in the video.
- ? Show captions in the video in English (United States).

How should you complete the URL for each widget? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
en-US	
false	
people,keywords	
people,search	
search	
true	

Cognitive Insights Widget	Player Widget
https://www.videoindexer.ai/embed/insights/<accountId>/<videoId>/?widgets= <input type="text" value="Value"/> controls= <input type="text" value="Value"/>	https://www.videoindexer.ai/embed/player/<accountId>/<videoId>/? showcaptions= <input type="text" value="Value"/> captions= <input type="text" value="Value"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, Word, email Description automatically generated

NEW QUESTION 185

- (Topic 3)

You are building a chatbot that will use question answering in Azure Cognitive Service for Language.

You have a PDF named Docl.pdf that contains a product catalogue and a price list You upload Docl.pdf and train the model.

During testing, users report that the chatbot responds correctly to the following question: What is the price of < product>?

The chatbot fails to respond to the following question: How much does <product* cost? You need to ensure that the chatbot responds correctly to both questions.

Solution: From Language Studio, you create an entity for cost, and then retrain and republish the model.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 186

DRAG DROP - (Topic 3)

Match the types of workloads to the appropriate scenarios.

To answer, drag the appropriate workload type from the column on the left to its scenario on the right. Each workload type may be used once, more than once, or not at all.

NOTE: Each correct match is worth one point.

Workload Types	Answer Area
Batch	Workload type Data for a product catalog will be loaded every 12 hours to a data warehouse.
Streaming	Workload type Thousands of data sets per second for online purchases will be loaded into a data warehouse in real time.
	Workload type Updates to inventory data will be loaded to a data warehouse every 1 million transactions.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Workload Types	Answer Area
Batch	Batch Data for a product catalog will be loaded every 12 hours to a data warehouse.
Streaming	Streaming Thousands of data sets per second for online purchases will be loaded into a data warehouse in real time.
Batch	Batch Updates to inventory data will be loaded to a data warehouse every 1 million transactions.

NEW QUESTION 190

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You add the new images, and then use the Smart Labeler tool. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The model need to be extended and retrained.

Note: Smart Labeler to generate suggested tags for images. This lets you label a large number of images more quickly when training a Custom Vision model.

NEW QUESTION 192

- (Topic 3)

You need to measure the public perception of your brand on social media messages. Which Azure Cognitive Services service should you use?


- A. Text Analytics
- B. Content Moderator
- C. Computer Vision
- D. Form Recognizer

Answer: A

Explanation:

Text Analytics Cognitive Service could be used to quickly determine the public perception for a specific topic, event or brand.

Example: A NodeJS app which pulls Tweets from Twitter using the Twitter API based on a specified search term. Then pass these onto Text Analytics for sentiment scoring before storing the data and building a visualisation in PowerBI. The Architecture looked something like this:



Reference:
<https://www.linkedin.com/pulse/measuring-public-perception-azure-cognitive-services- steve-dalai>

NEW QUESTION 195

DRAG DROP - (Topic 3)

You are building a customer support chatbot.

You need to configure the bot to identify the following:

- Code names for internal product development
- Messages that include credit card numbers

The solution must minimize development effort. Which Azure Cognitive Service for Language feature should you use for each requirement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Features	Answer Area
Custom named entity recognition (NER)	Identify code names for internal product development: <input type="text"/>
Key phrase extraction	Identify messages that include credit card numbers: <input type="text"/>
Language detection	
Named Entity Recognition (NER)	
Personally Identifiable Information (PII) detection	
Sentiment analysis	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Features	Answer Area
Custom named entity recognition (NER)	Identify code names for internal product development: Custom named entity recognition (NER)
Key phrase extraction	
Language detection	
Named Entity Recognition (NER)	
Personally Identifiable Information (PII) detection	Identify messages that include credit card numbers: Personally Identifiable Information (PII) detection
Sentiment analysis	

NEW QUESTION 198

- (Topic 3)

Which Azure Storage service implements the key/value model?

- A. Azure Files
- B. Azure Blob
- C. Azure Table
- D. Azure Queue

Answer: C

NEW QUESTION 200

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent

named FindContact.

A conversational expert provides you with the following list of phrases to use for training. Find contacts in London.

Who do I know in Seattle? Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new entity for the domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a new intent for location.

Note: An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance.

Define a set of intents that corresponds to actions users want to take in your application. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 201

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

In an infrastructure as a service (IaaS) instance of Microsoft SQL Server on Azure, you manage the _____ that hosts SQL Server.

- elastic pool
- MySQL server
- PostgreSQL server
- virtual machine

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

In an infrastructure as a service (IaaS) instance of Microsoft SQL Server on Azure, you manage the _____ that hosts SQL Server.

- elastic pool
- MySQL server
- PostgreSQL server
- virtual machine

NEW QUESTION 202

DRAG DROP - (Topic 3)

You have an Azure subscription that contains an Azure OpenAI resource named AH. You plan to build an app named App1 that will write press releases by using AM.


You need to deploy an Azure OpenAI model for App1. The solution must minimize development effort.

Which three actions should you perform in sequence in Azure OpenAI Studio? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a deployment that uses the text-embedding-ada-002 model.
- Apply the Default system message template.
- Create a deployment that uses the GPT-35 Turbo model.
- Apply the Marketing Writing Assistant system message template.
- Deploy the solution to a new web app.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Actions

- Create a deployment that uses the text-embedding-ada-002 model.
- Apply the Default system message template.
- Create a deployment that uses the GPT-35 Turbo model.
- Apply the Marketing Writing Assistant system message template.
- Deploy the solution to a new web app.

Answer Area



- Create a deployment that uses the GPT-35 Turbo model.
- Apply the Marketing Writing Assistant system message template.
- Deploy the solution to a new web app.



NEW QUESTION 207

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1. You plan to create a new Azure Cognitive Search service named service1. You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure a network security group (NSG) for vnet1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/virtual-network/network-security-groups-overview#network-security-groups>
<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-overview>

NEW QUESTION 210

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

When provisioning an Azure Cosmos DB _____, you need to specify which type of API you will use.

account

container

database

item

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

When provisioning an Azure Cosmos DB _____, you need to specify which type of API you will use.

account

container

database

item

NEW QUESTION 211

HOTSPOT - (Topic 3)

You are developing a streaming Speech to Text solution that will use the Speech SDK and MP3 encoding. You need to develop a method to convert speech to text for streaming MP3 data. How should you complete the code? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```
var audioFormat = _____ (AudioStreamContainerFormat.MP3);
var speechConfig = SpeechConfig.FromSubscription("18c51a87-3a69-47a8-aedc-a54745f708a1", "westus");
var audioConfig = AudioConfig.FromStreamInput(pushStream, audioFormat);
using (var recognizer = new _____ (speechConfig, audioConfig))
{
    var result = await recognizer.RecognizeOnceAsync();
    var text = result.Text;
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 213

HOTSPOT - (Topic 3)

You are building an app that will share user images.


You need to configure the app to meet the following requirement's

- uploaded images must be scanned and any text must be extracted from the images.
- Extracted text must be analyzed for the presence of profane language.
- The solution must minimize development effort.

what should you use for each requirement? To answer, select the appropriate opinions in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Extraction: b) Computer Vision

Computer Vision is a service that can analyze images and extract text from them using optical character recognition (OCR) or read API1. OCR can detect and extract printed or handwritten text from images in various languages and formats, such as PDF, TIFF, or JPEG2. Read API can perform asynchronous batch processing of text from multiple images, and can also handle text in tables, mixed languages, and rotated text3.

Profane Language Detection: c) Content Moderator

Content Moderator is a service that can detect and filter out potentially offensive or unwanted content in text, images, and videos. For text, Content Moderator can identify profane or abusive language, personal data, and custom terms that you define. You can also use Content Moderator to review and moderate the content manually or automatically using workflows.

NEW QUESTION 217

- (Topic 3)

You successfully run the following HTTP request.

```
POST https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/providers/Microsoft.CognitiveServices/accounts/contoso/regenerateKey?api-version=2017-04-18
Body{"keyName": "Key2"}
```

What is the result of the request?

- A. A key for Azure Cognitive Services was generated in Azure Key Vault.
- B. A new query key was generated.
- C. The primary subscription key and the secondary subscription key were rotated.
- D. The secondary subscription key was reset.

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/rest/api/searchmanagement/2021-04-01-preview/query-keys/create>

NEW QUESTION 222

- (Topic 3)

You have an Azure Cognitive Search solution and an enrichment pipeline that performs Sentiment Analysis on social media posts.

You need to define a knowledge store that will include the social media posts and the Sentiment Analysis results.

Which two fields should you include in the definition? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. storageContainer
- B. tables
- C. storageConnectionString
- D. files
- E. objects

Answer: DE

NEW QUESTION 227

- (Topic 3)

You have a chatbot that was built by using Microsoft Bot Framework and deployed to Azure.

You need to configure the bot to support voice interactions. The solution must support multiple client apps.

Which type of channel should you use?

- A. Cortana

- B. Microsoft Teams
- C. Direct Line Speech

Answer: C

NEW QUESTION 230

- (Topic 3)

You develop a Conversational Language Understanding model by using Language Studio. During testing, users receive incorrect responses to requests that do NOT relate to the capabilities of the model. You need to ensure that the model identifies spurious requests. What should you do?

- A. Enable active learning.
- B. Add examples to the custom intents.
- C. Add examples to the None intent
- D. Add entities.

Answer: A

NEW QUESTION 233

- (Topic 3)

You are building a chatbot. You need to ensure that the bot will recognize the names of your company's products and codenames. The solution must minimize development effort. Which Azure Cognitive Service for Language service should you include in the solution?

- A. custom text classification
- B. entity linking
- C. custom Named Entity Recognition (NER)
- D. key phrase extraction

Answer: C

NEW QUESTION 234

- (Topic 3)

Which scenario is an example of a streaming workload?

- A. sending transactions daily from point of sale (POS) devices
- B. sending cloud infrastructure metadata every 30 minutes
- C. sending transactions that are older than a month to an archive
- D. sending telemetry data from edge devices

Answer: D

NEW QUESTION 239

HOTSPOT - (Topic 3)

You are developing an internet-based training solution for remote learners. Your company identifies that during the training, some learners leave their desk for long periods or become distracted. You need to use a video and audio feed from each learner's computer to detect whether the learner is present and paying attention. The solution must minimize development effort and identify each learner. Which Azure Cognitive Services service should you use for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From a learner's video feed, verify whether the learner is present:

Face
Speech
Text Analytics

From a learner's facial expression in the video feed, verify whether the learner is paying attention:

Face
Speech
Text Analytics

From a learner's audio feed, detect whether the learner is talking:

Face
Speech
Text Analytics

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

From a learner's video feed, verify whether the learner is present:

Face

Speech

Text Analytics

From a learner's facial expression in the video feed, verify whether the learner is paying attention:

Face

Speech

Text Analytics

From a learner's audio feed, detect whether the learner is talking:

Face

Speech

Text Analytics

NEW QUESTION 242

- (Topic 3)

You are examining the Text Analytics output of an application.

The text analyzed is: "Our tour guide took us up the Space Needle during our trip to Seattle last week."

The response contains the data shown in the following table.

Text	Category	ConfidenceScore
Tour guide	PersonType	0.45
Space Needle	Location	0.38
Trip	Event	0.78
Seattle	Location	0.78
Last week	DateTime	0.80

Which Text Analytics API is used to analyze the text?

- A. Sentiment Analysis
- B. Named Entity Recognition
- C. Entity Linking
- D. Key Phrase Extraction

Answer: B

NEW QUESTION 247

- (Topic 3)

You need to implement a table projection to generate a physical expression of an Azure Cognitive Search index.

Which three properties should you specify in the skillset definition JSON configuration table node? Each correct answer presents part of the solution. (Choose three.)

NOTE: Each correct selection is worth one point.

- A. tableName
- B. generatedKeyName
- C. dataSource
- D. dataSourceConnection
- E. source

Answer: ABE

Explanation:

Defining a table projection.

Each table requires three properties:

tableName: The name of the table in Azure Storage.

generatedKeyName: The column name for the key that uniquely identifies this row. source: The node from the enrichment tree you are sourcing your enrichments from. This node is usually the output of a shaper, but could be the output of any of the skills.

Reference:

<https://docs.microsoft.com/en-us/azure/search/knowledge-store-projection-overview>

NEW QUESTION 250

HOTSPOT - (Topic 3)

A1 You have an Azure OpenAI resource named AH that hosts three deployments of the GPT 3.5 model. Each deployment is optimized for a unique workload.

You plan to deploy three apps. Each app will access AM by using the REST API and will use the deployment that was optimized for the apps intended workload.

You need to provide each app with access to AH and the appropriate deployment. The solution must ensure that only the apps can access AM.

What should you use to provide access to AM, and what should each app use to connect to its appropriate deployment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Provide access to AI1 by using:

Connect to the deployment by using:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Provide access to AI1 by using:

Connect to the deployment by using:

NEW QUESTION 255

- (Topic 3)

You build a chatbot that uses the Azure OpenAI GPT 3.5 model.

You need to improve the quality of the responses from the chatbot. The solution must minimize development effort.

What are two ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct answer is worth one point.

- A. Fine-tune the model.
- B. Provide grounding content.
- C. Add sample request/response pairs.
- D. Retrain the language model by using your own data.
- E. Train a custom large language model (LLM).

Answer: BC

NEW QUESTION 258

- (Topic 3)

You are building a language model by using a Language Understanding service. You create a new Language Understanding resource.

You need to add more contributors. What should you use?

- A. a conditional access policy in Azure Active Directory (Azure AD)
- B. the Access control (1AM) page for the authoring resources in the Azure portal
- C. the Access control (1AM) page for the prediction resources in the Azure portal

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-collaborate>

NEW QUESTION 261

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Cognitive Search service.

During the past 12 months, query volume steadily increased.

You discover that some search query requests to the Cognitive Search service are being throttled.

You need to reduce the likelihood that search query requests are throttled. Solution: You migrate to a Cognitive Search service that uses a higher tier. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

A simple fix to most throttling issues is to throw more resources at the search service (typically replicas for query-based throttling, or partitions for indexing-based throttling). However, increasing replicas or partitions adds cost, which is why it is important to know the reason why throttling is occurring at all.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-performance-analysis>

NEW QUESTION 266

DRAG DROP - (Topic 3)

You plan to use a Language Understanding application named app1 that is deployed to a container.

App1 was developed by using a Language Understanding authoring resource named lu1. App1 has the versions shown in the following table.

Version	Trained date	Published date
V1.2	None	None
V1.1	2020-10-01	None
V1.0	2020-09-01	2020-09-15

You need to create a container that uses the latest deployable version of app1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Answer Area

- Run a container that has version set as an environment variable.
- Export the model by using the Export as JSON option.
- Select v1.1 of app1.
- Run a container and mount the model file.
- Select v1.0 of app1.
- Export the model by using the Export for containers (GZIP) option.
- Select v1.2 of app1.


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Export the model using the Export for containers (GZIP) option. Export versioned app's package from LUIS portal
 The versioned app's package is available from the Versions list page.

- ? Sign on to the LUIS portal.
- ? Select the app in the list.
- ? Select Manage in the app's navigation bar.
- ? Select Versions in the left navigation bar.
- ? Select the checkbox to the left of the version name in the list.
- ? Select the Export item from the contextual toolbar above the list.
- ? Select Export for container (GZIP).
- ? The package is downloaded from the browser.



Step 2: Select v1.1 of app1.

A trained or published app packaged as a mounted input to the container with its associated App ID.

Step 3: Run a contain and mount the model file.

Run the container, with the required input mount and billing settings.

NEW QUESTION 267

DRAG DROP - (Topic 3)

You are building a retail chatbot that will use a QnA Maker service.

You upload an internal support document to train the model. The document contains the following question: "What is your warranty period?"

Users report that the chatbot returns the default QnA Maker answer when they ask the following question: "How long is the warranty coverage?"

The chatbot returns the correct answer when the users ask the following question: "What is your warranty period?"

Both questions should return the same answer.

You need to increase the accuracy of the chatbot responses.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Answer Area

- Add a new question and answer (QnA) pair.
- Retrain the model.
- Add additional questions to the document.
- Republish the model.
- Add alternative phrasing to the question and answer (QnA) pair.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Add alternative phrasing to the question and answer (QnA) pair.

Add alternate questions to an existing QnA pair to improve the likelihood of a match to a user query.

Step 2: Retrain the model.

Periodically select Save and train after making edits to avoid losing changes. Step 3: Republish the model

Note: A knowledge base consists of question and answer (QnA) pairs. Each pair has one answer and a pair contains all the information associated with that answer.

NEW QUESTION 269

HOTSPOT - (Topic 3)

You create a knowledge store for Azure Cognitive Search by using the following JSON.

```

"knowledgeStore" : {
  "storageConnectionString": "DefaultEndpointsProtocol=https;AccountName=<Acct Name>;AccountKey=<Acct Key>;",
  "projections": [
    {
      "tables": [
        {
          "tableName": "unrelatedDocument",
          "generatedKeyName": "Documentid",
          "source": "/document/pbiShape"
        },
        {
          "tableName": "unrelatedKeyPhrases",
          "generatedKeyName": "KeyPhraseid",
          "source": "/document/pbiShape/keyPhrases"
        }
      ]
    },
    {
      "storageContainer": "unrelatedocrlayout",
      "source": null,
      "sourceContext": "/document/normalized_images/*/layoutText",
      "inputs": [
        {
          "name": "ocrLayoutText",
          "source": "/document/normalized_images/*/layoutText"
        }
      ]
    }
  ],
  "files": []
}

```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE Each correct selection is worth one point.

Answer Area

There will be [answer choice].

- no projection groups
- one projection group
- two projection groups
- four projection groups

Images will [answer choice]

- not be saved.
- be saved to a blob container.
- be saved to file storage.
- be saved to an Azure Data lake.

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

There will be [answer choice].

Images will [answer choice]

- no projection groups
- one projection group
- two projection groups
- four projection groups

- not be saved.
- be saved to a Blob container.
- be saved to file storage.
- be saved to an Azure Data lake.

NEW QUESTION 273

HOTSPOT - (Topic 3)

You need to create a new resource that will be used to perform sentiment analysis and optical character recognition (OCR). The solution must meet the following requirements:

- ? Use a single key and endpoint to access multiple services.
- ? Consolidate billing for future services that you might use.
- ? Support the use of Computer Vision in the future.

How should you complete the HTTP request to create the new resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

https://management.azure.com/subscriptions/xxxxxxx-xxxx-

PATCH
POST
PUT

xxxx-xxxx-
 xxxxxxxxxxxxxx/resourceGroups/RG1/providers/Microsoft.CognitiveServices/
 accounts/CS1?api-version=2017-04-18

```
{
  "location": "West US",
  "kind": " ",
  "sku": {
    "name": "S0"
  },
  "properties": {},
  "identity": {
    "type": "SystemAssigned"
  }
}
```

CognitiveServices
ComputerVision
TextAnalytics

A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: PUT

Sample Request: PUT https://management.azure.com/subscriptions/00000000-0000-0000-0000-000000000000/resourceGroups/test-rg/providers/Microsoft.DeviceUpdate/accounts/contoso?api-version=2020-03-01-preview

NEW QUESTION 276

HOTSPOT - (Topic 3)

You are developing an application that will use the Computer Vision client library. The application has the following code.

```
public async TaskAnalyzeImage(ComputerVisionClient client, string localImage)
{
    List<VisualFeatureTypes> features = new List<VisualFeatureTypes>()
    {
        VisualFeatureTypes.Description,
        VisualFeatureTypes.Tags,
    };
    using (Stream imageStream = File.OpenRead(localImage))
    {
        try
        {
            ImageAnalysis results = await client.AnalyzeImageInStreamAsync(imageStream, features);

            foreach (var caption in results.Description.Captions)
            {
                Console.WriteLine($"{caption.Text} with confidence {caption.Confidence}");
            }

            foreach (var tag in results.Tags)
            {
                Console.WriteLine($"{tag.Name} {tag.Confidence}");
            }
        }
        catch (Exception ex)
        {
            Console.WriteLine(ex.Message);
        }
    }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The code will perform face recognition.	<input type="radio"/>	<input type="radio"/>
The code will list tags and their associated confidence.	<input type="radio"/>	<input type="radio"/>
The code will read a file from the local file system.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The code will perform face recognition.	<input type="radio"/>	<input checked="" type="radio"/>
The code will list tags and their associated confidence.	<input checked="" type="radio"/>	<input type="radio"/>
The code will read a file from the local file system.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 277

DRAG DROP - (Topic 3)

You build a bot by using the Microsoft Bot Framework SDK. You need to test the bot interactively on a local machine.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions


- Register the bot with the Azure Bot Service.
- Open the Bot Framework Composer.
- Build and run the bot.
- Open the Bot Framework Emulator.
- Connect to the bot endpoint.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 280

- (Topic 3)

You need to measure the public perception of your brand on social media by using natural language processing. Which Azure service should you use?

- A. Content Moderator
- B. Form Recognizer
- C. Computer Vision
- D. Language service

Answer: D

NEW QUESTION 282

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a chatbot that uses question answering in Azure Cognitive Service for Language Users report that the responses of the chatbot lack formality when answering spurious questions

You need to ensure that the chatbot provides formal responses to spurious questions. Solution: From Language Studio, you remove all the chit-chat question and answer pairs, and then retrain and republish the model Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Removing all the chit-chat question and answer pairs from the project will not ensure that the chatbot provides formal responses to spurious questions. It will only make the chatbot unable to handle any chit-chat scenarios, which may result in a poor user experience and a loss of engagement. Instead, you should choose a chit-chat personality that matches the tone and style of your chatbot, such as Professional or Caring. You can also edit the chit-chat questions and answers to suit your specific needs, or add new ones that are not in the predefined data set. This way, you can ensure that the chatbot responds appropriately to spurious questions, while still maintaining a conversational and engaging interaction with the user.

NEW QUESTION 285

HOTSPOT - (Topic 3)

You are building a model that will be used in an iOS app.

You have images of cats and dogs. Each image contains either a cat or a dog.

You need to use the Custom Vision service to detect whether the images is of a cat or a dog.

How should you configure the project in the Custom Vision portal? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Project Types: ▼

- Classification
- Object Detection

Classification Types: ▼

- Multiclass (Single tag per image)
- Multilabel (Multiple tags per image)

Domains: ▼

- Audit
- Food
- General
- General (compact)
- Landmarks
- Landmarks (compact)
- Retail
- Retail (compact)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Classification

Box 2: Multiclass

A multiclass classification project is for classifying images into a set of tags, or target labels. An image can be assigned to one tag only.

Box 3: General

General: Optimized for a broad range of image classification tasks. If none of the other specific domains are appropriate, or if you're unsure of which domain to choose, select one of the General domains.

NEW QUESTION 290

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

A relational database is appropriate for scenarios that involve a high volume of

- changes to relationships between entities.
- geographically distributed writes.
- transactional writes.
- writes that have varying data structures.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A relational database is appropriate for scenarios that involve a high volume of

- changes to relationships between entities.
- geographically distributed writes.
- transactional writes.
- writes that have varying data structures.

NEW QUESTION 295

- (Topic 3)

You need to create a visualization of running sales totals per quarter as shown in the following exhibit.

Sales by Year and Quarter



What should you create in Cower BI Desktop;1

- A. a waterfall chart
- B. a ribbon chart
- C. a bar chart
- D. a decomposition tree

Answer: C

NEW QUESTION 297

- (Topic 3)

You are building an Azure WebJob that will create knowledge bases from an array of URLs.

You instantiate a QnAMakerClient object that has the relevant API keys and assign the object to a variable named client.

You need to develop a method to create the knowledge bases.

Which two actions should you include in the method? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a list of FileDTO objects that represents data from the WebJob.
- B. Call the clien
- C. Knowledgebas
- D. CreateAsync method.

- E. Create a list of QnADTO objects that represents data from the WebJob.
- F. Create a CreateKbDTO object.

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/rest/api/cognitiveservices-qnamaker/qnamaker4.0/knowledgebase/create>

NEW QUESTION 298

HOTSPOT - (Topic 3)

You are building an app that will process incoming email and direct email messages to either French or English language support teams.

Which Azure Cognitive Services API should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

NEW QUESTION 300

- (Topic 3)

You build a custom Form Recognizer model.

You receive sample files to use for training the model as shown in the following table.

Name	Type	Size
File1	PDF	20 MB
File2	MP4	100 MB
File3	JPG	20 MB
File4	PDF	100 MB
File5	GIF	1 MB
File6	JPG	40 MB

Which three files can you use to train the model? Each correct answer presents a complete solution. (Choose three.)

NOTE: Each correct selection is worth one point.

- A. File1
- B. File2
- C. File3
- D. File4
- E. File5
- F. File6

Answer: ACF

Explanation:

Input requirements

Form Recognizer works on input documents that meet these requirements:

Format must be JPG, PNG, PDF (text or scanned), or TIFF. Text-embedded PDFs are best because there's no possibility of error in character extraction and location.

File size must be less than 50 MB.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/form-recognizer/overview>

NEW QUESTION 301

- (Topic 3)

You have an Azure Cognitive Search instance that indexes purchase orders by using Form Recognizer. You need to analyze the extracted information by using Microsoft Power BI. The solution must minimize development effort. What should you add to the indexer?

- A. a table projection
- B. a projection group
- C. an object projection
- D. a file projection

Answer: C

NEW QUESTION 303

HOTSPOT - (Topic 3)

You have a Computer Vision resource named contoso1 that is hosted in the West US Azure region. You need to use contoso1 to make a different size of a product photo by using the smart cropping feature.

How should you complete the API URL? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
curl -H "Ocp-Apim-Subscription-Key: xxx" /
-o "sample.png" -H "Content-Type: application/json" /
?width=100&height=100&smartCropping=true" /
-d "{\"url\":\"https://upload.litwareinc.org/litware/bicycle.jpg\"}"
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

westus.api.cognitive.microsoft.com generateThumbnail
<https://docs.microsoft.com/en-us/rest/api/computervision/3.1/generate-thumbnail/generate-thumbnail#examples>
 POST
<https://westus.api.cognitive.microsoft.com/vision/v3.1/generateThumbnail?width=500&height=500&smartCropping=True>
 Ocp-Apim-Subscription-Key: {API key}

NEW QUESTION 307

- (Topic 3)

You are building a chatbot by using the Microsoft Bot Framework Composer as shown in the exhibit. (Click the Exhibit tab.)

The chatbot contains a dialog named GetUserDetails. GetUserDetails contains a TextInput control that prompts users for their name. The user input will be stored in a property named name. You need to ensure that you can dispose of the property when the last active dialog ends. Which scope should you assign to name?

- A. dialog
- B. user
- C. curn
- D. conversation

Answer: A

Explanation:

The dialog scope associates properties with the active dialog. Properties in the dialog scope are retained until the dialog ends.

Reference:

<https://docs.microsoft.com/en-us/composer/concept-memory?tabs=v2x>

NEW QUESTION 308

- (Topic 3)

You have a file share that contains 5,000 images of scanned invoices.

You need to analyze the images. The solution must extract the following data:

- Invoice items
 - Sales amounts
 - Customer details
- What should you use?

- A. Custom Vision
- B. Computer Vision
- C. Immersive Reader
- D. Form Recognizer

Answer: C

NEW QUESTION 311

- (Topic 3)

What is used to define a query in a stream processing jobs in Azure Stream Analytics?

- A. SQL
- B. XML
- C. YAML
- D. KQL

Answer: A

NEW QUESTION 312

HOTSPOT - (Topic 3)

You are developing a text processing solution. You develop the following method.

```
static void GetKeyPhrases(TextAnalyticsClient textAnalyticsClient, string text)
{
    var response = textAnalyticsClient.ExtractKeyPhrases(text);
    Console.WriteLine("Key phrases:");

    foreach (string keyphrase in response.Value)
    {
        Console.WriteLine($"{keyphrase}");
    }
}
```

You call the method by using the following code. GetKeyPhrases(textAnalyticsClient, "the cat sat on the mat");

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The call will output key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>
The output will contain the following words: the, cat, sat, on, and mat.	<input type="radio"/>	<input type="radio"/>
The output will contain the confidence level for key phrases.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The Key Phrase Extraction API evaluates unstructured text, and for each JSON document, returns a list of key phrases.

Box 2: No

'the' is not a key phrase.

This capability is useful if you need to quickly identify the main points in a collection of documents. For example, given input text "The food was delicious and there were wonderful staff", the service returns the main talking points: "food" and "wonderful staff".

Box 3: No

Key phrase extraction does not have confidence levels.

NEW QUESTION 314

DRAG DROP - (Topic 3)

You have a factory that produces cardboard packaging for food products. The factory has intermittent internet connectivity.

The packages are required to include four samples of each product.

You need to build a Custom Vision model that will identify defects in packaging and provide the location of the defects to an operator. The model must ensure that

each package contains the four products.

Which project type and domain should you use? To answer, drag the appropriate options to the correct targets. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 316

- (Topic 3)

You are developing a method for an application that uses the Translator API.

The method will receive the content of a webpage, and then translate the content into Greek (el). The result will also contain a transliteration that uses the Roman alphabet.

You need to create the URI for the call to the Translator API. You have the following URI. <https://api.cognitive.microsofttranslator.com/translate?api-version=3.0>

Which three additional query parameters should you include in the URI? Each correct answer presents part of the solution. (Choose three.)

NOTE: Each correct selection is worth one point.

- A. toScript=Cyrl
- B. from=el
- C. textType=html
- D. to=el
- E. textType=plain
- F. toScript=Latn

Answer: ADF

Explanation:

C: textType is an optional parameter. It defines whether the text being translated is plain text or HTML text (used for web pages).

D: to is a required parameter. It specifies the language of the output text. The target language must be one of the supported languages included in the translation scope.

F: toScript is an optional parameter. It specifies the script of the translated text. We use Latin (Roman alphabet) script.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/translator/reference/v3-0-translate>

NEW QUESTION 321

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a chatbot that uses question answering in Azure Cognitive Service for Language. Users report that the responses of the chatbot lack formality when answering random

questions that are outside the scope of the knowledge base.

You need to ensure that the chatbot provides formal responses to these spurious questions.

Solution: From Language Studio, you modify the question and answer pairs for the custom intents, and then retrain and republish the model.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 322

- (Topic 2)

You are developing the chatbot.

You create the following components:

- A QnA Maker resource
- A chatbot by using the Azure Bot Framework SDK

You need to add an additional component to meet the technical requirements and the chatbot requirements. What should you add?

- A. Dispatch
- B. chatdown
- C. Language Understanding
- D. Microsoft Translator

Answer: A

Explanation:

Scenario: All planned projects must support English, French, and Portuguese.

If a bot uses multiple LUIS models and QnA Maker knowledge bases (knowledge bases), you can use the Dispatch tool to determine which LUIS model or QnA Maker knowledge base best matches the user input. The dispatch tool does this by creating a single LUIS app to route user input to the correct model.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-tutorial-dispatch>

NEW QUESTION 326

- (Topic 2)

You are developing the knowledgebase by using Azure Cognitive Search. You need to process wiki content to meet the technical requirements. What should you include in the solution?

- A. an indexer for Azure Blob storage attached to a skillset that contains the language detection skill and the text translation skill
- B. an indexer for Azure Blob storage attached to a skillset that contains the language detection skill
- C. an indexer for Azure Cosmos DB attached to a skillset that contains the document extraction skill and the text translation skill
- D. an indexer for Azure Cosmos DB attached to a skillset that contains the language detection skill and the text translation skill

Answer: C

Explanation:

The wiki contains text in English, French and Portuguese.

Scenario: All planned projects must support English, French, and Portuguese.

The Document Extraction skill extracts content from a file within the enrichment pipeline. This allows you to take advantage of the document extraction step that normally happens before the skillset execution with files that may be generated by other skills.

Note: The Translator Text API will be used to determine the from language. The Language detection skill is not required.

Reference:

<https://docs.microsoft.com/en-us/azure/search/cognitive-search-skill-document-extraction> <https://docs.microsoft.com/en-us/azure/search/cognitive-search-skill-text-translation>

NEW QUESTION 331

HOTSPOT - (Topic 2)

You build a QnA Maker resource to meet the chatbot requirements.

Which RBAC role should you assign to each group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Management-Accountants	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; display: flex; justify-content: flex-end; align-items: center;">▼</div> <ul style="list-style-type: none"> Owner Contributor Cognitive Services User Cognitive Services QnA Maker Read Cognitive Services QnA Maker Editor </div>
Consultant-Accountants	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; display: flex; justify-content: flex-end; align-items: center;">▼</div> <ul style="list-style-type: none"> Owner Contributor Cognitive Services User Cognitive Services QnA Maker Read Cognitive Services QnA Maker Editor </div>
Agent-CustomerServices	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; display: flex; justify-content: flex-end; align-items: center;">▼</div> <ul style="list-style-type: none"> Owner Contributor Cognitive Services User Cognitive Services QnA Maker Read Cognitive Services QnA Maker Editor </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Cognitive Service User

Ensure that the members of a group named Management-Accountants can approve the FAQs.

Approve=publish.

Cognitive Service User (read/write/publish): API permissions: All access to Cognitive Services resource except for ability to:

- * 1. Add new members to roles.
- * 2. Create new resources.

Box 2: Cognitive Services QnA Maker Editor

Ensure that the members of a group named Consultant-Accountants can create and amend the FAQs.

QnA Maker Editor: API permissions:

- * 1. Create KB API
- * 2. Update KB API
- * 3. Replace KB API
- * 4. Replace Alterations
- * 5. "Train API" [in new service model v5]

Box 3: Cognitive Services QnA Maker Read

Ensure that the members of a group named the Agent-CustomerServices can browse the FAQs.

QnA Maker Read: API Permissions:

- * 1. Download KB API
- * 2. List KBs for user API
- * 3. Get Knowledge base details
- * 4. Download Alterations Generate Answer

NEW QUESTION 335

HOTSPOT - (Topic 1)

You are planning the product creation project.

You need to build the REST endpoint to create the multilingual product descriptions. How should you complete the URI? To answer, select the appropriate options in the

answer area.

NOTE: Each correct selection is worth one point.

Answer Area

		<code>?api-version=3.0&to=es&to=pt</code>
api.cognitive.microsofttranslator.com	/detect	
api-nam.cognitive.microsofttranslator.com	/languages	
westus.tts.speech.microsoft.com	/text-to-speech	
wwics.cognitiveservices.azure.com/translator	/translate	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: api-nam.cognitive.microsofttranslator.com

<https://docs.microsoft.com/en-us/azure/cognitive-services/translator/reference/v3-0-reference>

Box 2: /translate

NEW QUESTION 339

DRAG DROP - (Topic 1)

You are planning the product creation project.

You need to recommend a process for analyzing videos.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose four.)

Actions

Answer Area

Index the video by using the Video Indexer API.

Upload the video to blob storage.

Analyze the video by using the Computer Vision API.

Extract the transcript from Microsoft Stream.

Send the transcript to the Language Understanding API as an utterance.

Extract the transcript from the Video Indexer API.

Translate the transcript by using the Translator API.

Upload the video to file storage.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Scenario: All videos must have transcripts that are associated to the video and included in product descriptions. Product descriptions, transcripts, and all text must be available in English, Spanish, and Portuguese.

Step 1: Upload the video to blob storage

Given a video or audio file, the file is first dropped into a Blob Storage. T

Step 2: Index the video by using the Video Indexer API.

When a video is indexed, Video Indexer produces the JSON content that contains details of the specified video insights. The insights include: transcripts, OCRs, faces, topics, blocks, etc.

Step 3: Extract the transcript from the Video Indexer API. Step 4: Translate the transcript by using the Translator API.

NEW QUESTION 342

HOTSPOT - (Topic 1)

You are developing the shopping on-the-go project. You need to build the Adaptive Card for the chatbot.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```

version": "1.3",
"body": [
  {
    "type": "TextBlock",
    "size": "Medium",
    "weight": "Bolder",
    "text": "${
      if(language == 'en', 'en', name)
      name
      name.en
      name[language]
    }"
  },
  {
    "type": "TextBlock",
    "$when": "${stockLevel != 'OK'}"
    "$when": "${stockLevel == 'OK'}"
    "$when": "${stockLevel.OK}"
    color : Attention
  },
  {
    "type": "Image",
    "url": "${image.uri}",
    "size": "Medium",
    "altText": "${
      image.altText.en
      image.altText.language
      image.altText['language']
      image.altText[language]
    }"
  }
]
}

```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Description automatically generated Box 1: name.en
 Box 2: "\$when": "\${stockLevel != 'OK'}"
 Product displays must include images and warnings when stock levels are low or out of stock.
 Box 3:image.altText.en

NEW QUESTION 344


DRAG DROP - (Topic 1)

You are developing the smart e-commerce project.

You need to design the skillset to include the contents of PDFs in searches.

How should you complete the skillset design diagram? To answer, drag the appropriate services to the correct stages. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Blob storage

At the start of the pipeline, you have unstructured text or non-text content (such as images, scanned documents, or JPEG files). Data must exist in an Azure data storage service that can be accessed by an indexer.

Box 2: Computer Vision API

Scenario: Provide users with the ability to search insight gained from the images, manuals, and videos associated with the products.

The Computer Vision Read API is Azure's latest OCR technology (learn what's new) that extracts printed text (in several languages), handwritten text (English only), digits, and currency symbols from images and multi-page PDF documents.

Box 3: Translator API

Scenario: Product descriptions, transcripts, and all text must be available in English, Spanish, and Portuguese.

Box 4: Azure Files

Scenario: Store all raw insight data that was generated, so the data can be processed later.

NEW QUESTION 346

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AI-102 Practice Exam Features:

- * AI-102 Questions and Answers Updated Frequently
- * AI-102 Practice Questions Verified by Expert Senior Certified Staff
- * AI-102 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AI-102 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AI-102 Practice Test Here](#)