

Exam Questions Platform-Developer-I

Platform Developer I

<https://www.2passeasy.com/dumps/Platform-Developer-I/>



NEW QUESTION 1

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

- A. Use the schema describe calls to determine if the logged-in users has access to the Account object.
- B. Use the without sharing keyword on the class declaration.
- C. Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- D. Use the with sharing keyword on the class declaration.

Answer: D

Explanation:

Use the with sharing keyword on the class declaration. The with sharing keyword ensures that the Apex code respects the object-level, field-level, and record-level sharing settings for the user who is running the Apex code. This means that the code will only return records that the user has access to, according to their Sharing Settings. You can find more information about the with sharing keyword in the official Salesforce documentation (https://developer.salesforce.com/docs/atlas.en-us.apexcode.meta/apexcode/apex_classes_keywords_sharing.htm)

NEW QUESTION 2

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Include <apex:message> on the Visualforce page.
- C. Use a try/catch with a custom exception class.
- D. Perform the DML using the Database.upsert() method.

Answer: B

NEW QUESTION 3

The sales management team at Universal Container requires that the Lead Source field of the Lead record be populated when a.. converted. What should be done to ensure that a user populates the Lead Source field prior to converting a Lead?

- A. Use a formula field.
- B. Use a validation rule.
- C. Use Lead Conversation field mapping.
- D. Create an after trigger on Lead.

Answer: B

NEW QUESTION 4

Management asked for opportunities to be automatically created for accounts with annual revenue greater than \$1,000,000. A developer created the following trigger on the Account object to satisfy this requirement.

```
for(Account a: Trigger.new){
    if(a.AnnualRevenue > 1000000){
        List<Opportunity> oppList = [SELECT Id FROM Opportunity WHERE accountId = :a.Id];
        if(oppList.size() == 0){
            Opportunity oppty = new Opportunity(Name = a.name, StageName = 'Prospecting',
loseDate = system.today().addDays(30));
            insert oppty;
        }
    }
}
```

Users are able to update the account records via the UI and can see an opportunity created for high annual revenue accounts. However, when the administrator tries to upload a list of 179 accounts using Data Loader, It fails with system. Exception errors.

Which two actions should the developer take to fix the code segment shown above? Choose 2 answers

- A. Check if all the required fields for Opportunity are being added on creation.
- B. Use Database.query to query the opportunities.
- C. Move the DML that saves opportunities outside the for loop.
- D. Query for existing opportunities outside the for loop.

Answer: CD

NEW QUESTION 5

A custom Visualforce controller calls the ApexPages.addMessage () method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. <apex: pageMessages />
- B. <apex: pageMessage severity="info"/>
- C. <Apex: facet name=" message"/>
- D. <Apex: message for=" info"/>

Answer: B

NEW QUESTION 6

For which three items can 2 trace flag be configured? Choose 3 answers

- A. Flow
- B. Apex Class
- C. User
- D. Apex Trager
- E. Visualforce

Answer: BCD

NEW QUESTION 7

Which three steps allow a custom SVG to be included in a Lightning web component? Choose 3 answers

- A. Upload the SVG as a static resource.
- B. Import the static resource and provide a getter for it in JavaScript.
- C. Reference the getter in the HTML template.
- D. Reference the import in the HTML template.
- E. Import the SVG as a content asset file.

Answer: ABC

NEW QUESTION 8

The following automations already exist on the Account object;

- A workflow rule that updates a field when a certain criteria is met
- A custom validation on a field
- A How that updates related contact records

A developer created a trigger on the Account object.

What should the developer consider while testing the trigger code?

- A. The flow may be launched multiple times.
- B. Workflow rules will fire only after the trigger has committed all DML operations to the database.
- C. A workflow rule field update will cause the custom validation to run again.
- D. The trigger may fire multiple times during a transaction.

Answer: D

NEW QUESTION 9

A developer created a child Lightning web component nested inside a parent Lightning web component, parent component needs to pass a string value to the child component.

In which two ways can this be accomplished? Choose 2 answers

- A. The parent component can use a custom event to pass the data to the child component,
- B. The parent component can use the Apex controller class to send data to the child component.
- C. The parent component can invoke a method in the child component
- D. The parent component can use a public property to pass the data to the child component.

Answer: AD

NEW QUESTION 10

Cloud Kicks Fitness, an ISV Salesforce partner, is developing a managed package application. One of the application modules allows the user to calculate body fat using the Apex class, BodyFat, and its method, calculateBodyFat(). The product owner wants to ensure this method is accessible by the consumer of the application when developing customizations outside the ISV's package namespace.


Which approach should a developer take to ensure calculateBodyFat() is accessible outside the package namespace?

- A. Declare the class and method using the public access modifier.
- B. Declare the class as global and use the public access modifier on the method.
- C. Declare the class as public and use the global access modifier on the method.
- D. Declare the class and method using the global access modifier.

Answer: D

NEW QUESTION 10

A developer created these three Rollup Summary fields in the custom object, Project_ct,



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project. Which should the developer use to Implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered Flow
- B. Formula field
- C. Apex Trigger
- D. Process Builder

Answer: B

NEW QUESTION 12

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. Metadata APT
- B. Bulk API
- C. Setup Menu
- D. SalesforceDX
- E. Tooling API

Answer: CDE

NEW QUESTION 16

What are three capabilities of the <ltng : require> tag when loading JavaScript resources in Aura components? Choose 3 answers

- A. Loading files from Documents
- B. One-time loading for duplicate scripts
- C. Specifying loading order
- D. Loading scripts In parallel
- E. Loading externally hosted scripts

Answer: BCD

NEW QUESTION 21

Cloud kicks has a multi-screen flow its call center agents use when handling inbound service desk calls.

At one of the steps in the flow, the agents should be presented with a list of order number and dates that are retrieved from an external odrer management system in real time and displayed on the screen.


What shuold a developer use to satisfy this requirement?

- A. An invocae method
- B. An apex REST class
- C. An outbound message
- D. An Apex Controller

Answer: B

NEW QUESTION 25

A developer created these three Rollup Summary fields in the custom object, Project__c:



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project. Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered flow
- B. Formula field
- C. Apex trigger
- D. Field Update actions

Answer: B

NEW QUESTION 26

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. ernetit()
- B. fireEvent()
- C. fire()
- D. registerEvent()

Answer: C

NEW QUESTION 31

A developer wants to mark each Account in a List<Account> as either or Inactive based on the LastModified field value being more than 90 days.

Which Apex technique should the developer use?

- A. A for loop, with a switch statement inside
- B. A Switch statement, with a for loop inside
- C. An If/else statement, with a for loop inside
- D. A for loop, with an if/else statement inside

Answer: D

NEW QUESTION 32

Universal Containers decides to use exclusively declarative development to build out a new Salesforce application. Which three options should be used to build out the database layer for the application? Choose 3 answers

- A. Roll-Up Summaries
- B. Triggers
- C. Relationships
- D. Process Builder
- E. Custom Objects and Fields

Answer: ACD

NEW QUESTION 34

An org has an existing Flow that creates an Opportunity with an Update Records element. A developer update the Flow to also create a Contact and store the created Contact's ID on the Opportunity.

Which update should the developer make in the Flow?

- A. Add a new Get Records element.
- B. Add a new Update Records element.
- C. Add a new Quick Action element(of type Create).
- D. Add a new Create Records element.

Answer: D

NEW QUESTION 35

Which three resources in an Azure Component can contain JavaScript functions?

- A. Controllers
- B. helper
- C. Design
- D. Style
- E. Renderer

Answer: ABE

NEW QUESTION 37

A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. Lightning Data Service handles sharing rules and field-level security.
- B. Lightning Data Service ignores field-level security.
- C. The with sharing keyword must be used to enforce sharing rules.
- D. The isAccessible () method must be used for field-level access checks

Answer: A

NEW QUESTION 42

The Account object in an organization has a master detail relationship to a child object called Branch. The following automations exist:

- Rollup summary fields
- Custom validation rules
- Duplicate rules

A developer created a trigger on the Account object.

What two things should the developer consider while testing the trigger code? Choose 2 answers

- A. Rollup summary fields can cause the parent record to go through Save.
- B. The trigger may fire multiple times during a transaction.
- C. Duplicate rules are executed once all DML operations commit to the database.
- D. The validation rules will cause the trigger to fire again.

Answer: AB

NEW QUESTION 43

Which two are best practices when it comes to component and application event handling? (Choose two.)

- A. Reuse the event logic in a component bundle, by putting the logic in the helper.
- B. Use component events to communicate actions that should be handled at the application level.
- C. Handle low-level events in the event handler and re-fire them as higher-level events.
- D. Try to use application events as opposed to component events.

Answer: AC

NEW QUESTION 45

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Developer sandboxes
- B. Scratch orgs
- C. Full Copy sandboxes
- D. Developer orgs

Answer: B

NEW QUESTION 49

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

Answer: A

NEW QUESTION 51

Which action may cause triggers to fire?

- A. Updates to Feed Items
- B. Renaming or replacing a picklist entry
- C. Changing a user's default division when the transfer division option is checked
- D. Cascading delete operations

Answer: A

NEW QUESTION 54

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary__c custom field. what should the developer use, along with a lightning-record-edit form, so that salary__c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary__C?

- A. <lightning-input-field field-name="Salary__c"></lightning-input-field>
- B. <lightning-formatted-number value="Salary__c" format-style="currency"></lightning-formatted-number>
- C. <lightning-input type="number" value="Salary__c" formatter="currency"></lightning-input>
- D. <lightning-input-currency value="Salary__c"></lightning-input-currency>

Answer: A

NEW QUESTION 58

A developer is debugging the following code to determinate why Accounts are not being created Account a = new Account(Name = 'A'); Database.insert(a, false); How should the code be altered to help debug the issue?

- A. Add a System.debug() statement before the insert method
- B. Add a try/catch around the insert method
- C. Set the second insert method parameter to TRUE
- D. Collect the insert method return value a Saveresult variable

Answer: B

NEW QUESTION 62

What is the result of the following code?

- A. The record will not be created and a exception will be thrown.
- B. The record will be created and a message will be in the debug log.
- C. The record will not be created and no error will be reported.
- D. The record will be created and no error will be reported.

Answer: C

NEW QUESTION 63

A company has been adding data to Salesforce and has not done a good Job of limiting the creation of duplicate Lead records. The developer is considering writing an Apex process to identify duplicates and merge the records together.

Which two statements are valid considerations when using merged? Choose 2 answers

- A. The field values on the master record are overwritten by the records being merged.
- B. Merge is supported with accounts, contacts, cases, and leads.
- C. External ID fields can be used with the merge method.
- D. The merge method allows up to three records, including the master and two additional records with the same sObject type, to be merged into the master record.

Answer: BD

NEW QUESTION 65

A custom object Trainer_c has a lookup field to another custom object Gym c. Which SOQL query will get the record for the Viridian City gym and it's trainers?

- A. SELECT Id, (SELECT Id FROM Trainers) FROM Gym_C WHERE Name = 'Viridian City Gym'
- B. SELECT Id, (SELECT Id FROM Trainer_c) FROM Gym_c WHERE Name = 'Viridian City Gym'
- C. SELECT ID FROM Trainer_c WHERE Gym_r.Name = 'Viridian City Gym'

D. SELECT Id, (SELECT Id FROM Trainers) FROM Gym_C WHERE Name = 'Viridian City Gym'

Answer: A

NEW QUESTION 68

A primaryid_c custom field exists on the candidate_c custom object. The field is used to store each candidate's id number and is marked as Unique in the schema definition.

As part of a data enrichment process, Universal Containers has a CSV file that contains updated data for all candidates in the system, the file contains each Candidate's primary id as a data point. Universal Containers wants to upload this information into Salesforce, while ensuring all data rows are correctly mapped to a candidate in the system.

Which technique should the developer implement to streamline the data upload?

- A. Create a Process Builder on the Candidate_c object to map the records.
- B. Create a before Insert trigger to correctly map the records.
- C. Update the primaryid_c field definition to mark it as an External Id
- D. Upload the CSV into a custom object related to Candidate_c.

Answer: C

NEW QUESTION 70

Universal Containers has a Visualforce page that displays a table of every Container_c. being Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

Answer: D

NEW QUESTION 72

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Self-contained and reusable units of an application
- B. Rich component ecosystem
- C. Automatic code generation
- D. Server-side run-time debugging

Answer: AB

NEW QUESTION 73

Which three operations affect the number of times a trigger can fire? Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

Answer: ABE

NEW QUESTION 77

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

- A. Use the @isTest(isParallel=true) annotation in the test class.
- B. Use Test.loadData to populate data in your test methods.
- C. Use the @isTest(seeAllData=true) annotation in the test class.
- D. Create a static resource containing test data.

Answer: BD

NEW QUESTION 78

Consider the following code snippet:

```
public static List<Lead> obtainAllFields(Set<Id> leadIds) {
    List<Lead> result = new List<Lead>();
    for(Id leadId : leadIds){
        result.add([SELECT FIELDS(ALL) FROM Lead WHERE Id = :leadId]);
    }
    return result;
}
```

Given the multi-tenant architecture of the Salesforce platform, what is a best practice a developer should implement and ensure successful execution of the method?

- A. Avoid executing queries without a limit clause.
- B. Avoid returning an empty List of records.
- C. Avoid using variables as query filters.
- D. Avoid performing queries inside for loops.

Answer: D

NEW QUESTION 79

An Apex method, `getAccounts`, that returns a list of Accounts given a searchTerm, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the `getAccounts` method? A)

```
@AuraEnabled(getAccounts, '$searchTerm')
accountList;
```

B)

```
@wire(getAccounts, { searchTerm: '$searchTerm' })
accountList;
```

C)

```
@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })
accountList;
```

D)

```
@wire(getAccounts, '$searchTerm')
accountList;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 83

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

Answer: D

NEW QUESTION 86

A developer wants to invoke an outbound message when a record meets a specific criteria. Which three features satisfy this use case?

Choose 3 answers

- A. Approval Process has the capacity to check the record criteria and send an outbound message without Apex Code
- B. Process builder can be used to check the record criteria and send an outbound message with Apex Code.
- C. workflows can be used to check the record criteria and send an outbound message.
- D. Process builder can be used to check the record criteria and send an outbound message without Apex Code.
- E. Visual Workflow can be used to check the record criteria and send an outbound message without Apex Code.

Answer: ABC

NEW QUESTION 87

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

Answer: C

NEW QUESTION 89

A developer is implementing an Apex class for a financial system. Within the class, the variables 'creditAmount' and 'debtAmount' should not be able to change once a value is assigned. In which two ways can the developer declare the variables to ensure their value can only be assigned one time? Choose 2 answers

- A. Use the static keyword and assign its value in the class constructor.
- B. Use the final keyword and assign its value in the class constructor.
- C. Use the static keyword and assign its value in a static initializer.
- D. Use the final keyword and assign its value when declaring the variable.

Answer: BD

NEW QUESTION 92

What does the Lightning Component framework provide to developers?

- A. Extended governor limits for applications
- B. Prebuilt component that can be reused.
- C. Templates to create custom components.
- D. Support for Classic and Lightning UIs.

Answer: B

NEW QUESTION 96

A developer is tasked to perform a security review of the ContactSearch Apex class that exists in the system. Within the class, the developer identifies the following method as a security threat: `List<Contact> performSearch(String lastName){ return Database.query('Select Id, FirstName, LastName FROM Contact WHERE LastName Like %'+lastName+'%'); }` What are two ways the developer can update the method to prevent a SOQL injection attack? Choose 2 answers

- A. Use variable binding and replace the dynamic query with a static SOQL.
- B. Use the `escapeSingleQuote` method to sanitize the parameter before its use.
- C. Use a regular expression on the parameter to remove special characters.
- D. Use the `@ReadOnly` annotation and the `with sharing` keyword on the class.

Answer: AB

NEW QUESTION 97

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

Answer: A

NEW QUESTION 101

An org tracks customer orders on an Order object and the items of an Order on the Line Item object. The Line Item object has a MasterDetail relationship to the order object. A developer has a requirement to calculate the order amount on an Order and the line amount on each Line item based on quantity and price. What is the correct implementation?

- A. Implement the line amount as a numeric formula field and the order amount as a roll-up summary field.
- B. Write a single before trigger on the Line Item that calculates the item amount and updates the order amount on the Order.
- C. Implement the Line amount as a currency field and the order amount as a SUM formula field.
- D. Write a process on the Line item that calculates the item amount and order amount and updates the field on the Line Item and the order.

Answer: C

NEW QUESTION 105

What can be used to override the Account's standard Edit button for Lightning Experience?

- A. Lightning action
- B. Lightning component
- C. Lightning page
- D. Lightning flow

Answer: B

Explanation:

A Lightning Component can be used to override the Account's standard Edit button for Lightning Experience. This allows the developer to create a custom page with custom fields and custom functionality that can be used instead of the standard Edit page. It also allows for the creation of custom navigation and buttons to make the user experience more intuitive and efficient.

Reference: <https://trailhead.salesforce.com/en/content/learn/projects/quick-start-lightning-components>

NEW QUESTION 106

A developer is creating a Lightning web component to show a list of sales records.

The Sales Representative user should be able to see the commission field on each record. The Sales Assistant user should be able to see all fields on the record except the commission field.

How should this be enforced so that the component works for both users without showing any errors?

- A. Use WITH SECURITY_ENFORCED in the SOQL that fetches the data for the component.
- B. Use Security.stripInaccessible to remove fields inaccessible to the current user.
- C. Use Lightning Data Service to get the collection of sales records.
- D. Use Lightning Locker Service to enforce sharing rules and field-level security.

Answer: B

NEW QUESTION 108

When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in a postalCodeToTimezone_c custom object.

What should be built to implement this feature?

- A. Account custom trigger
- B. Account approval process
- C. Account assignment rule
- D. Account workflow rule

Answer: A

NEW QUESTION 109

Which two settings must be defined in order to update a record of a junction object? Choose 2 answers

- A. Read access on the primary relationship
- B. Read/Write access on the secondary relationship
- C. Read/Write access on the primary relationship
- D. Read/Write access on the junction object

Answer: BC

NEW QUESTION 114

A Salesforce Administrator is creating a record-triggered flow. When certain criteria are met, the flow must call an Apex method to execute complex validation involving several types of objects.

When creating the Apex method, which annotation should a developer use to ensure the method can be used within the flow?

- A. @future
- B. @RemoteAction
- C. @InvocableMethod
- D. @AuraEnabled

Answer: C

NEW QUESTION 115

A developer must troubleshoot to pinpoint the causes of performance issues when a custom page loads in their org. Which tool should the developer use to troubleshoot?

- A. AppExchange
- B. Salesforce CLI
- C. Visual Studio Code IDE
- D. Developer Console

Answer: D

NEW QUESTION 116

Which three Salesforce resources can be accessed from a Lightning web component? Choose 3 answers

- A. SVG resources
- B. Third-party web components
- C. Content asset files
- D. Static resources
- E. All external libraries

Answer: ADE

NEW QUESTION 120

Universal Containers stores the availability date on each Line Item of an Order and Orders are only shipped when all of the Line Items are available. Which method should be used to calculate the estimated ship date for an Order?

- A. Use a CEILING formula on each of the Latest availability date fields.
- B. Use a DAYS formula on each of the availability date fields and a COUNT Roll-Up Summary field on the Order.
- C. Use a LATEST formula on each of the latest availability date fields.
- D. Use a Max Roll-Up Summary field on the Latest availability date fields.

Answer: D

NEW QUESTION 123

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

Answer: AB

NEW QUESTION 127

A developer is creating an app that contains multiple Lightning web components.

One of the child components is used for navigation purposes. When a user click a button called.. component, the parent component must be alerted so it can navigate to the next page.

How should this be accomplished?

- A. Fire a notification.
- B. Update a property on the parent.
- C. Call a method in the Apex controller.
- D. Create a custom event.

Answer: D

NEW QUESTION 131

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Developer Pro Sandbox
- B. Partial Copy Sandbox
- C. Production
- D. Full Sandbox

Answer: D

NEW QUESTION 135

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or updated. The field update in the workflow rule is configured to not re-evaluate workflow rules.

What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- A. 1
- B. 3
- C. 4
- D. 2

Answer: D

NEW QUESTION 137

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } } Which is the correct implementation?

- A. Public class CreditcardPayment extends Payment {public override void makePayment(Decimal amount) { /*implementation*/ } }
- B. Public class CreditCardPayment implements Payment {public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- C. Public class CreditCardPayment extends Payment {public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- D. Public class CreditCardPayment implements Payment {public override void makePayment(Decimal amount) { /*Implementation*/ } }

Answer: A

NEW QUESTION 138

A developer created a Lightning web component called statusComponent to be inserted into the Account record page.

Which two things should the developer do to make the component available?

- A. Add <isExposed> true</isExposed> to the statusComponent.js-meta ml file.
- B. Add <target> lightning _RecordPage </target> to the statusComponent.js-meta ml file.
- C. Add < masterLabel>Account</master Label> to the statusComponent.js-meta ml file.
- D. Add<target> Lightning_RecordPage </target> to the statusComponent.js file.

Answer: AB

NEW QUESTION 142

What should a developer do to check the code coverage of a class after running all tests?

- A. View the Code Coverage column in the list view on the Apex Classes page.
- B. View the Class Test Percentage tab on the Apex Class first view in Salesforce Setup.
- C. View Use code coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.
- D. Select and run the class on the Apex Test Execution page in the Developer Console.

Answer: B

NEW QUESTION 147

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer add to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Account object to the Global Address object
- B. Add a Master-Detail field on the Global Address object to the Account object.
- C. Add a Lookup field on the Account object to the Global Address object.
- D. Add a Lookup field on the Global Address object to the Account object

Answer: B

NEW QUESTION 151

A software company uses the following objects and relationships:

- Case: to handle customer support issues
- Defect_c: a custom object to represent known issues with the company's software
- case_Defect c: a junction object between Case and Defector to represent that a defect is a customer issue

What should be done to share a specific Case-Defect_c record with a user?

- A. Share the Case_Defect_c record.
- B. Share the parent Case record.
- C. Share the parent Defect_c record.
- D. Share the parent Case and Defect_c records.

Answer: D

NEW QUESTION 153

Universal Containers has a Visualforce page that displays a table of every Container_c. being Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

Answer: D

NEW QUESTION 154

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Platform-Developer-I Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Platform-Developer-I Product From:

<https://www.2passeasy.com/dumps/Platform-Developer-I/>

Money Back Guarantee

Platform-Developer-I Practice Exam Features:

- * Platform-Developer-I Questions and Answers Updated Frequently
- * Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- * Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year