



# Google

## Exam Questions Professional-Cloud-Security-Engineer

Google Cloud Certified - Professional Cloud Security Engineer

## About Exambible

### *Your Partner of IT Exam*

## Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### NEW QUESTION 1

A customer's company has multiple business units. Each business unit operates independently, and each has their own engineering group. Your team wants visibility into all projects created within the company and wants to organize their Google Cloud Platform (GCP) projects based on different business units. Each business unit also requires separate sets of IAM permissions.

Which strategy should you use to meet these needs?

- A. Create an organization node, and assign folders for each business unit.
- B. Establish standalone projects for each business unit, using gmail.com accounts.
- C. Assign GCP resources in a project, with a label identifying which business unit owns the resource.
- D. Assign GCP resources in a VPC for each business unit to separate network access.

**Answer:** A

#### NEW QUESTION 2

You are the security admin of your company. You have 3,000 objects in your Cloud Storage bucket. You do not want to manage access to each object individually. You also do not want the uploader of an object to always have full control of the object. However, you want to use Cloud Audit Logs to manage access to your bucket.

What should you do?

- A. Set up an ACL with OWNER permission to a scope of allUsers.
- B. Set up an ACL with READER permission to a scope of allUsers.
- C. Set up a default bucket ACL and manage access for users using IAM.
- D. Set up Uniform bucket-level access on the Cloud Storage bucket and manage access for users using IAM.

**Answer:** A

#### NEW QUESTION 3

A website design company recently migrated all customer sites to App Engine. Some sites are still in progress and should only be visible to customers and company employees from any location.

Which solution will restrict access to the in-progress sites?

- A. Upload an .htaccess file containing the customer and employee user accounts to App Engine.
- B. Create an App Engine firewall rule that allows access from the customer and employee networks and denies all other traffic.
- C. Enable Cloud Identity-Aware Proxy (IAP), and allow access to a Google Group that contains the customer and employee user accounts.
- D. Use Cloud VPN to create a VPN connection between the relevant on-premises networks and the company's GCP Virtual Private Cloud (VPC) network.

**Answer:** C

#### NEW QUESTION 4

You are the Security Admin in your company. You want to synchronize all security groups that have an email address from your LDAP directory in Cloud IAM.

- A. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have "user email address" as the attribute to facilitate one-way sync.
- B. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have "user email address" as the attribute to facilitate bidirectional sync.
- C. Use a management tool to sync the subset based on the email address attribute.
- D. Create a group in the Google domain.
- E. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.
- F. Use a management tool to sync the subset based on group object class attribute.
- G. Create a group in the Google domain.
- H. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.

**Answer:** C

#### NEW QUESTION 5

Your team needs to make sure that a Compute Engine instance does not have access to the internet or to any Google APIs or services.

Which two settings must remain disabled to meet these requirements? (Choose two.)

- A. Public IP
- B. IP Forwarding
- C. Private Google Access
- D. Static routes
- E. IAM Network User Role

**Answer:** CD

#### NEW QUESTION 6

Your team sets up a Shared VPC Network where project co-vpc-prod is the host project. Your team has configured the firewall rules, subnets, and VPN gateway on the host project. They need to enable Engineering Group A to attach a Compute Engine instance to only the 10.1.1.0/24 subnet.

What should your team grant to Engineering Group A to meet this requirement?

- A. Compute Network User Role at the host project level.
- B. Compute Network User Role at the subnet level.
- C. Compute Shared VPC Admin Role at the host project level.
- D. Compute Shared VPC Admin Role at the service project level.

**Answer:** C

#### NEW QUESTION 7

Your team needs to configure their Google Cloud Platform (GCP) environment so they can centralize the control over networking resources like firewall rules, subnets, and routes. They also have an on-premises environment where resources need access back to the GCP resources through a private VPN connection. The networking resources will need to be controlled by the network security team. Which type of networking design should your team use to meet these requirements?

- A. Shared VPC Network with a host project and service projects
- B. Grant Compute Admin role to the networking team for each engineering project
- C. VPC peering between all engineering projects using a hub and spoke model
- D. Cloud VPN Gateway between all engineering projects using a hub and spoke model

**Answer:** A

#### NEW QUESTION 8

An organization is evaluating the use of Google Cloud Platform (GCP) for certain IT workloads. A well- established directory service is used to manage user identities and lifecycle management. This directory service must continue for the organization to use as the “source of truth” directory for identities. Which solution meets the organization's requirements?

- A. Google Cloud Directory Sync (GCDS)
- B. Cloud Identity
- C. Security Assertion Markup Language (SAML)
- D. Pub/Sub

**Answer:** B

#### NEW QUESTION 9

In order to meet PCI DSS requirements, a customer wants to ensure that all outbound traffic is authorized. Which two cloud offerings meet this requirement without additional compensating controls? (Choose two.)

- A. App Engine
- B. Cloud Functions
- C. Compute Engine
- D. Google Kubernetes Engine
- E. Cloud Storage

**Answer:** AC

#### NEW QUESTION 10

A customer terminates an engineer and needs to make sure the engineer's Google account is automatically deprovisioned. What should the customer do?

- A. Use the Cloud SDK with their directory service to remove their IAM permissions in Cloud Identity.
- B. Use the Cloud SDK with their directory service to provision and deprovision users from Cloud Identity.
- C. Configure Cloud Directory Sync with their directory service to provision and deprovision users from Cloud Identity.
- D. Configure Cloud Directory Sync with their directory service to remove their IAM permissions in Cloud Identity.

**Answer:** C

#### NEW QUESTION 10

A customer has 300 engineers. The company wants to grant different levels of access and efficiently manage IAM permissions between users in the development and production environment projects.

Which two steps should the company take to meet these requirements? (Choose two.)

- A. Create a project with multiple VPC networks for each environment.
- B. Create a folder for each development and production environment.
- C. Create a Google Group for the Engineering team, and assign permissions at the folder level.
- D. Create an Organizational Policy constraint for each folder environment.
- E. Create projects for each environment, and grant IAM rights to each engineering user.

**Answer:** BD

#### NEW QUESTION 14

A customer needs an alternative to storing their plain text secrets in their source-code management (SCM) system. How should the customer achieve this using Google Cloud Platform?

- A. Use Cloud Source Repositories, and store secrets in Cloud SQL.
- B. Encrypt the secrets with a Customer-Managed Encryption Key (CMEK), and store them in Cloud Storage.
- C. Run the Cloud Data Loss Prevention API to scan the secrets, and store them in Cloud SQL.
- D. Deploy the SCM to a Compute Engine VM with local SSDs, and enable preemptible VMs.

**Answer:** B

#### NEW QUESTION 17

An employer wants to track how bonus compensations have changed over time to identify employee outliers and correct earning disparities. This task must be performed without exposing the sensitive compensation data for any individual and must be reversible to identify the outlier. Which Cloud Data Loss Prevention API technique should you use to accomplish this?

- A. Generalization
- B. Redaction
- C. CryptoHashConfig
- D. CryptoReplaceFfxFpeConfig

**Answer:** B

#### NEW QUESTION 22

A customer wants to make it convenient for their mobile workforce to access a CRM web interface that is hosted on Google Cloud Platform (GCP). The CRM can only be accessed by someone on the corporate network. The customer wants to make it available over the internet. Your team requires an authentication layer in front of the application that supports two-factor authentication. Which GCP product should the customer implement to meet these requirements?

- A. Cloud Identity-Aware Proxy
- B. Cloud Armor
- C. Cloud Endpoints
- D. Cloud VPN

**Answer:** D

#### NEW QUESTION 24

You need to follow Google-recommended practices to leverage envelope encryption and encrypt data at the application layer. What should you do?

- A. Generate a data encryption key (DEK) locally to encrypt the data, and generate a new key encryptionkey (KEK) in Cloud KMS to encrypt the DE
- B. Store both the encrypted data and the encrypted DEK.
- C. Generate a data encryption key (DEK) locally to encrypt the data, and generate a new key encryption key (KEK) in Cloud KMS to encrypt the DE
- D. Store both the encrypted data and the KEK.
- E. Generate a new data encryption key (DEK) in Cloud KMS to encrypt the data, and generate a key encryption key (KEK) locally to encrypt the ke
- F. Store both the encrypted data and the encrypted DEK.
- G. Generate a new data encryption key (DEK) in Cloud KMS to encrypt the data, and generate a key encryption key (KEK) locally to encrypt the ke
- H. Store both the encrypted data and the KEK.

**Answer:** A

#### NEW QUESTION 26

When working with agents in a support center via online chat, an organization's customers often share pictures of their documents with personally identifiable information (PII). The organization that owns the support center is concerned that the PII is being stored in their databases as part of the regular chat logs they retain for review by internal or external analysts for customer service trend analysis. Which Google Cloud solution should the organization use to help resolve this concern for the customer while still maintaining data utility?

- A. Use Cloud Key Management Service (KMS) to encrypt the PII data shared by customers before storing it for analysis.
- B. Use Object Lifecycle Management to make sure that all chat records with PII in them are discarded and not saved for analysis.
- C. Use the image inspection and redaction actions of the DLP API to redact PII from the images before storing them for analysis.
- D. Use the generalization and bucketing actions of the DLP API solution to redact PII from the texts before storing them for analysis.

**Answer:** D

#### Explanation:

Reference; <https://cloud.google.com/dlp/docs/deidentify-sensitive-data>

#### NEW QUESTION 27

Which two security characteristics are related to the use of VPC peering to connect two VPC networks? (Choose two.)

- A. Central management of routes, firewalls, and VPNs for peered networks
- B. Non-transitive peered networks; where only directly peered networks can communicate
- C. Ability to peer networks that belong to different Google Cloud Platform organizations
- D. Firewall rules that can be created with a tag from one peered network to another peered network
- E. Ability to share specific subnets across peered networks

**Answer:** AD

#### NEW QUESTION 29

A customer is collaborating with another company to build an application on Compute Engine. The customer is building the application tier in their GCP Organization, and the other company is building the storage tier in a different GCP Organization. This is a 3-tier web application. Communication between portions of the application must not traverse the public internet by any means. Which connectivity option should be implemented?

- A. VPC peering
- B. Cloud VPN
- C. Cloud Interconnect
- D. Shared VPC

**Answer:** B

#### NEW QUESTION 32

Your team needs to make sure that their backend database can only be accessed by the frontend application and no other instances on the network. How should your team design this network?

- A. Create an ingress firewall rule to allow access only from the application to the database using firewall tags.
- B. Create a different subnet for the frontend application and database to ensure network isolation.
- C. Create two VPC networks, and connect the two networks using Cloud VPN gateways to ensure network isolation.
- D. Create two VPC networks, and connect the two networks using VPC peering to ensure network isolation.

**Answer:** A

#### NEW QUESTION 37

A business unit at a multinational corporation signs up for GCP and starts moving workloads into GCP. The business unit creates a Cloud Identity domain with an organizational resource that has hundreds of projects.

Your team becomes aware of this and wants to take over managing permissions and auditing the domain resources.

Which type of access should your team grant to meet this requirement?

- A. Organization Administrator
- B. Security Reviewer
- C. Organization Role Administrator
- D. Organization Policy Administrator

**Answer:** C

#### NEW QUESTION 42

You are in charge of migrating a legacy application from your company datacenters to GCP before the current maintenance contract expires. You do not know what ports the application is using and no documentation is available for you to check. You want to complete the migration without putting your environment at risk. What should you do?

- A. Migrate the application into an isolated project using a “Lift & Shift” approach.
- B. Enable all internal TCP traffic using VPC Firewall rule.
- C. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.
- D. Migrate the application into an isolated project using a “Lift & Shift” approach in a custom network. Disable all traffic within the VPC and look at the Firewall logs to determine what traffic should be allowed for the application to work properly.
- E. Refactor the application into a micro-services architecture in a GKE cluster.
- F. Disable all traffic from outside the cluster using Firewall Rule.
- G. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.
- H. Refactor the application into a micro-services architecture hosted in Cloud Functions in an isolated project. Disable all traffic from outside your project using Firewall Rule.
- I. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.

**Answer:** C

#### NEW QUESTION 47

In an effort for your company messaging app to comply with FIPS 140-2, a decision was made to use GCP compute and network services. The messaging app architecture includes a Managed Instance Group (MIG) that controls a cluster of Compute Engine instances. The instances use Local SSDs for data caching and UDP for instance-to-instance communications. The app development team is willing to make any changes necessary to comply with the standard.

Which options should you recommend to meet the requirements?

- A. Encrypt all cache storage and VM-to-VM communication using the BoringCrypto module.
- B. Set Disk Encryption on the Instance Template used by the MIG to customer-managed key and use BoringSSL for all data transit between instances.
- C. Change the app instance-to-instance communications from UDP to TCP and enable BoringSSL on clients' TLS connections.
- D. Set Disk Encryption on the Instance Template used by the MIG to Google-managed Key and use BoringSSL library on all instance-to-instance communications.

**Answer:** D

#### NEW QUESTION 52

Your company has deployed an application on Compute Engine. The application is accessible by clients on port 587. You need to balance the load between the different instances running the application. The connection should be secured using TLS, and terminated by the Load Balancer.

What type of Load Balancing should you use?

- A. Network Load Balancing
- B. HTTP(S) Load Balancing
- C. TCP Proxy Load Balancing
- D. SSL Proxy Load Balancing

**Answer:** D

#### NEW QUESTION 53

Applications often require access to “secrets” - small pieces of sensitive data at build or run time. The administrator managing these secrets on GCP wants to keep a track of “who did what, where, and when?” within their GCP projects.

Which two log streams would provide the information that the administrator is looking for? (Choose two.)

- A. Admin Activity logs
- B. System Event logs



- C. Data Access logs
- D. VPC Flow logs
- E. Agent logs

**Answer:** AC

#### NEW QUESTION 58

A large financial institution is moving its Big Data analytics to Google Cloud Platform. They want to have maximum control over the encryption process of data stored at rest in BigQuery.  
What technique should the institution use?

- A. Use Cloud Storage as a federated Data Source.
- B. Use a Cloud Hardware Security Module (Cloud HSM).
- C. Customer-managed encryption keys (CMEK).
- D. Customer-supplied encryption keys (CSEK).

**Answer:** C

#### NEW QUESTION 63

A company's application is deployed with a user-managed Service Account key. You want to use Google- recommended practices to rotate the key.  
What should you do?

- A. Open Cloud Shell and run `gcloud iam service-accounts enable-auto-rotate --iam- account=IAM_ACCOUNT`.
- B. Open Cloud Shell and run `gcloud iam service-accounts keys rotate --iam- account=IAM_ACCOUNT--key=NEW_KEY`.
- C. Create a new key, and use the new key in the applicatio
- D. Delete the old key from the Service Account.
- E. Create a new key, and use the new key in the applicatio
- F. Store the old key on the system as a backup key.

**Answer:** C

#### NEW QUESTION 64

You need to provide a corporate user account in Google Cloud for each of your developers and operational staff who need direct access to GCP resources. Corporate policy requires you to maintain the user identity in a third-party identity management provider and leverage single sign-on. You learn that a significant number of users are using their corporate domain email addresses for personal Google accounts, and you need to follow Google recommended practices to convert existing unmanaged users to managed accounts.  
Which two actions should you take? (Choose two.)

- A. Use Google Cloud Directory Sync to synchronize your local identity management system to Cloud Identity.
- B. Use the Google Admin console to view which managed users are using a personal account for their recovery email.
- C. Add users to your managed Google account and force users to change the email addresses associated with their personal accounts.
- D. Use the Transfer Tool for Unmanaged Users (TTUU) to find users with conflicting accounts and ask them to transfer their personal Google accounts.
- E. Send an email to all of your employees and ask those users with corporate email addresses for personal Google accounts to delete the personal accounts immediately.

**Answer:** BE

#### NEW QUESTION 67

As adoption of the Cloud Data Loss Prevention (DLP) API grows within the company, you need to optimize usage to reduce cost. DLP target data is stored in Cloud Storage and BigQuery. The location and region are identified as a suffix in the resource name.  
Which cost reduction options should you recommend?

- A. Set appropriate `rowsLimit` value on BigQuery data hosted outside the US and set appropriate `bytesLimitPerFile` value on multiregional Cloud Storage buckets.
- B. Set appropriate `rowsLimit` value on BigQuery data hosted outside the US, and minimize transformation units on multiregional Cloud Storage buckets.
- C. Use `rowsLimit` and `bytesLimitPerFile` to sample data and use `CloudStorageRegexFileSet` to limit scans.
- D. Use `FindingLimits` and `TimespanConfig` to sample data and minimize transformation units.

**Answer:** C

#### NEW QUESTION 71

You are creating an internal App Engine application that needs to access a user's Google Drive on the user's behalf. Your company does not want to rely on the current user's credentials. It also wants to follow Google recommended practices. What should you do?

- A. Create a new Service account, and give all application users the role of Service Account User.
- B. Create a new Service account, and add all application users to a Google Grou
- C. Give this group the role of Service Account User.
- D. Use a dedicated G Suite Admin account, and authenticate the application's operations with these G Suite credentials.
- E. Create a new service account, and grant it G Suite domain-wide delegatio
- F. Have the application use it to impersonate the user.

**Answer:** A

#### NEW QUESTION 72

Your team wants to make sure Compute Engine instances running in your production project do not have public IP addresses. The frontend application Compute Engine instances will require public IPs. The product engineers have the Editor role to modify resources. Your team wants to enforce this requirement.  
How should your team meet these requirements?

- A. Enable Private Access on the VPC network in the production project.
- B. Remove the Editor role and grant the Compute Admin IAM role to the engineers.
- C. Set up an organization policy to only permit public IPs for the front-end Compute Engine instances.
- D. Set up a VPC network with two subnets: one with public IPs and one without public IPs.

**Answer:** C

#### NEW QUESTION 76

Which international compliance standard provides guidelines for information security controls applicable to the provision and use of cloud services?

- A. ISO 27001
- B. ISO 27002
- C. ISO 27017
- D. ISO 27018

**Answer:** C

#### Explanation:

Create a new Service Account that should be able to list the Compute Engine instances in the project. You want to follow Google-recommended practices.

#### NEW QUESTION 77

Your team uses a service account to authenticate data transfers from a given Compute Engine virtual machine instance of to a specified Cloud Storage bucket. An engineer accidentally deletes the service account, which breaks application functionality. You want to recover the application as quickly as possible without compromising security.

What should you do?

- A. Temporarily disable authentication on the Cloud Storage bucket.
- B. Use the undelete command to recover the deleted service account.
- C. Create a new service account with the same name as the deleted service account.
- D. Update the permissions of another existing service account and supply those credentials to the applications.

**Answer:** B

#### NEW QUESTION 79

Your company operates an application instance group that is currently deployed behind a Google Cloud load balancer in us-central-1 and is configured to use the Standard Tier network. The infrastructure team wants to expand to a second Google Cloud region, us-east-2. You need to set up a single external IP address to distribute new requests to the instance groups in both regions.

What should you do?

- A. Change the load balancer backend configuration to use network endpoint groups instead of instance groups.
- B. Change the load balancer frontend configuration to use the Premium Tier network, and add the new instance group.
- C. Create a new load balancer in us-east-2 using the Standard Tier network, and assign a static external IP address.
- D. Create a Cloud VPN connection between the two regions, and enable Google Private Access.

**Answer:** A

#### NEW QUESTION 80

A customer needs to launch a 3-tier internal web application on Google Cloud Platform (GCP). The customer's internal compliance requirements dictate that end-user access may only be allowed if the traffic seems to originate from a specific known good CIDR. The customer accepts the risk that their application will only have SYN flood DDoS protection. They want to use GCP's native SYN flood protection.

Which product should be used to meet these requirements?

- A. Cloud Armor
- B. VPC Firewall Rules
- C. Cloud Identity and Access Management
- D. Cloud CDN

**Answer:** A

#### NEW QUESTION 85

A customer implements Cloud Identity-Aware Proxy for their ERP system hosted on Compute Engine. Their security team wants to add a security layer so that the ERP systems only accept traffic from Cloud Identity- Aware Proxy.

What should the customer do to meet these requirements?

- A. Make sure that the ERP system can validate the JWT assertion in the HTTP requests.
- B. Make sure that the ERP system can validate the identity headers in the HTTP requests.
- C. Make sure that the ERP system can validate the x-forwarded-for headers in the HTTP requests.
- D. Make sure that the ERP system can validate the user's unique identifier headers in the HTTP requests.

**Answer:** A

#### NEW QUESTION 87

An organization's typical network and security review consists of analyzing application transit routes, request handling, and firewall rules. They want to enable their developer teams to deploy new applications without the overhead of this full review.

How should you advise this organization?

- A. Use Forseti with Firewall filters to catch any unwanted configurations in production.



- B. Mandate use of infrastructure as code and provide static analysis in the CI/CD pipelines to enforce policies.
- C. Route all VPC traffic through customer-managed routers to detect malicious patterns in production.
- D. All production applications will run on-premise
- E. Allow developers free rein in GCP as their dev and QA platforms.

**Answer:** B

#### NEW QUESTION 92

Your team wants to centrally manage GCP IAM permissions from their on-premises Active Directory Service. Your team wants to manage permissions by AD group membership.

What should your team do to meet these requirements?

- A. Set up Cloud Directory Sync to sync groups, and set IAM permissions on the groups.
- B. Set up SAML 2.0 Single Sign-On (SSO), and assign IAM permissions to the groups.
- C. Use the Cloud Identity and Access Management API to create groups and IAM permissions from Active Directory.
- D. Use the Admin SDK to create groups and assign IAM permissions from Active Directory.

**Answer:** B

#### NEW QUESTION 93

Your company is using Cloud Dataproc for its Spark and Hadoop jobs. You want to be able to create, rotate, and destroy symmetric encryption keys used for the persistent disks used by Cloud Dataproc. Keys can be stored in the cloud.

What should you do?

- A. Use the Cloud Key Management Service to manage the data encryption key (DEK).
- B. Use the Cloud Key Management Service to manage the key encryption key (KEK).
- C. Use customer-supplied encryption keys to manage the data encryption key (DEK).
- D. Use customer-supplied encryption keys to manage the key encryption key (KEK).

**Answer:** A

#### NEW QUESTION 96

An application running on a Compute Engine instance needs to read data from a Cloud Storage bucket. Your team does not allow Cloud Storage buckets to be globally readable and wants to ensure the principle of least privilege.

Which option meets the requirement of your team?

- A. Create a Cloud Storage ACL that allows read-only access from the Compute Engine instance's IP address and allows the application to read from the bucket without credentials.
- B. Use a service account with read-only access to the Cloud Storage bucket, and store the credentials to the service account in the config of the application on the Compute Engine instance.
- C. Use a service account with read-only access to the Cloud Storage bucket to retrieve the credentials from the instance metadata.
- D. Encrypt the data in the Cloud Storage bucket using Cloud KMS, and allow the application to decrypt the data with the KMS key.

**Answer:** C

#### NEW QUESTION 100

A retail customer allows users to upload comments and product reviews. The customer needs to make sure the text does not include sensitive data before the comments or reviews are published.

Which Google Cloud Service should be used to achieve this?

- A. Cloud Key Management Service
- B. Cloud Data Loss Prevention API
- C. BigQuery
- D. Cloud Security Scanner

**Answer:** D

#### NEW QUESTION 105

Your team needs to prevent users from creating projects in the organization. Only the DevOps team should be allowed to create projects on behalf of the requester.

Which two tasks should your team perform to handle this request? (Choose two.)

- A. Remove all users from the Project Creator role at the organizational level.
- B. Create an Organization Policy constraint, and apply it at the organizational level.
- C. Grant the Project Editor role at the organizational level to a designated group of users.
- D. Add a designated group of users to the Project Creator role at the organizational level.
- E. Grant the billing account creator role to the designated DevOps team.

**Answer:** BD

#### NEW QUESTION 108

An organization is starting to move its infrastructure from its on-premises environment to Google Cloud Platform (GCP). The first step the organization wants to take is to migrate its current data backup and disaster recovery solutions to GCP for later analysis. The organization's production environment will remain on-premises for an indefinite time. The organization wants a scalable and cost-efficient solution.

Which GCP solution should the organization use?

- A. BigQuery using a data pipeline job with continuous updates

- B. Cloud Storage using a scheduled task and gsutil
- C. Compute Engine Virtual Machines using Persistent Disk
- D. Cloud Datastore using regularly scheduled batch upload jobs

**Answer:** A

#### NEW QUESTION 109

.....

## Relate Links

**100% Pass Your Professional-Cloud-Security-Engineer Exam with Exambible Prep Materials**

<https://www.exambible.com/Professional-Cloud-Security-Engineer-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>