



Fortinet

Exam Questions NSE5_FAZ-7.2

Fortinet NSE 5 - FortiAnalyzer 7.2

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

FortiAnalyzer uses the Optimized Fabric Transfer Protocol (OFTP) over SSL for what purpose?

- A. To upload logs to an SFTP server
- B. To prevent log modification during backup
- C. To send an identical set of logs to a second logging server
- D. To encrypt log communication between devices

Answer: D

NEW QUESTION 2

What must you configure on FortiAnalyzer to upload a FortiAnalyzer report to a supported external server? (Choose two.)

- A. SFTP, FTP, or SCP server
- B. Mail server
- C. Output profile
- D. Report scheduling

Answer: AC

Explanation:

<https://docs.fortinet.com/document/fortianalyzer/6.0.2/administration-guide/598322/creating-output-profiles>

NEW QUESTION 3

Which item must you configure on FortiAnalyzer to email generated reports automatically?

- A. Output profile
- B. Report scheduling
- C. SFTP server
- D. SNMP server

Answer: A

NEW QUESTION 4

Which log type does the FortiAnalyzer indicators of compromise feature use to identify infected hosts?

- A. Antivirus logs
- B. Web filter logs
- C. IPS logs
- D. Application control logs

Answer: B

NEW QUESTION 5

If a hard disk fails on a FortiAnalyzer that supports software RAID, what should you do to bring the FortiAnalyzer back to functioning normally, without losing data?

- A. Hot swap the disk
- B. Replace the disk and rebuild the RAID manually
- C. Take no action if the RAID level supports a failed disk
- D. Shut down FortiAnalyzer and replace the disk

Answer: D

Explanation:

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD46446#:~:text=On%20FortiAnalyzer%2FFortiMana> If a hard disk on a FortiAnalyzer unit fails, it must be replaced. On FortiAnalyzer devices that support hardware RAID, the hard disk can be replaced while the unit is still running – known as hot swapping. On FortiAnalyzer units with software RAID, the device must be shutdown prior to exchanging the hard disk.

NEW QUESTION 6

After generating a report, you notice the information you were expecting to see is not included in it. What are two possible reasons for this scenario? (Choose two.)

- A. You enabled auto-cache with extended log filtering.
- B. The logfile service has not indexed all the expected logs.
- C. The logs were overwritten by the data retention policy.
- D. The time frame selected in the report is wrong.

Answer: BC

NEW QUESTION 7

Which statements are true regarding securing communications between FortiAnalyzer and FortiGate with IPsec? (Choose two.)

- A. Must configure the FortiAnalyzer end of the tunnel only--the FortiGate end is auto-negotiated.
- B. Must establish an IPsec tunnel ID and pre-shared key.

- C. IPsec cannot be enabled if SSL is enabled as well.
- D. IPsec is only enabled through the CLI on FortiAnalyzer.

Answer: BD

Explanation:

Option B is correct because you must establish an IPsec tunnel ID and pre-shared key to secure the communication between FortiAnalyzer and FortiGate with IPsec12. The tunnel ID is a unique identifier for each tunnel and the pre-shared key is a secret passphrase that authenticates the peers.
Option D is correct because IPsec is only enabled through the CLI on FortiAnalyzer1. You cannot configure IPsec settings through the GUI on FortiAnalyzer.

NEW QUESTION 8

What are two advantages of setting up fabric ADOM? (Choose two.)

- A. It can be used for fast data processing and log correlation
- B. It can be used to facilitate communication between devices in same Security Fabric
- C. It can include all Fortinet devices that are part of the same Security Fabric
- D. It can include only FortiGate devices that are part of the same Security Fabric

Answer: AC

Explanation:

<https://docs.fortinet.com/document/fortianalyzer/6.2.5/administration-guide/448471/creating-a-security-fabric-a>

NEW QUESTION 9

What happens when a log file saved on FortiAnalyzer disks reaches the size specified in the device log settings?

- A. The log file is stored as a raw log and is available for analytic support.
- B. The log file rolls over and is archived.
- C. The log file is purged from the database.
- D. The log file is overwritten.

Answer: B

NEW QUESTION 10

For which two SAML roles can the FortiAnalyzer be configured? (Choose two.)

- A. Principal
- B. Service provider
- C. Identity collector
- D. Identity provider

Answer: BD

NEW QUESTION 10

What is the best approach to handle a hard disk failure on a FortiAnalyzer that supports hardware RAID?

- A. Hot swap the disk.
- B. There is no need to do anything because the disk will self-recover.
- C. Run execute format disk to format and restart the FortiAnalyzer device.
- D. Shut down FortiAnalyzer and replace the disk

Answer: A

Explanation:

https://help.fortinet.com/fa/faz50hlp/56/5-6-2/FMG-FAZ/0700_RAID/0800_Swapping%20Disks.htm#:~:text=If

NEW QUESTION 14

Which statement describes a dataset in FortiAnalyzer?

- A. They determine what data is retrieved from the databas
- B. They provide the layout used for reports.
- C. They are used to set the data included in template
- D. They define the chart types to be used in report

Answer: A

NEW QUESTION 18

Which statement about the FortiSOAR management extension is correct?

- A. It requires a FortiManager configured to manage FortiGate
- B. It requires a dedicated FortiSOAR device or VM.
- C. It does not include a limited trial by default.
- D. It runs as a docker container on FortiAnalyzer

Answer: D

NEW QUESTION 21

On FortiAnalyzer, what is a wildcard administrator account?

- A. An account that permits access to members of an LDAP group
- B. An account that allows guest access with read-only privileges
- C. An account that requires two-factor authentication
- D. An account that validates against any user account on a FortiAuthenticator

Answer: A

Explanation:

<https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/747268/configuring-wildcard-admin-accounts>

NEW QUESTION 22

Which tabs do not appear when FortiAnalyzer is operating in Collector mode?

- A. FortiView
- B. Event Management
- C. Device Manger
- D. Reporting

Answer: B

NEW QUESTION 27

Which two statements about log forwarding are true? (Choose two.)

- A. Forwarded logs cannot be filtered to match specific criteria.
- B. Logs are forwarded in real-time only.
- C. The client retains a local copy of the logs after forwarding.
- D. You can use aggregation mode only with another FortiAnalyzer.

Answer: CD

Explanation:

<https://docs.fortinet.com/document/fortianalyzer/6.2.5/administration-guide/420493/modes> <https://docs.fortinet.com/document/fortianalyzer/6.2.5/administration-guide/621804/log-forwarding>

NEW QUESTION 31

What happens when the IOC breach detection engine on FortiAnalyzer finds web logs that match a blocklisted IP address?

- A. The endpoint is marked as Compromised and
- B. optionally, can be put in quarantine.
- C. FortiAnalyzer flags the associated host for further analysis.
- D. A new Infected entry is added for the corresponding endpoint.
- E. The detection engine classifies those logs as Suspicious

Answer: A

NEW QUESTION 33

What are the operating modes of FortiAnalyzer? (Choose two)

- A. Standalone
- B. Manager
- C. Analyzer
- D. Collector

Answer: CD

NEW QUESTION 34

How does FortiAnalyzer retrieve specific log data from the database?

- A. SQL FROM statement
- B. SQL GET statement
- C. SQL SELECT statement
- D. SQL EXTRACT statement

Answer: A

Explanation:

<https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/137bb60e-ff37-11e8-8524-f8bc1258b8>

NEW QUESTION 35

You are using RAID with a FortiAnalyzer that supports software RAID, and one of the hard disks on FortiAnalyzer has failed. What is the recommended method to replace the disk?

- A. Shut down FortiAnalyzer and then replace the disk

- B. Downgrade your RAID level, replace the disk, and then upgrade your RAID level
- C. Clear all RAID alarms and replace the disk while FortiAnalyzer is still running
- D. Perform a hot swap

Answer: A

Explanation:

supports hot swapping on hardware RAID only, so it is recommended that on FortiAnalyzer devices with software RAID you should shutdown FortiAnalyzer prior to exchanging the hard disk.

<https://community.fortinet.com/t5/FortiAnalyzer/Technical-Note-How-to-swap-Hard-Disk-on-FortiAnalyzer/ta->

NEW QUESTION 38

Which statement correctly describes the management extensions available on FortiAnalyzer?

- A. Management extensions do not require additional licenses.
- B. Management extensions allow FortiAnalyzer to act as a ForbSIEM supervisor.
- C. Management extensions require a dedicated VM for best performance.
- D. Management extensions may require a minimum number of CPU cores to run.

Answer: D

Explanation:

Events in FortiAnalyzer will be in one of four statuses. The current status will determine if more actions need to be taken by the security team or not.

The possible statuses are:

Unhandled: The security event risk is not mitigated or contained, so it is considered open. Contained: The risk source is isolated.

Mitigated: The security risk is mitigated by being blocked or dropped. (Blank): Other scenarios.

FortiAnalyzer_7.0_Study_Guide-Online pag. 189.

FortiAnalyzer_7.0_Study_Guide-Online.pdf page 189: Review the hardware requirements before you enable a management extension application. Some of them require a minimum amount of memory or a minimum number of CPU cores.

NEW QUESTION 41


Which two settings must you configure on FortiAnalyzer to allow non-local administrators to authenticate to FortiAnalyzer with any user account in a single LDAP group? (Choose two.)

- A. A local wildcard administrator account
- B. A remote LDAP server
- C. A trusted host profile that restricts access to the LDAP group
- D. An administrator group

Answer: AB

NEW QUESTION 42

Refer to the exhibit.



Cluster Settings					
Operation Mode	<input type="radio"/> Standalone <input checked="" type="radio"/> High Availability				
Preferred Role	<input checked="" type="radio"/> Primary <input type="radio"/> Secondary				
Cluster Virtual IP					
Interface	port1				
IP Address	192.168.101.222				
Cluster Settings					
Peer IP and Peer SN	<table border="1"><thead><tr><th>Peer IP</th><th>Peer SN</th></tr></thead><tbody><tr><td>10.0.1.210</td><td>FAZ-VM0000065040</td></tr></tbody></table>	Peer IP	Peer SN	10.0.1.210	FAZ-VM0000065040
Peer IP	Peer SN				
10.0.1.210	FAZ-VM0000065040				
Group Name	NSE5				
Group ID	1 (1-255)				
Password				
Heart Beat Interval	10 Seconds				
Failover Threshold	30				
Priority	120 (80-120)				
Log Data Sync	<input type="checkbox"/>				

The image displays the configuration of a FortiAnalyzer the administrator wants to join to an existing HA cluster. What can you conclude from the configuration displayed?

- A. This FortiAnalyzer will join to the existing HA cluster as the primary.
- B. This FortiAnalyzer is configured to receive logs in its port1.
- C. This FortiAnalyzer will trigger a failover after losing communication with its peers for 10 seconds.
- D. After joining to the cluster, this FortiAnalyzer will keep an updated log database.

Answer: B

Explanation:

"If the preferred role is Primary, then this unit becomes the primary unit if it is configured first in a new HA cluster. If there is an existing primary unit, then this unit becomes a secondary unit." (<https://docs.fortinet.com/document/fortianalyzer/7.0.5/administration-guide/275104>)

NEW QUESTION 43

Which two elements are contained in a system backup created on FortiAnalyzer? (Choose two.)

- A. System information
- B. Logs from registered devices
- C. Report information
- D. Database snapshot

Answer: AC

Explanation:

What does the System Configuration backup include?

System information, such as the device IP address and administrative user information. Device list, such as any devices you configured to allow log access.

Report information, such as any configured report settings, as well as all your custom report details. These are not the actual reports.

FortiAnalyzer_7.0_Study_Guide-Online pag. 29

FortiAnalyzer_7.0_Study_Guide-Online.pdf page 29: What does the System Configuration backup include?

- System information, such as the device IP address and administrative user information
- Device list, such as any devices you configured to allow log access
- Report information, such as any configured report settings, as well as all your custom report details. These are not the actual reports.

NEW QUESTION 48

You crested a playbook on FortiAnalyzer that uses a FortiOS connector

When configuring the FortiGate side, which type of trigger must be used so that the actions in an automation stitch are available in the FortiOS connector?

- A. FortiAnalyzer Event Handler
- B. Incoming webhook
- C. FortiOS Event Log
- D. Fabric Connector event

Answer: B

Explanation:

"One possible scenario is shown on the slide:

- * 1. Traffic flows through the FortiGate
- * 2. FortiGate sends logs to FortiAnalyzer
- * 3. FortiAnalyzer detects some suspicious traffic and generates an event
- * 4. The event triggers the execution of a playbook in FortiAnalyzer, which sends a webhook call to FortiGate so that it runs an automation stitch
- * 5. FortiGate runs the automation stitch with the corrective or preventive actions" FortiAnalyzer_7.0_Study_Guide-Online page 228

In order to see the actions related to the FOS connector, you must enable an automation rule using the Incoming Webhook Call trigger on the FortiGate side.

FortiAnalyzer_7.0_Study Guide page no 233

NEW QUESTION 53

Which two methods can you use to send event notifications when an event occurs that matches a configured event handler? (Choose two.)

- A. SMS
- B. Email
- C. SNMP
- D. IM

Answer: BC

NEW QUESTION 54

An administrator has moved FortiGate A from the root ADOM to ADOM1. However, the administrator is not able to generate reports for FortiGate A in ADOM1.

What should the administrator do to solve this issue?

- A. Use the execute sql-local rebuild-db command to rebuild all ADOM databases.
- B. Use the execute sql-local rebuild-adom ADOM1 command to rebuild the ADOM database.
- C. Use the execute sql-report run ADOM1 command to run a report.
- D. Use the execute sql-local rebuild-adom root command to rebuild the ADOM database.

Answer: B

NEW QUESTION 58

You have recently grouped multiple FortiGate devices into a single ADOM. System Settings > Storage Info shows the quota used.

What does the disk quota refer to?

- A. The maximum disk utilization for each device in the ADOM
- B. The maximum disk utilization for the FortiAnalyzer model
- C. The maximum disk utilization for the ADOM type
- D. The maximum disk utilization for all devices in the ADOM

Answer:

D

NEW QUESTION 62

What FortiGate process caches logs when FortiAnalyzer is not reachable?

- A. logfiled
- B. sqlplugind
- C. oftpd
- D. miglogd

Answer: D

NEW QUESTION 66

What statements are true regarding disk log quota? (Choose two)

- A. The FortiAnalyzer stops logging once the disk log quota is met.
- B. The FortiAnalyzer automatically sets the disk log quota based on the device.
- C. The FortiAnalyzer can overwrite the oldest logs or stop logging once the disk log quota is met.
- D. The FortiAnalyzer disk log quota is configurable, but has a minimum of 100mb and a maximum based on the reserved system space.

Answer: CD

NEW QUESTION 67

When you perform a system backup, what does the backup configuration contain? (Choose two.)

- A. Generated reports
- B. Device list
- C. Authorized devices logs
- D. System information

Answer: BD

Explanation:

https://help.fortinet.com/fa/cli-olh/5-6-5/Content/Document/1400_execute/backup.htm

NEW QUESTION 70

In FortiAnalyzer's FormView, source and destination IP addresses from FortiGate devices are not resolving to a hostname. How can you resolve the source and destination IPs, without introducing any additional performance impact to FortiAnalyzer?

- A. Configure local DNS servers on FortiAnalyzer
- B. Resolve IPs on FortiGate
- C. Configure # set resolve-ip enable in the system FortiView settings
- D. Resolve IPs on a per-ADOM basis to reduce delay on FortiView while IPs resolve

Answer: B

NEW QUESTION 71

Which log will generate an event with the status Contained?

- A. An IPS log with action=pass.
- B. A WebFilter log with action=dropped.
- C. An AV log with action=quarantine.
- D. An AppControl log with action=blocked.

Answer: C

NEW QUESTION 74

Which FortiAnalyzer feature allows you to use a proactive approach when managing your network security?

- A. Incidents dashboards
- B. Threat hunting
- C. FortiView Monitor
- D. Outbreak alert services

Answer: B

Explanation:

FortiAnalyzer_7.0_Study_Guide-Online.pdf page 217: Threat hunting consists in proactively searching for suspicious or potentially risky network activity in your environment. The proactive approach will help administrator find any threats that might have eluded detection by the current security solutions or configurations.

NEW QUESTION 76

Refer to the exhibit.



B)



Relate Links

100% Pass Your NSE5_FAZ-7.2 Exam with Exambible Prep Materials

https://www.exambible.com/NSE5_FAZ-7.2-exam/

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>