

Exam Questions AWS-Certified-Machine-Learning-Specialty

AWS Certified Machine Learning - Specialty

<https://www.2passeasy.com/dumps/AWS-Certified-Machine-Learning-Specialty/>



NEW QUESTION 1

A data scientist has a dataset of machine part images stored in Amazon Elastic File System (Amazon EFS). The data scientist needs to use Amazon SageMaker to create and train an image classification machine learning model based on this dataset. Because of budget and time constraints, management wants the data scientist to create and train a model with the least number of steps and integration work required.

How should the data scientist meet these requirements?

- A. Mount the EFS file system to a SageMaker notebook and run a script that copies the data to an Amazon FSx for Lustre file system
- B. Run the SageMaker training job with the FSx for Lustre file system as the data source.
- C. Launch a transient Amazon EMR cluster
- D. Configure steps to mount the EFS file system and copy the data to an Amazon S3 bucket by using S3DistC
- E. Run the SageMaker training job with Amazon S3 as the data source.
- F. Mount the EFS file system to an Amazon EC2 instance and use the AWS CLI to copy the data to an Amazon S3 bucket
- G. Run the SageMaker training job with Amazon S3 as the data source.
- H. Run a SageMaker training job with an EFS file system as the data source.

Answer: A

NEW QUESTION 2

A medical imaging company wants to train a computer vision model to detect areas of concern on patients' CT scans. The company has a large collection of unlabeled CT scans that are linked to each patient and stored in an Amazon S3 bucket. The scans must be accessible to authorized users only. A machine learning engineer needs to build a labeling pipeline.

Which set of steps should the engineer take to build the labeling pipeline with the LEAST effort?

- A. Create a workforce with AWS Identity and Access Management (IAM). Build a labeling tool on Amazon EC2 Queue images for labeling by using Amazon Simple Queue Service (Amazon SQS). Write the labeling instructions.
- B. Create an Amazon Mechanical Turk workforce and manifest file
- C. Create a labeling job by using the built-in image classification task type in Amazon SageMaker Ground Truth
- D. Write the labeling instructions.
- E. Create a private workforce and manifest file
- F. Create a labeling job by using the built-in bounding box task type in Amazon SageMaker Ground Truth
- G. Write the labeling instructions.
- H. Create a workforce with Amazon Cognito
- I. Build a labeling web application with AWS Amplify
- J. Build a labeling workflow backend using AWS Lambda
- K. Write the labeling instructions.

Answer: C

Explanation:

<https://docs.aws.amazon.com/sagemaker/latest/dg/sms-workforce-private.html>

NEW QUESTION 3

A web-based company wants to improve its conversion rate on its landing page. Using a large historical dataset of customer visits, the company has repeatedly trained a multi-class deep learning network algorithm on Amazon SageMaker. However, there is an overfitting problem: training data shows 90% accuracy in predictions, while test data shows 70% accuracy only.

The company needs to boost the generalization of its model before deploying it into production to maximize conversions of visits to purchases. Which action is recommended to provide the HIGHEST accuracy model for the company's test and validation data?

- A. Increase the randomization of training data in the mini-batches used in training.
- B. Allocate a higher proportion of the overall data to the training dataset
- C. Apply L1 or L2 regularization and dropouts to the training.
- D. Reduce the number of layers and units (or neurons) from the deep learning network.

Answer: C

Explanation:

If this is a Computer Vision problem, augmentation can help and we may consider A an option. However, in analyzing customer historic data, there is no easy way to increase randomization in training. If you go deep into modeling and coding, when you build a model with TensorFlow/PyTorch, most of the time the trainloader is already sampling in data in a random manner (with shuffle enabled). What we usually do to reduce overfitting is by adding dropout.

<https://docs.aws.amazon.com/machine-learning/latest/dg/model-fit-underfitting-vs-overfitting.html>

NEW QUESTION 4

A company will use Amazon SageMaker to train and host a machine learning (ML) model for a marketing campaign. The majority of data is sensitive customer data. The data must be encrypted at rest. The company wants AWS to maintain the root of trust for the master keys and wants encryption key usage to be logged. Which implementation will meet these requirements?

- A. Use encryption keys that are stored in AWS Cloud HSM to encrypt the ML data volumes, and to encrypt the model artifacts and data in Amazon S3.
- B. Use SageMaker built-in transient keys to encrypt the ML data volume
- C. Enable default encryption for new Amazon Elastic Block Store (Amazon EBS) volumes.
- D. Use customer managed keys in AWS Key Management Service (AWS KMS) to encrypt the ML data volumes, and to encrypt the model artifacts and data in Amazon S3.
- E. Use AWS Security Token Service (AWS STS) to create temporary tokens to encrypt the ML storage volumes, and to encrypt the model artifacts and data in Amazon S3.

Answer: C

NEW QUESTION 5

A Machine Learning Specialist is preparing data for training on Amazon SageMaker. The Specialist is transformed into a numpy .array, which appears to be negatively affecting the speed of the training. What should the Specialist do to optimize the data for training on SageMaker?

- A. Use the SageMaker batch transform feature to transform the training data into a DataFrame
- B. Use AWS Glue to compress the data into the Apache Parquet format
- C. Transform the dataset into the RecordIO protobuf format
- D. Use the SageMaker hyperparameter optimization feature to automatically optimize the data

Answer: C

NEW QUESTION 6

A manufacturer of car engines collects data from cars as they are being driven. The data collected includes timestamp, engine temperature, rotations per minute (RPM), and other sensor readings. The company wants to predict when an engine is going to have a problem so it can notify drivers in advance to get engine maintenance. The engine data is loaded into a data lake for training. Which is the MOST suitable predictive model that can be deployed into production?

- A. Add labels over time to indicate which engine faults occur at what time in the future to turn this into a supervised learning problem. Use a recurrent neural network (RNN) to train the model to recognize when an engine might need maintenance for a certain fault.
- B. This data requires an unsupervised learning algorithm. Use Amazon SageMaker k-means to cluster the data.
- C. Add labels over time to indicate which engine faults occur at what time in the future to turn this into a supervised learning problem. Use a convolutional neural network (CNN) to train the model to recognize when an engine might need maintenance for a certain fault.
- D. This data is already formulated as a time series. Use Amazon SageMaker seq2seq to model the time series.

Answer: B

NEW QUESTION 7

A bank wants to launch a low-rate credit promotion. The bank is located in a town that recently experienced economic hardship. Only some of the bank's customers were affected by the crisis, so the bank's credit team must identify which customers to target with the promotion. However, the credit team wants to make sure that loyal customers' full credit history is considered when the decision is made. The bank's data science team developed a model that classifies account transactions and understands credit eligibility. The data science team used the XGBoost algorithm to train the model. The team used 7 years of bank transaction historical data for training and hyperparameter tuning over the course of several days. The accuracy of the model is sufficient, but the credit team is struggling to explain accurately why the model denies credit to some customers. The credit team has almost no skill in data science. What should the data science team do to address this issue in the MOST operationally efficient manner?

- A. Use Amazon SageMaker Studio to rebuild the model.
- B. Create a notebook that uses the XGBoost training container to perform model training.
- C. Deploy the model at an endpoint.
- D. Enable Amazon SageMaker Model Monitor to store inferences.
- E. Use the inferences to create Shapley values that help explain model behavior.
- F. Create a chart that shows features and SHapley Additive explanation (SHAP) values to explain to the credit team how the features affect the model outcomes.
- G. Use Amazon SageMaker Studio to rebuild the model.
- H. Create a notebook that uses the XGBoost training container to perform model training.
- I. Activate Amazon SageMaker Debugger, and configure it to calculate and collect Shapley values.
- J. Create a chart that shows features and SHapley Additive explanation (SHAP) values to explain to the credit team how the features affect the model outcomes.
- K. Create an Amazon SageMaker notebook instance.
- L. Use the notebook instance and the XGBoost library to locally retrain the model.
- M. Use the plot_importance() method in the Python XGBoost interface to create a feature importance chart.
- N. Use that chart to explain to the credit team how the features affect the model outcomes.
- O. Use Amazon SageMaker Studio to rebuild the model.
- P. Create a notebook that uses the XGBoost training container to perform model training.
- Q. Deploy the model at an endpoint.
- R. Use Amazon SageMaker Processing to post-analyze the model and create a feature importance explainability chart automatically for the credit team.

Answer: C

NEW QUESTION 8

A Machine Learning Specialist at a company sensitive to security is preparing a dataset for model training. The dataset is stored in Amazon S3 and contains Personally Identifiable Information (PII). The dataset:

* Must be accessible from a VPC only.

* Must not traverse the public internet. How can these requirements be satisfied?

- A. Create a VPC endpoint and apply a bucket access policy that restricts access to the given VPC endpoint and the VPC.
- B. Create a VPC endpoint and apply a bucket access policy that allows access from the given VPC endpoint and an Amazon EC2 instance.
- C. Create a VPC endpoint and use Network Access Control Lists (NACLs) to allow traffic between only the given VPC endpoint and an Amazon EC2 instance.
- D. Create a VPC endpoint and use security groups to restrict access to the given VPC endpoint and an Amazon EC2 instance.

Answer: B

NEW QUESTION 9

A power company wants to forecast future energy consumption for its customers in residential properties and commercial business properties. Historical power consumption data for the last 10 years is available. A team of data scientists who performed the initial data analysis and feature selection will include the historical power consumption data and data such as weather, number of individuals on the property, and public holidays. The data scientists are using Amazon Forecast to generate the forecasts.

Which algorithm in Forecast should the data scientists use to meet these requirements?

- A. Autoregressive Integrated Moving Average (AIRMA)
- B. Exponential Smoothing (ETS)

- C. Convolutional Neural Network - Quantile Regression (CNN-QR)
- D. Prophet

Answer: B

NEW QUESTION 10

A Machine Learning team runs its own training algorithm on Amazon SageMaker. The training algorithm requires external assets. The team needs to submit both its own algorithm code and algorithm-specific parameters to Amazon SageMaker.

What combination of services should the team use to build a custom algorithm in Amazon SageMaker? (Choose two.)

- A. AWS Secrets Manager
- B. AWS CodeStar
- C. Amazon ECR
- D. Amazon ECS
- E. Amazon S3

Answer: CE

NEW QUESTION 10

A financial services company wants to adopt Amazon SageMaker as its default data science environment. The company's data scientists run machine learning (ML) models on confidential financial data. The company is worried about data egress and wants an ML engineer to secure the environment.

Which mechanisms can the ML engineer use to control data egress from SageMaker? (Choose three.)

- A. Connect to SageMaker by using a VPC interface endpoint powered by AWS PrivateLink.
- B. Use SCPs to restrict access to SageMaker.
- C. Disable root access on the SageMaker notebook instances.
- D. Enable network isolation for training jobs and models.
- E. Restrict notebook presigned URLs to specific IPs used by the company.
- F. Protect data with encryption at rest and in transi
- G. Use AWS Key Management Service (AWS KMS) to manage encryption keys.

Answer: BDE

Explanation:

<https://aws.amazon.com/blogs/machine-learning/millennium-management-secure-machine-learning-using-amaz>

NEW QUESTION 15

A Data Scientist needs to migrate an existing on-premises ETL process to the cloud. The current process runs at regular time intervals and uses PySpark to combine and format multiple large data sources into a single consolidated output for downstream processing.

The Data Scientist has been given the following requirements for the cloud solution:

- * Combine multiple data sources
- * Reuse existing PySpark logic
- * Run the solution on the existing schedule
- * Minimize the number of servers that will need to be managed

Which architecture should the Data Scientist use to build this solution?

- A. Write the raw data to Amazon S3. Schedule an AWS Lambda function to submit a Spark step to a persistent Amazon EMR cluster based on the existing schedule. Use the existing PySpark logic to run the ETL job on the EMR cluster. Output the results to a "processed" location in Amazon S3 that is accessible for downstream use.
- B. Write the raw data to Amazon S3. Create an AWS Glue ETL job to perform the ETL processing against the input data. Write the ETL job in PySpark to leverage the existing logic. Create a new AWS Glue trigger to trigger the ETL job based on the existing schedule. Configure the output target of the ETL job to write to a "processed" location in Amazon S3 that is accessible for downstream use.
- C. Write the raw data to Amazon S3. Schedule an AWS Lambda function to run on the existing schedule and process the input data from Amazon S3. Write the Lambda logic in Python and implement the existing PySpark logic to perform the ETL process. Have the Lambda function output the results to a "processed" location in Amazon S3 that is accessible for downstream use.
- D. Use Amazon Kinesis Data Analytics to stream the input data and perform realtime SQL queries against the stream to carry out the required transformations within the stream. Deliver the output results to a "processed" location in Amazon S3 that is accessible for downstream use.

Answer: A

NEW QUESTION 17

A data scientist is developing a pipeline to ingest streaming web traffic data. The data scientist needs to implement a process to identify unusual web traffic patterns as part of the pipeline. The patterns will be used downstream for alerting and incident response. The data scientist has access to unlabeled historic data to use, if needed.

The solution needs to do the following:

- > Calculate an anomaly score for each web traffic entry.
- > Adapt unusual event identification to changing web patterns over time. Which approach should the data scientist implement to meet these requirements?

- A. Use historic web traffic data to train an anomaly detection model using the Amazon SageMaker Random Cut Forest (RCF) built-in mode.
- B. Use an Amazon Kinesis Data Stream to process the incoming web traffic data.
- C. Attach a preprocessing AWS Lambda function to perform data enrichment by calling the RCF model to calculate the anomaly score for each record.
- D. Use historic web traffic data to train an anomaly detection model using the Amazon SageMaker built-in XGBoost mode.
- E. Use an Amazon Kinesis Data Stream to process the incoming web traffic data.
- F. Attach a preprocessing AWS Lambda function to perform data enrichment by calling the XGBoost model to calculate the anomaly score for each record.
- G. Collect the streaming data using Amazon Kinesis Data Firehose.
- H. Map the delivery stream as an input source for Amazon Kinesis Data Analytics.
- I. Write a SQL query to run in real time against the streaming data with the k-Nearest Neighbors (kNN) SQL extension to calculate anomaly scores for each record using a tumbling window.

- J. Collect the streaming data using Amazon Kinesis Data Firehose
- K. Map the delivery stream as an input source for Amazon Kinesis Data Analytics
- L. Write a SQL query to run in real time against the streaming data with the Amazon Random Cut Forest (RCF) SQL extension to calculate anomaly scores for each record using a sliding window.

Answer: D

NEW QUESTION 20

A company is using Amazon Polly to translate plaintext documents to speech for automated company announcements. However, company acronyms are being mispronounced in the current documents. How should a Machine Learning Specialist address this issue for future documents?

- A. Convert current documents to SSML with pronunciation tags
- B. Create an appropriate pronunciation lexicon.
- C. Output speech marks to guide in pronunciation
- D. Use Amazon Lex to preprocess the text files for pronunciation

Answer: A

NEW QUESTION 25

A Machine Learning Specialist is building a convolutional neural network (CNN) that will classify 10 types of animals. The Specialist has built a series of layers in a neural network that will take an input image of an animal, pass it through a series of convolutional and pooling layers, and then finally pass it through a dense and fully connected layer with 10 nodes. The Specialist would like to get an output from the neural network that is a probability distribution of how likely it is that the input image belongs to each of the 10 classes. Which function will produce the desired output?

- A. Dropout
- B. Smooth L1 loss
- C. Softmax
- D. Rectified linear units (ReLU)

Answer: C

NEW QUESTION 27

A real-estate company is launching a new product that predicts the prices of new houses. The historical data for the properties and prices is stored in .csv format in an Amazon S3 bucket. The data has a header, some categorical fields, and some missing values. The company's data scientists have used Python with a common open-source library to fill the missing values with zeros. The data scientists have dropped all of the categorical fields and have trained a model by using the open-source linear regression algorithm with the default parameters. The accuracy of the predictions with the current model is below 50%. The company wants to improve the model performance and launch the new product as soon as possible. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a service-linked role for Amazon Elastic Container Service (Amazon ECS) with access to the S3 bucket
- B. Create an ECS cluster that is based on an AWS Deep Learning Containers image
- C. Write the code to perform the feature engineering
- D. Train a logistic regression model for predicting the price, pointing to the bucket with the dataset
- E. Wait for the training job to complete
- F. Perform the inferences.
- G. Create an Amazon SageMaker notebook with a new IAM role that is associated with the notebook
- H. Pull the dataset from the S3 bucket
- I. Explore different combinations of feature engineering transformations, regression algorithms, and hyperparameters
- J. Compare all the results in the notebook, and deploy the most accurate configuration in an endpoint for predictions.
- K. Create an IAM role with access to Amazon S3, Amazon SageMaker, and AWS Lambda
- L. Create a training job with the SageMaker built-in XGBoost model pointing to the bucket with the dataset
- M. Specify the price as the target feature
- N. Wait for the job to complete
- O. Load the model artifact to a Lambda function for inference on prices of new houses.
- P. Create an IAM role for Amazon SageMaker with access to the S3 bucket
- Q. Create a SageMaker AutoML job with SageMaker Autopilot pointing to the bucket with the dataset
- R. Specify the price as the target attribute
- S. Wait for the job to complete
- T. Deploy the best model for predictions.

Answer: A

NEW QUESTION 29

A company is running a machine learning prediction service that generates 100 TB of predictions every day. A Machine Learning Specialist must generate a visualization of the daily precision-recall curve from the predictions, and forward a read-only version to the Business team. Which solution requires the LEAST coding effort?

- A. Run a daily Amazon EMR workflow to generate precision-recall data, and save the results in Amazon S3. Give the Business team read-only access to S3.
- B. Generate daily precision-recall data in Amazon QuickSight, and publish the results in a dashboard shared with the Business team.
- C. Run a daily Amazon EMR workflow to generate precision-recall data, and save the results in Amazon S3. Visualize the arrays in Amazon QuickSight, and publish them in a dashboard shared with the Business team.
- D. Generate daily precision-recall data in Amazon ES, and publish the results in a dashboard shared with the Business team.

Answer: C

NEW QUESTION 33

A Machine Learning Specialist needs to create a data repository to hold a large amount of time-based training data for a new model. In the source system, new files are added every hour. Throughout a single 24-hour period, the volume of hourly updates will change significantly. The Specialist always wants to train on the last 24 hours of the data.

Which type of data repository is the MOST cost-effective solution?

- A. An Amazon EBS-backed Amazon EC2 instance with hourly directories
- B. An Amazon RDS database with hourly table partitions
- C. An Amazon S3 data lake with hourly object prefixes
- D. An Amazon EMR cluster with hourly hive partitions on Amazon EBS volumes

Answer: C

NEW QUESTION 35

A media company with a very large archive of unlabeled images, text, audio, and video footage wishes to index its assets to allow rapid identification of relevant content by the Research team. The company wants to use machine learning to accelerate the efforts of its in-house researchers who have limited machine learning expertise.

Which is the FASTEST route to index the assets?

- A. Use Amazon Rekognition, Amazon Comprehend, and Amazon Transcribe to tag data into distinct categories/classes.
- B. Create a set of Amazon Mechanical Turk Human Intelligence Tasks to label all footage.
- C. Use Amazon Transcribe to convert speech to text.
- D. Use the Amazon SageMaker Neural Topic Model (NTM) and Object Detection algorithms to tag data into distinct categories/classes.
- E. Use the AWS Deep Learning AMI and Amazon EC2 GPU instances to create custom models for audio transcription and topic modeling, and use object detection to tag data into distinct categories/classes.

Answer: A

NEW QUESTION 40

A Machine Learning Specialist is working for a credit card processing company and receives an unbalanced dataset containing credit card transactions. It contains 99,000 valid transactions and 1,000 fraudulent transactions. The Specialist is asked to score a model that was run against the dataset. The Specialist has been advised that identifying valid transactions is equally as important as identifying fraudulent transactions.

What metric is BEST suited to score the model?

- A. Precision
- B. Recall
- C. Area Under the ROC Curve (AUC)
- D. Root Mean Square Error (RMSE)

Answer: A

NEW QUESTION 41

A Data Scientist is developing a machine learning model to classify whether a financial transaction is fraudulent. The labeled data available for training consists of 100,000 non-fraudulent observations and 1,000 fraudulent observations.

The Data Scientist applies the XGBoost algorithm to the data, resulting in the following confusion matrix when the trained model is applied to a previously unseen validation dataset. The accuracy of the model is 99.1%, but the Data Scientist needs to reduce the number of false negatives.

Predicted	0	1
Actual	99,966	34
	1	877

Which combination of steps should the Data Scientist take to reduce the number of false negative predictions by the model? (Choose two.)

- A. Change the XGBoost eval_metric parameter to optimize based on Root Mean Square Error (RMSE).
- B. Increase the XGBoost scale_pos_weight parameter to adjust the balance of positive and negative weights.
- C. Increase the XGBoost max_depth parameter because the model is currently underfitting the data.
- D. Change the XGBoost eval_metric parameter to optimize based on Area Under the ROC Curve (AUC).
- E. Decrease the XGBoost max_depth parameter because the model is currently overfitting the data.

Answer: BD

NEW QUESTION 43

A machine learning specialist is developing a regression model to predict rental rates from rental listings. A variable named Wall_Color represents the most prominent exterior wall color of the property. The following is the sample data, excluding all other variables:

Property_ID	Wall_Color
1000	Red
1001	White
1002	Green

The specialist chose a model that needs numerical input data.

Which feature engineering approaches should the specialist use to allow the regression model to learn from the Wall_Color data? (Choose two.)

- A. Apply integer transformation and set Red = 1, White = 5, and Green = 10.
- B. Add new columns that store one-hot representation of colors.
- C. Replace the color name string by its length.
- D. Create three columns to encode the color in RGB format.
- E. Replace each color name by its training set frequency.

Answer: AD

NEW QUESTION 47

A data scientist is training a text classification model by using the Amazon SageMaker built-in BlazingText algorithm. There are 5 classes in the dataset, with 300 samples for category A, 292 samples for category B, 240 samples for category C, 258 samples for category D, and 310 samples for category E. The data scientist shuffles the data and splits off 10% for testing. After training the model, the data scientist generates confusion matrices for the training and test sets.

Training data confusion matrix

		Predicted class					Total
		A	B	C	D	E	
True class	A	270	0	0	0	0	270
	B	1	260	0	0	2	263
	C	0	0	111	100	5	216
	D	4	3	132	92	1	232
	E	0	0	2	3	274	279
	Total	275	263	245	195	282	1260

Test data confusion matrix

		Predicted class					Total
		A	B	C	D	E	
True class	A	9	1	0	0	0	10
	B	2	25	0	2	0	29
	C	10	2	11	10	1	34
	D	1	0	12	14	0	27
	E	9	1	4	1	25	40
	Total	31	29	27	27	26	140


What could the data scientist conclude from these results?

- A. Classes C and D are too similar.
- B. The dataset is too small for holdout cross-validation.
- C. The data distribution is skewed.
- D. The model is overfitting for classes B and E.

Answer: B

NEW QUESTION 50

Given the following confusion matrix for a movie classification model, what is the true class frequency for Romance and the predicted class frequency for Adventure?



- A. The true class frequency for Romance is 77.56% and the predicted class frequency for Adventure is 20.85%
- B. The true class frequency for Romance is 57.92% and the predicted class frequency for Adventure is 13.12%
- C. The true class frequency for Romance is 0.78 and the predicted class frequency for Adventure is (0.47 - 0.32).
- D. The true class frequency for Romance is 77.56% * 0.78 and the predicted class frequency for Adventure is 20.85% * 0.32

Answer: B

Explanation:

<https://docs.aws.amazon.com/machine-learning/latest/dg/multiclass-model-insights.html>

NEW QUESTION 52

A data scientist has been running an Amazon SageMaker notebook instance for a few weeks. During this time, a new version of Jupyter Notebook was released along with additional software updates. The security team mandates that all running SageMaker notebook instances use the latest security and software updates provided by SageMaker.

How can the data scientist meet these requirements?

- A. Call the CreateNotebookInstanceLifecycleConfig API operation
- B. Create a new SageMaker notebook instance and mount the Amazon Elastic Block Store (Amazon EBS) volume from the original instance
- C. Stop and then restart the SageMaker notebook instance
- D. Call the UpdateNotebookInstanceLifecycleConfig API operation

Answer: C

NEW QUESTION 55

A Data Science team within a large company uses Amazon SageMaker notebooks to access data stored in Amazon S3 buckets. The IT Security team is concerned that internet-enabled notebook instances create a security vulnerability where malicious code running on the instances could compromise data privacy. The company mandates that all instances stay within a secured VPC with no internet access, and data communication traffic must stay within the AWS network.

How should the Data Science team configure the notebook instance placement to meet these requirements?

- A. Associate the Amazon SageMaker notebook with a private subnet in a VPC
- B. Place the Amazon SageMaker endpoint and S3 buckets within the same VPC.
- C. Associate the Amazon SageMaker notebook with a private subnet in a VPC
- D. Use IAM policies to grant access to Amazon S3 and Amazon SageMaker.
- E. Associate the Amazon SageMaker notebook with a private subnet in a VPC
- F. Ensure the VPC has S3 VPC endpoints and Amazon SageMaker VPC endpoints attached to it.
- G. Associate the Amazon SageMaker notebook with a private subnet in a VPC
- H. Ensure the VPC has a NAT gateway and an associated security group allowing only outbound connections to Amazon S3 and Amazon SageMaker

Answer: D

NEW QUESTION 59

A company is launching a new product and needs to build a mechanism to monitor comments about the company and its new product on social media. The company needs to be able to evaluate the sentiment expressed in social media posts, and visualize trends and configure alarms based on various thresholds. The company needs to implement this solution quickly, and wants to minimize the infrastructure and data science resources needed to evaluate the messages. The company already has a solution in place to collect posts and store them within an Amazon S3 bucket.

What services should the data science team use to deliver this solution?

- A. Train a model in Amazon SageMaker by using the BlazingText algorithm to detect sentiment in the corpus of social media post
- B. Expose an endpoint that can be called by AWS Lambda
- C. Trigger a Lambda function when posts are added to the S3 bucket to invoke the endpoint and record the sentiment in an Amazon DynamoDB table and in a custom Amazon CloudWatch metric
- D. Use CloudWatch alarms to notify analysts of trends.
- E. Train a model in Amazon SageMaker by using the semantic segmentation algorithm to model the semantic content in the corpus of social media post
- F. Expose an endpoint that can be called by AWS Lambda
- G. Trigger a Lambda function when objects are added to the S3 bucket to invoke the endpoint and record the sentiment in an Amazon DynamoDB table
- H. Schedule a second Lambda function to query recently added records and send an Amazon Simple Notification Service (Amazon SNS) notification to notify analysts of trends.
- I. Trigger an AWS Lambda function when social media posts are added to the S3 bucket
- J. Call Amazon Comprehend for each post to capture the sentiment in the message and record the sentiment in an Amazon DynamoDB table
- K. Schedule a second Lambda function to query recently added records and send an Amazon Simple Notification Service (Amazon SNS) notification to notify analysts of trends.
- L. Trigger an AWS Lambda function when social media posts are added to the S3 bucket
- M. Call Amazon Comprehend for each post to capture the sentiment in the message and record the sentiment in a custom Amazon CloudWatch metric and in S3. Use CloudWatch alarms to notify analysts of trends.

Answer: A

NEW QUESTION 64

A data scientist is working on a public sector project for an urban traffic system. While studying the traffic patterns, it is clear to the data scientist that the traffic behavior at each light is correlated, subject to a small stochastic error term. The data scientist must model the traffic behavior to analyze the traffic patterns and reduce congestion.

How will the data scientist MOST effectively model the problem?

- A. The data scientist should obtain a correlated equilibrium policy by formulating this problem as a multi-agent reinforcement learning problem.
- B. The data scientist should obtain the optimal equilibrium policy by formulating this problem as a single-agent reinforcement learning problem.
- C. Rather than finding an equilibrium policy, the data scientist should obtain accurate predictors of traffic flow by using historical data through a supervised learning approach.
- D. Rather than finding an equilibrium policy, the data scientist should obtain accurate predictors of traffic flow by using unlabeled simulated data representing the new traffic patterns in the city and applying an unsupervised learning approach.

Answer: D

NEW QUESTION 68

A company sells thousands of products on a public website and wants to automatically identify products with potential durability problems. The company has 1.000 reviews with date, star rating, review text, review summary, and customer email fields, but many reviews are incomplete and have empty fields. Each review has already been labeled with the correct durability result.

A machine learning specialist must train a model to identify reviews expressing concerns over product durability. The first model needs to be trained and ready to review in 2 days.

What is the MOST direct approach to solve this problem within 2 days?

- A. Train a custom classifier by using Amazon Comprehend.
- B. Build a recurrent neural network (RNN) in Amazon SageMaker by using Gluon and Apache MXNet.
- C. Train a built-in BlazingText model using Word2Vec mode in Amazon SageMaker.
- D. Use a built-in seq2seq model in Amazon SageMaker.

Answer: B

NEW QUESTION 69

A company that runs an online library is implementing a chatbot using Amazon Lex to provide book recommendations based on category. This intent is fulfilled by an AWS Lambda function that queries an Amazon DynamoDB table for a list of book titles, given a particular category. For testing, there are only three categories implemented as the custom slot types: "comedy," "adventure," and "documentary."

A machine learning (ML) specialist notices that sometimes the request cannot be fulfilled because Amazon Lex cannot understand the category spoken by users with utterances such as "funny," "fun," and "humor." The ML specialist needs to fix the problem without changing the Lambda code or data in DynamoDB.

How should the ML specialist fix the problem?

- A. Add the unrecognized words in the enumeration values list as new values in the slot type.
- B. Create a new custom slot type, add the unrecognized words to this slot type as enumeration values, and use this slot type for the slot.
- C. Use the AMAZON.SearchQuery built-in slot types for custom searches in the database.
- D. Add the unrecognized words as synonyms in the custom slot type.

Answer: C

NEW QUESTION 73

A Machine Learning Specialist is using an Amazon SageMaker notebook instance in a private subnet of a corporate VPC. The ML Specialist has important data stored on the Amazon SageMaker notebook instance's Amazon EBS volume, and needs to take a snapshot of that EBS volume. However the ML Specialist cannot find the Amazon SageMaker notebook instance's EBS volume or Amazon EC2 instance within the VPC.

Why is the ML Specialist not seeing the instance visible in the VPC?

- A. Amazon SageMaker notebook instances are based on the EC2 instances within the customer account, but they run outside of VPCs.
- B. Amazon SageMaker notebook instances are based on the Amazon ECS service within customer accounts.
- C. Amazon SageMaker notebook instances are based on EC2 instances running within AWS serviceaccounts.
- D. Amazon SageMaker notebook instances are based on AWS ECS instances running within AWS service accounts.

Answer: C

NEW QUESTION 77

A data scientist must build a custom recommendation model in Amazon SageMaker for an online retail company. Due to the nature of the company's products, customers buy only 4-5 products every 5-10 years. So, the company relies on a steady stream of new customers. When a new customer signs up, the company collects data on the customer's preferences. Below is a sample of the data available to the data scientist.

timestamp	user_id	product_id	preference_1	...	preference_10
2020-03-04	90	25	0	...	0.374
2020-03-04	90	61	0	...	0.374
2020-02-21	203	56	1	...	0.098

How should the data scientist split the dataset into a training and test set for this use case?

- A. Shuffle all interaction dat
- B. Split off the last 10% of the interaction data for the test set.
- C. Identify the most recent 10% of interactions for each use
- D. Split off these interactions for the test set.
- E. Identify the 10% of users with the least interaction dat
- F. Split off all interaction data from these users for the test set.
- G. Randomly select 10% of the user
- H. Split off all interaction data from these users for the test set.

Answer: B

Explanation:

<https://aws.amazon.com/blogs/machine-learning/building-a-customized-recommender-system-in-amazon-sagem>

NEW QUESTION 78

IT leadership wants Jo transition a company's existing machine learning data storage environment to AWS as a temporary ad hoc solution The company currently uses a custom software process that heavily leverages SOL as a query language and exclusively stores generated csv documents for machine learning The ideal state for the company would be a solution that allows it to continue to use the current workforce of SQL experts The solution must also support the storage of csv and JSON files, and be able to query over semi-structured data The following are high priorities for the company:

- Solution simplicity

- Fast development time
- Low cost
- High flexibility

What technologies meet the company's requirements?

- A. Amazon S3 and Amazon Athena
- B. Amazon Redshift and AWS Glue
- C. Amazon DynamoDB and DynamoDB Accelerator (DAX)
- D. Amazon RDS and Amazon ES

Answer: B

NEW QUESTION 80

A Mobile Network Operator is building an analytics platform to analyze and optimize a company's operations using Amazon Athena and Amazon S3. The source systems send data in CSV format in real time. The Data Engineering team wants to transform the data to the Apache Parquet format before storing it on Amazon S3.

Which solution takes the LEAST effort to implement?

- A. Ingest .CSV data using Apache Kafka Streams on Amazon EC2 instances and use Kafka Connect S3 to serialize data as Parquet.
- B. Ingest .CSV data from Amazon Kinesis Data Streams and use Amazon Glue to convert data into Parquet.
- C. Ingest .CSV data using Apache Spark Structured Streaming in an Amazon EMR cluster and use Apache Spark to convert data into Parquet.
- D. Ingest .CSV data from Amazon Kinesis Data Streams and use Amazon Kinesis Data Firehose to convert data into Parquet.

Answer: B

Explanation:

<https://medium.com/search/convert-csv-json-files-to-apache-parquet-using-aws-glue-a760d177b45f> <https://github.com/ecloudvalley/Building-a-Data-Lake-with-AWS-Glue-and-Amazon-S3>

NEW QUESTION 83

A manufacturing company has a large set of labeled historical sales data. The manufacturer would like to predict how many units of a particular part should be produced each quarter. Which machine learning approach should be used to solve this problem?

- A. Logistic regression
- B. Random Cut Forest (RCF)
- C. Principal component analysis (PCA)
- D. Linear regression

Answer: D

NEW QUESTION 84

A Machine Learning Specialist is building a prediction model for a large number of features using linear models, such as linear regression and logistic regression. During exploratory data analysis, the Specialist observes that many features are highly correlated with each other. This may make the model unstable. What should be done to reduce the impact of having such a large number of features?

- A. Perform one-hot encoding on highly correlated features.
- B. Use matrix multiplication on highly correlated features.
- C. Create a new feature space using principal component analysis (PCA).
- D. Apply the Pearson correlation coefficient.

Answer: B

NEW QUESTION 86

A machine learning (ML) specialist is administering a production Amazon SageMaker endpoint with model monitoring configured. Amazon SageMaker Model Monitor detects violations on the SageMaker endpoint, so the ML specialist retrains the model with the latest dataset. This dataset is statistically representative of the current production traffic. The ML specialist notices that even after deploying the new SageMaker model and running the first monitoring job, the SageMaker endpoint still has violations.

What should the ML specialist do to resolve the violations?

- A. Manually trigger the monitoring job to re-evaluate the SageMaker endpoint traffic sample.
- B. Run the Model Monitor baseline job again on the new training set.
- C. Configure Model Monitor to use the new baseline.
- D. Delete the endpoint and recreate it with the original configuration.
- E. Retrain the model again by using a combination of the original training set and the new training set.

Answer: B

NEW QUESTION 91

A Data Scientist is building a model to predict customer churn using a dataset of 100 continuous numerical features. The Marketing team has not provided any insight about which features are relevant for churn prediction. The Marketing team wants to interpret the model and see the direct impact of relevant features on the model outcome. While training a logistic regression model, the Data Scientist observes that there is a wide gap between the training and validation set accuracy.

Which methods can the Data Scientist use to improve the model performance and satisfy the Marketing team's needs? (Choose two.)

- A. Add L1 regularization to the classifier.
- B. Add features to the dataset.
- C. Perform recursive feature elimination.
- D. Perform t-distributed stochastic neighbor embedding (t-SNE).

E. Perform linear discriminant analysis

Answer: BE

NEW QUESTION 92

A company has set up and deployed its machine learning (ML) model into production with an endpoint using Amazon SageMaker hosting services. The ML team has configured automatic scaling for its SageMaker instances to support workload changes. During testing, the team notices that additional instances are being launched before the new instances are ready. This behavior needs to change as soon as possible. How can the ML team solve this issue?

- A. Decrease the cooldown period for the scale-in activity
- B. Increase the configured maximum capacity of instances.
- C. Replace the current endpoint with a multi-model endpoint using SageMaker.
- D. Set up Amazon API Gateway and AWS Lambda to trigger the SageMaker inference endpoint.
- E. Increase the cooldown period for the scale-out activity.

Answer: A

NEW QUESTION 93

A Machine Learning Specialist has completed a proof of concept for a company using a small data sample and now the Specialist is ready to implement an end-to-end solution in AWS using Amazon SageMaker. The historical training data is stored in Amazon RDS. Which approach should the Specialist use for training a model using that data?

- A. Write a direct connection to the SQL database within the notebook and pull data in
- B. Push the data from Microsoft SQL Server to Amazon S3 using an AWS Data Pipeline and provide the S3 location within the notebook.
- C. Move the data to Amazon DynamoDB and set up a connection to DynamoDB within the notebook to pull data in
- D. Move the data to Amazon ElastiCache using AWS DMS and set up a connection within the notebook to pull data in for fast access.

Answer: B

NEW QUESTION 97

When submitting Amazon SageMaker training jobs using one of the built-in algorithms, which common parameters MUST be specified? (Select THREE.)

- A. The training channel identifying the location of training data on an Amazon S3 bucket.
- B. The validation channel identifying the location of validation data on an Amazon S3 bucket.
- C. The IAM role that Amazon SageMaker can assume to perform tasks on behalf of the users.
- D. Hyperparameters in a JSON array as documented for the algorithm used.
- E. The Amazon EC2 instance class specifying whether training will be run using CPU or GPU.
- F. The output path specifying where on an Amazon S3 bucket the trained model will persist.

Answer: CEF

NEW QUESTION 100

An employee found a video clip with audio on a company's social media feed. The language used in the video is Spanish. English is the employee's first language, and they do not understand Spanish. The employee wants to do a sentiment analysis. What combination of services is the MOST efficient to accomplish the task?

- A. Amazon Transcribe, Amazon Translate, and Amazon Comprehend
- B. Amazon Transcribe, Amazon Comprehend, and Amazon SageMaker seq2seq
- C. Amazon Transcribe, Amazon Translate, and Amazon SageMaker Neural Topic Model (NTM)
- D. Amazon Transcribe, Amazon Translate, and Amazon SageMaker BlazingText

Answer: A

NEW QUESTION 102

A Machine Learning Specialist is given a structured dataset on the shopping habits of a company's customer base. The dataset contains thousands of columns of data and hundreds of numerical columns for each customer. The Specialist wants to identify whether there are natural groupings for these columns across all customers and visualize the results as quickly as possible. What approach should the Specialist take to accomplish these tasks?

- A. Embed the numerical features using the t-distributed stochastic neighbor embedding (t-SNE) algorithm and create a scatter plot.
- B. Run k-means using the Euclidean distance measure for different values of k and create an elbow plot.
- C. Embed the numerical features using the t-distributed stochastic neighbor embedding (t-SNE) algorithm and create a line graph.
- D. Run k-means using the Euclidean distance measure for different values of k and create box plots for each numerical column within each cluster.

Answer: B

NEW QUESTION 103

A Machine Learning Specialist is working with a large cybersecurity company that manages security events in real time for companies around the world. The cybersecurity company wants to design a solution that will allow it to use machine learning to score malicious events as anomalies on the data as it is being ingested. The company also wants to be able to save the results in its data lake for later processing and analysis. What is the MOST efficient way to accomplish these tasks?

- A. Ingest the data using Amazon Kinesis Data Firehose, and use Amazon Kinesis Data Analytics Random Cut Forest (RCF) for anomaly detection. Then use Kinesis Data Firehose to stream the results to Amazon S3.
- B. Ingest the data into Apache Spark Streaming using Amazon EMR.
- C. and use Spark MLlib with k-means to perform anomaly detection. Then store the results in an Apache Hadoop Distributed File System (HDFS) using Amazon S3.

EMR with a replication factor of three as the data lake

D. Ingest the data and store it in Amazon S3 Use AWS Batch along with the AWS Deep Learning AMIs to train a k-means model using TensorFlow on the data in Amazon S3.

E. Ingest the data and store it in Amazon S3. Have an AWS Glue job that is triggered on demand transform the new data Then use the built-in Random Cut Forest (RCF) model within Amazon SageMaker to detect anomalies in the data

Answer: A

NEW QUESTION 108

A machine learning specialist works for a fruit processing company and needs to build a system that categorizes apples into three types. The specialist has collected a dataset that contains 150 images for each type of apple and applied transfer learning on a neural network that was pretrained on ImageNet with this dataset.

The company requires at least 85% accuracy to make use of the model.

After an exhaustive grid search, the optimal hyperparameters produced the following: 68% accuracy on the training set 67% accuracy on the validation set

What can the machine learning specialist do to improve the system's accuracy?

A. Upload the model to an Amazon SageMaker notebook instance and use the Amazon SageMaker HPO feature to optimize the model's hyperparameters.

B. Add more data to the training set and retrain the model using transfer learning to reduce the bias.

C. Use a neural network model with more layers that are pretrained on ImageNet and apply transfer learning to increase the variance.

D. Train a new model using the current neural network architecture.

Answer: B

NEW QUESTION 112

A retail company uses a machine learning (ML) model for daily sales forecasting. The company's brand manager reports that the model has provided inaccurate results for the past 3 weeks.

At the end of each day, an AWS Glue job consolidates the input data that is used for the forecasting with the actual daily sales data and the predictions of the model. The AWS Glue job stores the data in Amazon S3. The company's ML team is using an Amazon SageMaker Studio notebook to gain an understanding about the source of the model's inaccuracies.

What should the ML team do on the SageMaker Studio notebook to visualize the model's degradation MOST accurately?

A. Create a histogram of the daily sales over the last 3 week

B. In addition, create a histogram of the daily sales from before that period.

C. Create a histogram of the model errors over the last 3 week

D. In addition, create a histogram of the model errors from before that period.

E. Create a line chart with the weekly mean absolute error (MAE) of the model.

F. Create a scatter plot of daily sales versus model error for the last 3 week

G. In addition, create a scatter plot of daily sales versus model error from before that period.

Answer: C

NEW QUESTION 116

A machine learning specialist stores IoT soil sensor data in Amazon DynamoDB table and stores weather event data as JSON files in Amazon S3. The dataset in DynamoDB is 10 GB in size and the dataset in Amazon S3 is 5 GB in size. The specialist wants to train a model on this data to help predict soil moisture levels as a function of weather events using Amazon SageMaker.

Which solution will accomplish the necessary transformation to train the Amazon SageMaker model with the LEAST amount of administrative overhead?

A. Launch an Amazon EMR cluste

B. Create an Apache Hive external table for the DynamoDB table and S3 dat

C. Join the Hive tables and write the results out to Amazon S3.

D. Crawl the data using AWS Glue crawler

E. Write an AWS Glue ETL job that merges the two tables and writes the output to an Amazon Redshift cluster.

F. Enable Amazon DynamoDB Streams on the sensor tabl

G. Write an AWS Lambda function that consumes the stream and appends the results to the existing weather files in Amazon S3.

H. Crawl the data using AWS Glue crawler

I. Write an AWS Glue ETL job that merges the two tables and writes the output in CSV format to Amazon S3.

Answer: C

NEW QUESTION 120

A Machine Learning Specialist is designing a system for improving sales for a company. The objective is to use the large amount of information the company has on users' behavior and product preferences to predict which products users would like based on the users' similarity to other users.

What should the Specialist do to meet this objective?

A. Build a content-based filtering recommendation engine with Apache Spark ML on Amazon EMR.

B. Build a collaborative filtering recommendation engine with Apache Spark ML on Amazon EMR.

C. Build a model-based filtering recommendation engine with Apache Spark ML on Amazon EMR.

D. Build a combinative filtering recommendation engine with Apache Spark ML on Amazon EMR.

Answer: B

Explanation:

Many developers want to implement the famous Amazon model that was used to power the "People who bought this also bought these items" feature on Amazon.com. This model is based on a method called Collaborative Filtering. It takes items such as movies, books, and products that were rated highly by a set of users and recommending them to other users who also gave them high ratings. This method works well in domains where explicit ratings or implicit user actions can be gathered and analyzed.

NEW QUESTION 123

A Machine Learning Specialist is building a supervised model that will evaluate customers' satisfaction with their mobile phone service based on recent usage. The model's output should infer whether or not a customer is likely to switch to a competitor in the next 30 days. Which of the following modeling techniques should the Specialist use?

- A. Time-series prediction
- B. Anomaly detection
- C. Binary classification
- D. Regression

Answer: D

NEW QUESTION 126

A Machine Learning Specialist kicks off a hyperparameter tuning job for a tree-based ensemble model using Amazon SageMaker with Area Under the ROC Curve (AUC) as the objective metric. This workflow will eventually be deployed in a pipeline that retrains and tunes hyperparameters each night to model click-through on data that goes stale every 24 hours.

With the goal of decreasing the amount of time it takes to train these models, and ultimately to decrease costs, the Specialist wants to reconfigure the input hyperparameter range(s).

Which visualization will accomplish this?

- A. A histogram showing whether the most important input feature is Gaussian.
- B. A scatter plot with points colored by target variable that uses (-Distributed Stochastic Neighbor Embedding (t-SNE) to visualize the large number of input variables in an easier-to-read dimension.
- C. A scatter plot showing the performance of the objective metric over each training iteration.
- D. A scatter plot showing the correlation between maximum tree depth and the objective metric.

Answer: D

NEW QUESTION 128

A machine learning specialist needs to analyze comments on a news website with users across the globe. The specialist must find the most discussed topics in the comments that are in either English or Spanish.

What steps could be used to accomplish this task? (Choose two.)

- A. Use an Amazon SageMaker BlazingText algorithm to find the topics independently from language. Proceed with the analysis.
- B. Use an Amazon SageMaker seq2seq algorithm to translate from Spanish to English, if necessary.
- C. Use an Amazon SageMaker Latent Dirichlet Allocation (LDA) algorithm to find the topics.
- D. Use Amazon Translate to translate from Spanish to English, if necessary.
- E. Use Amazon Comprehend topic modeling to find the topics.
- F. Use Amazon Translate to translate from Spanish to English, if necessary.
- G. Use Amazon Lex to extract topics from the content.
- H. Use Amazon Translate to translate from Spanish to English, if necessary.
- I. Use Amazon SageMaker Neural Topic Model (NTM) to find the topics.

Answer: B

NEW QUESTION 130

A Machine Learning Specialist is building a model to predict future employment rates based on a wide range of economic factors. While exploring the data, the Specialist notices that the magnitude of the input features vary greatly. The Specialist does not want variables with a larger magnitude to dominate the model. What should the Specialist do to prepare the data for model training?

- A. Apply quantile binning to group the data into categorical bins to keep any relationships in the data by replacing the magnitude with distribution.
- B. Apply the Cartesian product transformation to create new combinations of fields that are independent of the magnitude.
- C. Apply normalization to ensure each field will have a mean of 0 and a variance of 1 to remove any significant magnitude.
- D. Apply the orthogonal sparse Diagram (OSD) transformation to apply a fixed-size sliding window to generate new features of a similar magnitude.

Answer: C

NEW QUESTION 134

A retail company is selling products through a global online marketplace. The company wants to use machine learning (ML) to analyze customer feedback and identify specific areas for improvement. A developer has built a tool that collects customer reviews from the online marketplace and stores them in an Amazon S3 bucket. This process yields a dataset of 40 reviews. A data scientist building the ML models must identify additional sources of data to increase the size of the dataset.

Which data sources should the data scientist use to augment the dataset of reviews? (Choose three.)

- A. Emails exchanged by customers and the company's customer service agents
- B. Social media posts containing the name of the company or its products
- C. A publicly available collection of news articles
- D. A publicly available collection of customer reviews
- E. Product sales revenue figures for the company
- F. Instruction manuals for the company's products

Answer: BDF

NEW QUESTION 138

During mini-batch training of a neural network for a classification problem, a Data Scientist notices that training accuracy oscillates. What is the MOST likely cause of this issue?

- A. The class distribution in the dataset is imbalanced
- B. Dataset shuffling is disabled

- C. The batch size is too big
- D. The learning rate is very high

Answer: B

NEW QUESTION 140

A data scientist uses an Amazon SageMaker notebook instance to conduct data exploration and analysis. This requires certain Python packages that are not natively available on Amazon SageMaker to be installed on the notebook instance. How can a machine learning specialist ensure that required packages are automatically available on the notebook instance for the data scientist to use?

- A. Install AWS Systems Manager Agent on the underlying Amazon EC2 instance and use Systems Manager Automation to execute the package installation commands.
- B. Create a Jupyter notebook file (.ipynb) with cells containing the package installation commands to execute and place the file under the /etc/init directory of each Amazon SageMaker notebook instance.
- C. Use the conda package manager from within the Jupyter notebook console to apply the necessary conda packages to the default kernel of the notebook.
- D. Create an Amazon SageMaker lifecycle configuration with package installation commands and assign the lifecycle configuration to the notebook instance.

Answer: D

Explanation:

<https://docs.aws.amazon.com/sagemaker/latest/dg/nbi-add-external.html>

NEW QUESTION 141

A data scientist needs to identify fraudulent user accounts for a company's ecommerce platform. The company wants the ability to determine if a newly created account is associated with a previously known fraudulent user. The data scientist is using AWS Glue to cleanse the company's application logs during ingestion. Which strategy will allow the data scientist to identify fraudulent accounts?

- A. Execute the built-in FindDuplicates Amazon Athena query.
- B. Create a FindMatches machine learning transform in AWS Glue.
- C. Create an AWS Glue crawler to infer duplicate accounts in the source data.
- D. Search for duplicate accounts in the AWS Glue Data Catalog.

Answer: B

NEW QUESTION 143

A Machine Learning Specialist has built a model using Amazon SageMaker built-in algorithms and is not getting expected accurate results. The Specialist wants to use hyperparameter optimization to increase the model's accuracy. Which method is the MOST repeatable and requires the LEAST amount of effort to achieve this?

- A. Launch multiple training jobs in parallel with different hyperparameters
- B. Create an AWS Step Functions workflow that monitors the accuracy in Amazon CloudWatch Logs and relaunches the training job with a defined list of hyperparameters
- C. Create a hyperparameter tuning job and set the accuracy as an objective metric.
- D. Create a random walk in the parameter space to iterate through a range of values that should be used for each individual hyperparameter

Answer: B

NEW QUESTION 147

A Machine Learning Specialist must build out a process to query a dataset on Amazon S3 using Amazon Athena. The dataset contains more than 800,000 records stored as plaintext CSV files. Each record contains 200 columns and is approximately 1.5 MB in size. Most queries will span 5 to 10 columns only. How should the Machine Learning Specialist transform the dataset to minimize query runtime?

- A. Convert the records to Apache Parquet format
- B. Convert the records to JSON format
- C. Convert the records to GZIP CSV format
- D. Convert the records to XML format

Answer: A

Explanation:

Using compressions will reduce the amount of data scanned by Amazon Athena, and also reduce your S3 bucket storage. It's a Win-Win for your AWS bill. Supported formats: GZIP, LZ0, SNAPPY (Parquet) and ZLIB.

NEW QUESTION 150

A Data Science team is designing a dataset repository where it will store a large amount of training data commonly used in its machine learning models. As Data Scientists may create an arbitrary number of new datasets every day, the solution has to scale automatically and be cost-effective. Also, it must be possible to explore the data using SQL.

Which storage scheme is MOST adapted to this scenario?

- A. Store datasets as files in Amazon S3.
- B. Store datasets as files in an Amazon EBS volume attached to an Amazon EC2 instance.
- C. Store datasets as tables in a multi-node Amazon Redshift cluster.
- D. Store datasets as global tables in Amazon DynamoDB.

Answer: A

NEW QUESTION 153

A company wants to predict the sale prices of houses based on available historical sales data. The target variable in the company's dataset is the sale price. The features include parameters such as the lot size, living area measurements, non-living area measurements, number of bedrooms, number of bathrooms, year built, and postal code. The company wants to use multi-variable linear regression to predict house sale prices. Which step should a machine learning specialist take to remove features that are irrelevant for the analysis and reduce the model's complexity?

- A. Plot a histogram of the features and compute their standard deviation
- B. Remove features with high variance.
- C. Plot a histogram of the features and compute their standard deviation
- D. Remove features with low variance.
- E. Build a heatmap showing the correlation of the dataset against itself
- F. Remove features with low mutual correlation scores.
- G. Run a correlation check of all features against the target variable
- H. Remove features with low target variable correlation scores.

Answer: D

NEW QUESTION 157

A Machine Learning Specialist is packaging a custom ResNet model into a Docker container so the company can leverage Amazon SageMaker for training. The Specialist is using Amazon EC2 P3 instances to train the model and needs to properly configure the Docker container to leverage the NVIDIA GPUs. What does the Specialist need to do?

- A. Bundle the NVIDIA drivers with the Docker image.
- B. Build the Docker container to be NVIDIA-Docker compatible.
- C. Organize the Docker container's file structure to execute on GPU instances.
- D. Set the GPU flag in the Amazon SageMaker CreateTrainingJob request body

Answer: B

NEW QUESTION 161

A Machine Learning Specialist is developing a recommendation engine for a photography blog. Given a picture, the recommendation engine should show a picture that captures similar objects. The Specialist would like to create a numerical representation feature to perform nearest-neighbor searches. What actions would allow the Specialist to get relevant numerical representations?

- A. Reduce image resolution and use reduced resolution pixel values as features
- B. Use Amazon Mechanical Turk to label image content and create a one-hot representation indicating the presence of specific labels
- C. Run images through a neural network pre-trained on ImageNet, and collect the feature vectors from the penultimate layer
- D. Average colors by channel to obtain three-dimensional representations of images.

Answer: A

NEW QUESTION 163

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AWS-Certified-Machine-Learning-Specialty Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AWS-Certified-Machine-Learning-Specialty Product From:

<https://www.2passeasy.com/dumps/AWS-Certified-Machine-Learning-Specialty/>

Money Back Guarantee

AWS-Certified-Machine-Learning-Specialty Practice Exam Features:

- * AWS-Certified-Machine-Learning-Specialty Questions and Answers Updated Frequently
- * AWS-Certified-Machine-Learning-Specialty Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Certified-Machine-Learning-Specialty Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AWS-Certified-Machine-Learning-Specialty Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year